

**Montclair State University**  
**Montclair State University Digital Commons**

---

Theses, Dissertations and Culminating Projects

---

8-2019

# Assessment of Mean Annual Precipitation and pCO<sub>2</sub> Effect on C<sub>3</sub> Land Plant Carbon Isotope Fractionation

Woohee Kim  
*Montclair State University*

Follow this and additional works at: <https://digitalcommons.montclair.edu/etd>

 Part of the [Earth Sciences Commons](#), and the [Environmental Sciences Commons](#)

---

## Recommended Citation

Kim, Woohee, "Assessment of Mean Annual Precipitation and pCO<sub>2</sub> Effect on C<sub>3</sub> Land Plant Carbon Isotope Fractionation" (2019).  
*Theses, Dissertations and Culminating Projects*. 31S.  
<https://digitalcommons.montclair.edu/etd/315>

---

This Thesis is brought to you for free and open access by Montclair State University Digital Commons. It has been accepted for inclusion in Theses, Dissertations and Culminating Projects by an authorized administrator of Montclair State University Digital Commons. For more information, please contact [digitalcommons@montclair.edu](mailto:digitalcommons@montclair.edu).

## ABSTRACT

Modern carbon dioxide (CO<sub>2</sub>) levels are well known from instrumental observation (just exceeded 415 ppmv on May 13th, 2019). CO<sub>2</sub> levels (*p*CO<sub>2</sub>) in the past, however, are difficult to obtain, especially for geologic time older than 800 thousand years (kyr). Many proxies have been used to infer past CO<sub>2</sub> levels in the geologic records, but the results are often incomplete and inconsistent. Here, I assess the uncertainty of a new *p*CO<sub>2</sub> proxy that has great potential to reconstruct continuous *p*CO<sub>2</sub> records across the entire Phanerozoic. This new proxy is based on stable carbon isotope fractionation ( $\Delta^{13}\text{C}$ ) of C<sub>3</sub> land plants because growth chamber experiments and field observations suggest *p*CO<sub>2</sub> goes up as  $\Delta^{13}\text{C}$  increases for *p*CO<sub>2</sub> ranges from 198 to 4200 ppm. Although this proxy has been applied widely in the Cenozoic, recent studies raise concerns that the  $\Delta^{13}\text{C}$  of C<sub>3</sub> land plants can be affected by mean annual precipitation (MAP), plant species and mean annual temperature (MAT) in addition to *p*CO<sub>2</sub>. Modern C<sub>3</sub> land plants reveal a positive correlation between  $\Delta^{13}\text{C}$  and MAP, as well as MAT. The effect of both MAP and CO<sub>2</sub> on  $\Delta^{13}\text{C}$ , however, is unknown, making it difficult to interpret the carbon isotope signals in the sedimentary records. The main objective of this work is to assess the extent to which the uncertainty of *p*CO<sub>2</sub> reconstruction in the geological records can be reduced given independent knowledge of MAP and MAT. I hypothesize that if MAP is known at any given time in the geologic past, then *p*CO<sub>2</sub> can be estimated with reduced uncertainty. This hypothesis is tested by accounting for changes in MAP in the Quaternary using multi-regression relationship obtained from large modern dataset. Least square multi-regression suggests +0.2‰ changes in  $\Delta^{13}\text{C}$  per 100 mm yr<sup>-1</sup> changes in MAP while holding *p*CO<sub>2</sub> constant, and -1.8‰ changes in  $\Delta^{13}\text{C}$  per 100 ppm changes in *p*CO<sub>2</sub> while holding MAP constant [ $\Delta^{13}\text{C} = 25.1 + (0.002) * \text{MAP} - (0.02) * p\text{CO}_2$  ( $r^2 = 0.40, p < 0.0001$ )]. This study provides potential for accounting for changes

in MAP usage of this regression equation to offer more precise  $p\text{CO}_2$  estimates in the geological records. The reduction in  $p\text{CO}_2$  uncertainty using this unique proxy can help better understand how climate will change in the future due to anthropogenic CO<sub>2</sub> emissions.

MONTCLAIR STATE UNIVERSITY

Assessment of mean annual precipitation and  $p\text{CO}_2$  effect on C<sub>3</sub> land plant carbon isotope fractionation

by

Woohee Kim

A Master's Thesis Submitted to the Faculty of

Montclair State University

In Partial Fulfillment of the Requirements

for the Degree of


Master of Science

August 2019

College of Science and Mathematics

Department of Earth and Environmental Studies

Thesis Committee:




Dr. Ying Cui



Dr. Clement A. Alo

Committee Member



Dr. Danlin Yu

Committee Member

**Assessment of mean annual precipitation and  $p\text{CO}_2$  effect on C<sub>3</sub> land plant carbon isotope fractionation**

A THESIS

Submitted in partial fulfillment of the requirements  
for the degree of Master of Science

by

Woohee Kim

Montclair State University

Montclair, NJ

2019

Copyright © 2019 by Woohee Kim. All rights reserved.

## ACKNOWLEDGEMENTS

I want to extend the deepest gratitude to my thesis sponsor, Dr. Ying Cui and to my committee members, Dr. Clement Alo and Dr. Danlin Yu. I appreciate the many research opportunities Dr. Cui gave me. As a mentor, she always helped me with personal life and studies and gave sage advice and guidance. Without her supportive guidance and help, this thesis would not have been possible. To Dr. Alo, thank you for providing advice about my thesis. To Dr. Yu, thank you for your instruction on GIS added geographic significance to my research.

In addition to my committee members, I would like to thank Mike Ayers for helping me to enjoy life at Montclair State University. Also, thank you Junkui Cui, Archana Prasad, and Sana Mirza for spending our last two years together.

Finally, I would like to thank my family for the support and encouragement throughout my graduate school life. I have no words to express my thanks.

## TABLE OF CONTENTS

ABSTRACT.....	i
ACKNOWLEDGEMENTS.....	vi
LIST OF FIGURES .....	viii
LIST OF TABLES.....	ix
1. INTRODUCTION.....	1
1.1 CO <sub>2</sub> and Paleoclimate .....	1
1.2 Stable Carbon Isotopes of C <sub>3</sub> Land Plants.....	2
2. METHODOLOGY .....	5
2.1 Data Collection .....	5
2.1.1 Modern.....	5
2.1.2 Quaternary.....	6
2.2 Data Visualization in R.....	7
2.3 Multiple-regression Analysis.....	8
3. RESULTS .....	8
3.1 Modern Compilation and Data Visualization of Stable isotopes of C <sub>3</sub> Plants.....	8
3.2 Quaternary δ <sup>13</sup> C of C <sub>3</sub> Land Plants.....	11
3.3 Statistical Results .....	14
4. DISCUSSION .....	20
4.1 Climatic Controls on Stable Carbon Isotope Fractionation of Modern C <sub>3</sub> Land Plants.....	20
4.2 MAP and pCO <sub>2</sub> effects on Δ <sup>13</sup> C.....	21
4.3 Quaternary atmospheric CO <sub>2</sub> levels.....	24
5. CONCLUSION .....	26
APPENDIX.....	28
REFERENCES.....	170

## LIST OF FIGURES

Figure 1. Histogram of modern carbon isotope values ( $n = 686$ ) .....	9
Figure 2. Spatial distribution of modern $\delta^{13}\text{C}$ from 1980 to the present (‰).....	10
Figure 3. Spatial distribution of modern mean annual precipitation (MAP) from 1980 to the present (mm yr <sup>-1</sup> ).....	10
Figure 4. Spatial distribution of modern carbon isotope fractionation ( $\Delta^{13}\text{C}$ ) from 1980 to the present .....	11
Figure 5. Histogram of the Quaternary $\delta^{13}\text{C}$ values of C <sub>3</sub> land plants ( $n = 1188$ ).....	13
Figure 6. Spatial distribution of $\delta^{13}\text{C}$ of C <sub>3</sub> land plants in the Quaternary (‰).....	14
Figure 7. Spatial distribution of carbon isotope fractionation ( $\Delta^{13}\text{C}$ ) between C <sub>3</sub> land plants and atmospheric CO <sub>2</sub> in the Quaternary (‰) .....	14
Figure 8. Linear regression from the total number of datasets between carbon isotope fractionation ( $\Delta^{13}\text{C}$ ) vs MAP (Left), and carbon isotope fractionation ( $\Delta^{13}\text{C}$ ) vs $p\text{CO}_2$ (Right)..	16
Figure 9. Carbon isotope fractionation values based on plant types.....	17
Figure 10. Spatial distribution of the reconstructed atmospheric $p\text{CO}_2$ for the Quaternary at times when sedimentary carbon isotope data are available .....	19
Figure 11. Spatial visualization of our reconstructed MAP in the Quaternary (mm yr <sup>-1</sup> ) .....	20
Figure 12. Global MAP and MAT of the modern $\Delta^{13}\text{C}$ dataset separated by biome types defined by Ricklefs (2008).....	21
Figure 13. Comparison of the relationship between carbon isotope fractionation and MAP .....	24
Figure 14. Ice core records for the last 800,000 years and various proxies from Foster et al. (2017) in the Quaternary.....	26

## LIST OF TABLES

Table 1. Animal species, material and the fractionation factor used in the Quaternary (0-2.58 Ma)	11
.....	.....
Table 2. Linear regression of $\Delta^{13}\text{C}$ with environmental variables, including MAP, latitude, $p\text{CO}_2$ , altitude and MAT .....	15
Table 3. Summary statistics of carbon isotope fractionation values for plant types.....	17
Table 4. Multi-regression in each continent .....	18

## 1. INTRODUCTION

### 1.1 CO<sub>2</sub> and Paleoclimate

It has long been recognized that the Earth's primary climate driver is carbon dioxide (CO<sub>2</sub>) in the atmosphere (Royer et al., 2001; Beerling & Royer, 2011; Foster et al., 2017) (Figure. 1 – Earth history CO<sub>2</sub> concentration from proxies and a global temperature reconstruction). Temperature and precipitation are the main components of regional climate, which are controlled by the energy balance of the incoming solar energy and the long-wave radiation by greenhouse gases, in particular atmospheric CO<sub>2</sub>. Recently, atmospheric CO<sub>2</sub> levels (partial pressure of CO<sub>2</sub> or *p*CO<sub>2</sub>) observed at Mauna Loa, Hawaii has exceeded 415 parts per million (or ppm) (Dockrill, 2019). Moreover, the rate of CO<sub>2</sub> emission has increased to  $> 9 \text{ Pg C/yr}$  ( $1 \text{ Pg C} = 10^{15} \text{ grams of carbon}$ ) due to the burning of fossil fuels and the production of cement (Le Quéré et al., 2017). If the CO<sub>2</sub> levels continue to rise at an accelerated rate, the global temperature increase is likely to go beyond 2 °C, a benchmark that the scientific community has previously viewed as a threat to polar ice sheet destabilization, which could further increase global sea levels (Jevrejeva et al., 2016) and result in more frequent droughts and extreme precipitation events (Kothavala, 1997).

The *p*CO<sub>2</sub> and the tropical seawater temperature show strong coupling in the Phanerozoic (541 Million years ago or Ma to present) based on the reconstructions from several *p*CO<sub>2</sub> proxies such as paleosols, liverworts, boron isotopes, alkenones, stomata, C<sub>3</sub> land plants, among others (Beerling & Royer, 2011; Royer et al., 2014; Foster et al., 2017; Cui & Schubert, 2018) and temperature proxies such as  $\delta^{18}\text{O}$  of carbonate and phosphate, and clumped isotopes (Henke et al., 2017). This allows for a clearer picture of CO<sub>2</sub>-driving temperature change to emerge, but the details of the CO<sub>2</sub>-variations are controversial due to the varying sampling resolution of different

proxies and the unknown physiology in many extinct species (Royer et al., 2001). In addition, some CO<sub>2</sub> proxy data are associated with large uncertainties, often unquantified in the geological records (Breecker, 2013; Cotton & Sheldon, 2012). This led to the idea of applying a uniform, well-calibrated (uncertainty quantified) proxy to be used systematically in the fossil records (Breecker, 2013; Pagani, 2014; Cui & Schubert, 2016). C<sub>3</sub> land plant carbon isotope proxy is a novel approach to reconstruct atmospheric *p*CO<sub>2</sub> using stable carbon isotope fractionation as detailed below. This study seeks to refine the C<sub>3</sub> land plant carbon isotope proxy by accounting for environmental variabilities in the geologic records to better understand the paleoclimate in the Phanerozoic. The main goal is to assess environmental controls, in particular mean annual precipitation and atmospheric *p*CO<sub>2</sub> on carbon isotope fractionation of C<sub>3</sub> land plants.

## 1.2 Stable Carbon Isotopes of C<sub>3</sub> Land Plants

The stable carbon isotopes of land plants ( $\delta^{13}\text{C}$ ) have been widely measured in sedimentary organic matter as a proxy for past environmental changes (Nordt et al., 2016; Castaños et al., 2014; Coltrain et al., 2004; Fox-Dobbs et al., 2008; Raghavan et al., 2014).  $\delta^{13}\text{C}$  can be expressed as the following (Eq.1).

$$\delta^{13}\text{C} = \frac{\frac{^{13}\text{C}}{^{12}\text{C}}_{\text{sample}} - \frac{^{13}\text{C}}{^{12}\text{C}}_{\text{standard}}}{\frac{^{13}\text{C}}{^{12}\text{C}}_{\text{standard}}} \times 1000 \quad (\text{Equation 1})$$

Where <sup>12</sup>C and <sup>13</sup>C are the two stable isotopes of carbon, sample represents the samples measured, and standard denotes the international standard Vienna Pee Dee Belemnite (VPDB).

Carbon isotopic fractionation [ $\Delta^{13}\text{C} = a + (b-a) \times C_i/C_a$ ] takes place during CO<sub>2</sub> diffusion ( $a = 4.4\text{\textperthousand}$ ) and carboxylation by Rubisco (ribulose 1,5-bisphosphate carboxylase/oxygenase) ( $b = 26$  to  $30\text{\textperthousand}$ ) because kinetics allows for the preferential uptake of the <sup>12</sup>C (Schubert & Jähren, 2018; Farquhar et al., 1989) ( $C_i/C_a$  is the ratio of intercellular and ambient partial pressure of CO<sub>2</sub>).

About 85% of the land plants species in the Earth's surface are C<sub>3</sub> land plants, whose initial photosynthetic carbon assimilation product is 3-phosphoglycerate (C<sub>3</sub>H<sub>7</sub>O<sub>7</sub>P), in contrast to the malic acid (C<sub>4</sub>H<sub>6</sub>O<sub>5</sub>) produced by C<sub>4</sub> photosynthesis. C<sub>3</sub> land plants prefer cooler growing temperatures (Winslow et al., 2003) and play an important role in the carbon cycle for the majority of the Earth's history since the rise of vascular plants (Arens et al., 2000). Through photosynthesis, C<sub>3</sub> terrestrial plants show a wide range of  $\delta^{13}\text{C}$  values from -37 to -20‰ (Kohn, 2010). C<sub>3</sub> plants are more widely used in paleoclimate reconstruction because C<sub>4</sub> plants may have not evolved until the Miocene (Osborne, 2008; Sage, 2004), and are often associated with lower pCO<sub>2</sub> levels and higher water efficiency (Sage, 2004; O'Leary, 1988). The  $\Delta^{13}\text{C}$  of C<sub>3</sub> land plants are partly controlled by stomatal conductance or photosynthetic rate (Farquhar & Sharkey, 1982). Recently, Schubert and Jähren (2018) suggested that the  $\Delta^{13}\text{C}$  can change without varying either photosynthetic rate or stomatal conductance, rather it is dependent on pCO<sub>2</sub> and carbon isotope discrimination during photorespiration (9.1 to 22‰) while maintaining a constant CO<sub>2</sub> compensation point at 40 ppm.

Previous studies have attempted to demonstrate that pCO<sub>2</sub> is a main control on  $\Delta^{13}\text{C}$  (Hare et al., 2018; Schubert & Jähren, 2012, 2015, 2018; Cui & Schubert, 2016, 2017, 2018). Schubert and Jähren (2012) collected C<sub>3</sub> plant data from plant growth chambers across fifteen pCO<sub>2</sub> levels to further demonstrate the relationship between  $\Delta^{13}\text{C}$  and pCO<sub>2</sub> can be described as

a hyperbolic function. In a follow-up study, Schubert and Jahren (2013) show that background and maximum  $p\text{CO}_2$  levels can be reconstructed from change in  $p\text{CO}_2$  concentrations using both terrestrial and marine records. They then used the differences in marine and terrestrial CIE for the reconstruction of  $p\text{CO}_2$  across the Paleocene–Eocene Thermal Maximum (PETM) (Schubert & Jahren, 2013). Later, Schubert and Jahren (2015) reconstructed  $p\text{CO}_2$  levels for the past 30 kyr that show good agreement with the ice core records using a global compilation of  $\Delta^{13}\text{C}$  data from terrestrial organic matter. Additionally, Cui and Schubert (2016) assessed the uncertainty of Schubert and Jahren's (2012, 2013) methods of  $p\text{CO}_2$  reconstruction using  $\Delta^{13}\text{C}$  using a Monte Carlo uncertainty propagation approach and sensitivity analysis.

Furthermore, studies have shown that mean annual precipitation (MAP) affect the  $\delta^{13}\text{C}$  of  $\text{C}_3$  land plants on both global and regional scale (Diefendorf et al., 2010; Kohn, 2010; Basu et al., 2019). Diefendorf et al. (2010) compiled a large dataset of  $\Delta^{13}\text{C}$  ( $n = 506$ ) and analyzed the various environmental controls on  $\Delta^{13}\text{C}$ , including MAP, MAT, altitude, latitude and plant functional types. A strong positive correlation between  $\Delta^{13}\text{C}$  and MAP was shown ( $r^2 = 0.56$ ; Diefendorf et al. 2010). Likewise, Kohn (2010) proved an apparent positive relationship between MAP and  $\Delta^{13}\text{C}$  ( $r^2 = 0.48$ ,  $p$  value  $< 0.05$ ). Additionally, Basu et al. (2019) extended the number of data and analyzed the correlation between MAP and  $\Delta^{13}\text{C}$  ( $r^2 = 0.36$ ,  $p$  value  $< 0.05$ ). Despite these efforts to relate  $p\text{CO}_2$  to  $\Delta^{13}\text{C}$  and MAP to  $\Delta^{13}\text{C}$ , no study has been done to systematically investigate the relationship between  $\Delta^{13}\text{C}$  and both MAP and  $p\text{CO}_2$ .

Previous studies have limitations in small numbers of samples or focusing too narrowly on specific locations. Here, we report a large compilation based on previous studies of Kohn (2010, 2016), Diefendorf et al. (2010), and Basu et al. (2019) to regress  $\Delta^{13}\text{C}$  and both MAP and  $p\text{CO}_2$  globally and regionally in order to understand the controls of MAP and  $p\text{CO}_2$  in stable

carbon isotope fractionation of the C<sub>3</sub> land plants. This study compiles a larger dataset and accounts for changes in both MAP and *p*CO<sub>2</sub> in all continents across the globe. The statistically significant relationship between Δ<sup>13</sup>C and both MAP and *p*CO<sub>2</sub> was applied to the geologic past when MAP is well known from sedimentary records, to reconstruct atmospheric *p*CO<sub>2</sub> values. We find that the reconstructed *p*CO<sub>2</sub> is broadly consistent with the ice-core records, and that it is promising to reconstruct MAP with reasonable accuracy and precision if MAP is known at any given time in the geologic past.

## 2. METHODOLOGY

### 2.1 Data Collection

The methods discussed below were employed to analyze global carbon isotope data to assess the effects of both MAP and *p*CO<sub>2</sub> on C<sub>3</sub> land plant carbon isotope fractionation. Extensive literature reviews on carbon isotope fractionations have been conducted similar to studies by Kohn (2010); Diefendorf et al. (2010); Cui and Schubert (2016); Hare et al. (2018); Basu et al. (2019). Previous studies were found to have limitations concerning small numbers of samples or focusing too narrowly on specific locations. Most of these studies showed a significant relationship between carbon isotope fractionation and at least one environmental factor or variable. This study seeks to compile a larger dataset to establish statistically significant relationship between both MAP and *p*CO<sub>2</sub> and C<sub>3</sub> land plant carbon isotope fractionation (Δ<sup>13</sup>C).

#### 2.1.1 Modern

In previous studies by Basu et al. (2019), Diefendorf et al. (2010), and Kohn (2010), carbon isotope values were found to be affected by several environmental factors such as mean annual precipitation (MAP), mean annual temperature (MAT) and latitude, among which MAP experts the strongest control on carbon isotope fractionation ( $\Delta^{13}\text{C}$ ). However, those published papers did not systematically consider atmospheric  $p\text{CO}_2$ , an important environmental factor that affects global climate over geologic time. In this study, carbon isotope values of  $\text{C}_3$  land plants were extracted from the dataset by Basu et al. (2019) along with the addition of a recently published paper (e.g., Ale et al., 2018). Latitude, longitude, MAP, altitude and MAT data were obtained from National Oceanic and Atmospheric Administration (NOAA) and Google Earth. Plant functional types of this large dataset were distinguished by assigning gymnosperm and angiosperm to individual plants in order to understand the influence of changes in plant species on  $\Delta^{13}\text{C}$ . The  $\text{C}_3$  land plants  $\delta^{13}\text{C}$  data were from year 1980 to 2018 ( $n = 686$ ) and include sites from Asia, Australia, Europe, Africa and America.  $p\text{CO}_2$  values were from the Mauna Loa observatory  $\text{CO}_2$  annual mean data were used as independent values according to the publication years of the papers. All of the  $\delta^{13}\text{C}$  values of long-chain  $n$ -alkanes were added 5‰ to account for stable carbon isotope fractionation during lipid synthesis in order to obtain  $\delta^{13}\text{C}$  values of leaf tissues.

### 2.1.2 Quaternary

A total of 1188 carbon isotope values of herbivores from 2.58 million years ago (Quaternary) were assembled and used as proxies for  $\delta^{13}\text{C}$  of  $\text{C}_3$  land plants based on the animals' diet in an ecosystem. The substrates of fossil animals were bone collagen and tooth enamel. For

bone collagen samples, the  $\delta^{13}\text{C}$  values of C<sub>3</sub> land plants was calculated by subtracting 5‰ from the  $\delta^{13}\text{C}$  of bone collagen (Froehle et al., 2010; Kohn, 2016). For substrates using tooth enamel, animal species were sorted based on the two major groups of living hoofed mammals (e.g., artiodactyls vs. perissodactyls). Artiodactyls have even numbers of toes, such as cattle, pigs, rabbits and voles, while perissodactyls have odd numbers of toes (e.g. horses, rhinos, and tapirs). Fractionation of 14‰ for perissodactyls and 14.5‰ for artiodactyls were used to calculate the  $\delta^{13}\text{C}$  values of C<sub>3</sub> land plants from tooth enamel (Cerling and Harris, 1999; Kohn et al., 2015; Passey et al., 2005; Kohn, 2016) (Table 1). In occasions when long-chain *n*-alkane  $\delta^{13}\text{C}$  values are available, the  $\delta^{13}\text{C}$  values of C<sub>3</sub> land plants are assumed to be 5 ‰ higher than the  $\delta^{13}\text{C}$  values of long-chain *n*-alkane.

$\delta^{13}\text{C}_{\text{atm}}$  values for the modern were from NOAA observations at Mauna Loa (Tans & Keeling, 2012).  $\delta^{13}\text{C}_{\text{atm}}$  values for the Quaternary came from Tipple et al. (2010) and were used to calculate the  $\Delta^{13}\text{C}$  [ $\Delta^{13}\text{C} = (\delta^{13}\text{C}_{\text{atm}} - \delta^{13}\text{C}_{\text{org}}) / (1 + \delta^{13}\text{C}_{\text{org}}/1000)$ ]. The  $p\text{CO}_2$  values of the Quaternary were from the ice core records (Lüthi, 2008) and those compiled by Foster et al. (2017).

## 2.2 Data Visualization in R

R programming language (R Core Team, 2018) was used for spatial data visualization using global informational system with known latitudes and longitudes. These maps include spatial distribution of MAP, compiled  $\delta^{13}\text{C}$  value of C<sub>3</sub> land plants, and the computed  $\Delta^{13}\text{C}$  from year 1980 to 2018 (Figs. 2-4), and through the Quaternary (Figs. 6-7 and 10-11). R function “Tidyverse” was used to organize the data and packages used to plot the data were ggplot2

(Hadley et al., 2018), and ggmap (Kahle & Wickham, 2013), plotbiomes, tidyverse. Compiled data for ‘Modern’ ( $n = 686$ ) and the ‘Quaternary’ ( $n = 1188$ ) periods were processed and analyzed in R and JMP software.

### 2.3 Multiple-regression Analysis

The statistical software JMP was used for multiple-regression analysis in order to understand the MAP and  $p\text{CO}_2$  effects on C<sub>3</sub> land plant carbon isotope fractionation. Prior to multi-regression analysis, all of the compiled modern data ( $n = 686$ ) were used to perform linear regressions for MAP vs.  $\Delta^{13}\text{C}$ , altitude vs.  $\Delta^{13}\text{C}$ , MAT vs.  $\Delta^{13}\text{C}$  and  $p\text{CO}_2$  vs.  $\Delta^{13}\text{C}$ . The statistical significance was evaluated through the p-values and the correlation coefficient ( $r^2$ ). All of the data were tested for normality using a Kruskal-Wallis T test.

## 3. RESULTS

### 3.1 Modern Compilation and Data Visualization of Stable isotopes of C<sub>3</sub> Plants

A total of 686 data points of modern C<sub>3</sub> land plants from the published literature were assembled across latitudes from 55 °N and 70 °S, and longitudes from 156 °W to 154 °E as shown in Figures 2, 3 and 4. The  $\delta^{13}\text{C}$  values of the C<sub>3</sub> land plants range from -32‰ to -22‰ with an average value of -26.7‰ and a median value of -26.6 ‰ (Fig. 1). Fig. 1 represents the frequency distribution of modern  $\delta^{13}\text{C}$  across the C<sub>3</sub> land plants.




Figure 1. Histogram of modern carbon isotope values ( $n = 686$ )

Global distribution of  $\delta^{13}\text{C}$  values of C<sub>3</sub> land plants, MAP, and  $\Delta^{13}\text{C}$  records of the modern dataset (year 1980 to 2018) are shown in Figures 2, 3 and 4, which provide data visualization and spatial correlations between environmental controls and  $\Delta^{13}\text{C}$  on all continents. The global  $\delta^{13}\text{C}$  dataset show a significant gap in high latitudes and tropical regions (Fig. 2). MAP ranges from 1 mm to 4000 mm, with the highest values seen in tropical and coastal regions such as Japan, Indonesia and Cameroon. In continental and mid-latitude interiors, MAP values are lower than other areas (Fig. 3).  $\Delta^{13}\text{C}$  values range from 14‰ to 25‰ and show similar patterns to the MAP records.




Figure 2. Spatial distribution of modern  $\delta^{13}\text{C}$  from 1980 to the present (‰)




Figure 3. Spatial distribution of modern mean annual precipitation (MAP) from 1980 to the present (mm  $\text{yr}^{-1}$ )




Figure 4. Spatial distribution of modern carbon isotope fractionation ( $\Delta^{13}\text{C}$ ) from 1980 to the present

### 3.2 Quaternary $\delta^{13}\text{C}$ of C<sub>3</sub> Land Plants

A total of 1188  $\delta^{13}\text{C}$  values of bone collagen, tooth enamel and sedimentary organic matter of Quaternary age were compiled from literature to infer the  $\delta^{13}\text{C}$  values of C<sub>3</sub> land plants. These records span latitudes from 37 °N and 76 °S, and longitudes from 150 °W to 172 °E as shown in Fig. 5. The  $\delta^{13}\text{C}$  values of the C<sub>3</sub> land plants range from -31.7‰ to -19.0‰ with an average value of -25.6‰ (Fig. 5 and Table 3), similar to the modern mean with a slightly wider range. Likewise, after accounting for changes in  $\delta^{13}\text{C}$  of atmospheric CO<sub>2</sub> in the Quaternary, the  $\Delta^{13}\text{C}$  values range from 12.8‰ to 26.7‰, slightly wider than the modern range (12 to 25‰).

Table 1. Animal species, material and the fractionation factor used in the Quaternary (0-2.58 Ma)

<b>Animal Species</b>	<b>Common Names</b>	<b>Browsers/g razers</b>	<b>Materials analyzed for <math>\delta^{13}\text{C}</math></b>	<b>Fractionation factor (‰)</b>
Gigantopithecus blacki	Prehistoric apes	Mixed diet	Tooth Enamel	5

Bison	Buffalo	Grazers	Tooth Enamel	14.5
Ovibos moschatus	Musk ox	Grazers	Bone collagen	5
Tapirus	Tapir	Browsers	Tooth Enamel	14
Teleoceras	Rhinos	Browsers	Tooth Enamel	14
Tayassudae	Peccary	Browsers	Tooth Enamel	14.5
Stephanorhinus	Rhinoceros	Both	Bone collagen	5
Canis	Wolves, Coyotes, and Dogs	Both	Tooth Enamel	14.5
Equus	Horses	Grazers	Tooth Enamel	14.5
Rupicapra	Goat-antelope	Browsers	Tooth Enamel	14.5
Lama/Vicugna	Camel	Browsers	Bone collagen	5
Pongo	Orangutan	Browsers	Tooth Enamel	14
Bibos/Bos	Oxen	Grazers	Tooth Enamel	14
Cerf/Cervus/Capreolus /Megaloceros	Deer	Browsers	Bone collagen	5
Dama	Fallow deer	Browsers	Tooth Enamel	14.5
Vulpes	Red fox	Grazers	Tooth Enamel	14.5
Capra	Iberian ibex	Both	Tooth Enamel	14.5
Palaeoloxodon	Elephant	Both	Bone collagen	5
Hemitragus	Wild goat	Browsers	Tooth Enamel	14.5
Homo	Human	Mixed diet	Tooth Enamel	14.5




Figure 5. Histogram of the Quaternary  $\delta^{13}\text{C}$  values of C<sub>3</sub> land plants ( $n = 1188$ )

The  $\delta^{13}\text{C}$  and  $\Delta^{13}\text{C}$  values of C<sub>3</sub> land plants of the Quaternary (2.58 million years ago to the present) are shown in Figs. 6 and 7. The Quaternary  $\delta^{13}\text{C}$  dataset are limited to smaller area, mostly in the northern hemisphere. Unfortunately, there is no Quaternary  $\delta^{13}\text{C}$  data in Africa and Australia, which begs for strong needs to obtain additional data in these regions in the future.




Figure 6. Spatial distribution of  $\delta^{13}\text{C}$  of  $\text{C}_3$  land plants in the Quaternary (‰)




Figure 7. Spatial distribution of carbon isotope fractionation ( $\Delta^{13}\text{C}$ ) between  $\text{C}_3$  land plants and atmospheric  $\text{CO}_2$  in the Quaternary (‰)

### 3.3 Statistical Results

To understand the environmental controls on carbon isotope fractionation, linear regression and multiple-regression were used to evaluate the role of MAP, atmospheric  $p\text{CO}_2$ , latitude, altitude, and MAT. The highest correlation coefficient is between  $\Delta^{13}\text{C}$  and MAP ( $r^2 = 0.39, n = 686$ ), followed by  $\text{Log}_{10}(\text{MAP})$  ( $r^2 = 0.3, n = 686$ ), MAT ( $r^2 = 0.15, n = 684$ ),  $p\text{CO}_2$  ( $r^2 = 0.08, n = 684$ ), altitude ( $r^2 = 0.07, n = 562$ ), and latitude ( $r^2 = 0.04, n = 686$ ) (Table 2).

Table 2. Linear regression of  $\Delta^{13}\text{C}$  with environmental variables, including MAP, latitude,  $p\text{CO}_2$ , altitude and MAT

<b>Environmental Variables</b>	<b>R<sup>2</sup></b>	<b>Intercept</b>	<b>Slope</b>	<b>p-value</b>	<b>Numbers of data</b>
MAP	0.39	17.91	0.002	<0.0001	686
$\text{Log}_{10}(\text{MAP})$	0.30	12.65	2.46	<0.0001	686
MAT	0.15	18.54	0.07	<0.0001	684
$p\text{CO}_2$	0.08	33.73	-0.04	<0.0001	684
Altitude	0.07	19.88	-0.0003	<0.0001	562
Latitude	0.14	19.38	-0.012	<0.0001	686

Multi-regression analysis shows that the spatial relationship between the carbon isotopes of C<sub>3</sub> land plants and the MAP is well represented by a negative correlation ( $r^2 = 0.36$ ; slope = -0.002, intercept = -25.6). A logarithmic MAP shows weaker correlation compared to linear MAP, contrasting the results of Diefendorf et al. (2010), Kohn (2010) and Basu et al. (2019). As Fig. 3 shows, in environments that are characterized by MAP lower than 1000 mm yr<sup>-1</sup> (e.g., subtropical deserts and temperature grassland/desert), it is expected that the  $\Delta^{13}\text{C}$  should increase as MAP goes up, at a rate faster than in wetter environment such as the tropical rainforest. In the studied range of  $p\text{CO}_2$  (320 to 410 ppm), there is a weak but significant negative relationship between  $\Delta^{13}\text{C}$  and  $p\text{CO}_2$  ( $r^2 = 0.08$ , slope = -0.038, intercept = 33.73). The MAT also shows strong positive relationship with  $\Delta^{13}\text{C}$  ( $r^2 = 0.15$ ), consistent with research that sampled plants along a 400 mm yr<sup>-1</sup> MAP isoline (Wang et al., 2013).




Figure 8. Linear regression from the total number of datasets between carbon isotope fractionation ( $\Delta^{13}\text{C}$ ) vs MAP (Left), and carbon isotope fractionation ( $\Delta^{13}\text{C}$ ) vs  $p\text{CO}_2$  (Right)

Most of the modern plants in this study are angiosperms ( $n = 600$ ), with a small amount of gymnosperm ( $n = 20$ ) and a mixture of both angiosperm and gymnosperm ( $n = 66$ ). Typically, the  $\delta^{13}\text{C}$  values of angiosperms are slightly more depleted than gymnosperms, likely due to their different isotopic fractionation processes (Diefendorf & Freimuth, 2017). Such difference is also observed in our dataset, with angiosperm being  $\sim 1\text{‰}$  more depleted than gymnosperm in the modern C<sub>3</sub> land plants (Fig. 9 and Table 3).




Figure 9. Carbon isotope fractionation values based on plant types

Table 3. Summary statistics of carbon isotope fractionation values for plant types

Plant type	Count	Mean	Sd	Median	IQR
Angiosperm	600	19.2	1.83	19.2	2.34
Gymnosperm	20	20.1	1.11	20.1	0.973
Mixed	66	19.3	1.55	19.4	1.85

Multi-regression analysis suggests that while holding global MAP constant,  $p\text{CO}_2$  exerts a negative control on  $\Delta^{13}\text{C}$  (Eq. 2).

$$\Delta^{13}\text{C} = 25.1 + (0.002) * \text{MAP} (\text{mm yr}^{-1}) - (0.018) * p\text{CO}_2 (n = 686, r^2 = 0.40, p \text{ value} < 0.001)$$

(Equation 2)

Adding atmospheric  $p\text{CO}_2$  in the linear MAP regression improved the  $r^2$  from 0.36 to 0.4 (Eq. 2) and both MAP and  $p\text{CO}_2$  showed statistical significance. This improvement in the correlation coefficient may allow for more accurate and precise reconstruction of atmospheric  $p\text{CO}_2$  if MAP is known independently. It is, however, possible that regional MAP may play a more important role in controlling the  $\Delta^{13}\text{C}$  as suggested by Basu et al. (2019). To test this idea, multi-regression at each continent was performed to evaluate region-specific relationship between two key variables, MAP and atmospheric  $p\text{CO}_2$ . Interestingly, Asia is the only continent that shows strong statistically significant correlation between  $\Delta^{13}\text{C}$ , MAP and atmospheric  $p\text{CO}_2$  ( $r^2 = 0.22$ ,  $p$  value < 0.01)

Table 4. Multi-regression in each continent

Continents	$R^2$	Intercept	Slope (MAP)	Slope ( $p\text{CO}_2$ )	$p$ -value with MAP	$p$ -value with $p\text{CO}_2$	Numbers of data
Africa	0.64	18.28	0.002	-7.61e-5	<0.01	1	35
Asia	0.22	26.26	0.002	-0.02	<0.01	<0.01	389
Europe	0.12	23.56	0.001	-0.01	0.5	0.02	81
North America	0.4	14.76	0.002	0.008	<0.01	0.6	47
Oceania	0.42	10.32	0.002	0.02	<0.01	0.09	121
Latitude	0.55	-10.79	0.002	0.08	0.02	0.35	11

Using the multi-regression equation developed in this study (Eq. 2),  $p\text{CO}_2$  is reconstructed for the Quaternary Period. The sites used to reconstruct  $p\text{CO}_2$  are across latitudes from 30 °N and 80 °N, and longitudes from 80 °W to 160 °E (Fig. 12). The reconstructed  $p\text{CO}_2$  values fluctuate between 0 to 700 ppm and correspond to the ice-core records in the last 800 kyr (Fig. 14).




Figure 10. Spatial distribution of the reconstructed atmospheric  $p\text{CO}_2$  for the Quaternary at times when sedimentary carbon isotope data are available

Because of the good agreement between the ice core records and our reconstructed atmospheric  $p\text{CO}_2$ , it is possible that MAP can be reconstructed at any time in the geological past if atmospheric  $p\text{CO}_2$  is independently known with accountable uncertainty. To test this hypothesis, we calculated MAP across latitudes from  $0^{\circ}\text{N}$  and  $80^{\circ}\text{N}$  (data only available in the northern hemisphere), and across longitudes from  $0^{\circ}\text{E}$  to  $160^{\circ}\text{E}$ . The reconstructed MAP values range from 0 to  $4000 \text{ mm yr}^{-1}$ , broadly consistent with MAP from independent evidence from flora records (Figure 13). The difference between the median of the reconstructed MAP and the median MAP is less than  $650 \text{ mm yr}^{-1}$ .




Figure 11. Spatial visualization of our reconstructed MAP in the Quaternary ( $\text{mm yr}^{-1}$ )

## 4. DISCUSSION

### 4.1 Climatic Controls on Stable Carbon Isotope Fractionation of Modern C<sub>3</sub> Land Plants

Stable carbon isotope fractionation ( $\Delta^{13}\text{C}$ ) of C<sub>3</sub> land plant is known to be affected by several climatic variables, including MAP, MAT,  $p\text{CO}_2$ , latitude, and altitude (Kohn, 2010; Diefendorf et al., 2010; Schubert & Jahren 2012; Basu et al., 2019; Wang et al., 2013). The correlation coefficient of multi-regression on the effects of MAP, MAT, latitude, altitude and  $p\text{CO}_2$  show a higher value ( $r^2 = 0.39$  vs. 0.37) compared to Basu et al. (2019), but slightly lower ( $r^2 = 0.39$ ) compared to those reported in Diefendorf et al. (2010) ( $r^2 = 0.52$ ) and Kohn (2010) ( $r^2 = 0.4$ ). Such difference is likely because we treat the  $\delta^{13}\text{C}$  data from a single site as ecosystem average and the additions of newly published data since 2010 (Table 2; Fig. 14).




Figure 12. Global MAP and MAT of the modern  $\Delta^{13}\text{C}$  dataset separated by biome types defined by Ricklefs (2008)

Fig. 12 represents the Whittaker biome distribution of the modern dataset based on their MAP and MAT values. The modern dataset includes all biomes (boreal forest, subtropical desert, temperate grassland/desert, temperate seasonal forest, tropical rain forest, tropical seasonal forest/savanna, and woodland/shrubland) except for tundra and temperate rainforest (Fig. 12). The lack of data in tundra, temperate rain forest, and tropical rain forest environment is because most of the plants from the modern dataset are angiosperms ( $n = 600$ ) which do not grow in these environments. A majority of the data (>85%) are associated with low MAP values (less than 1000 mm yr<sup>-1</sup>), suggesting the regression established using this dataset may have been biased (Fig. 13).

#### 4.2 MAP and $p\text{CO}_2$ effects on $\Delta^{13}\text{C}$

Several studies have investigated the effects of MAP on  $\Delta^{13}\text{C}$  (Kohn, 2010; Diefendorf et al., 2010; Diefendorf & Freimuth, 2017; Basu et al., 2019). Strong positive correlation between  $\Delta^{13}\text{C}$  and MAP is found in all previous studies and this study (Fig. 13). These studies show that for MAP lower than 1000 mm yr<sup>-1</sup>, rate of change in  $\Delta^{13}\text{C}$  is faster compared to MAP higher than 1000 mm yr<sup>-1</sup>, suggesting the sensitivity of MAP effects becomes smaller in wet regions. This pattern is best explained by the relationship of carbon fixation to water-use efficiency. Limitations in stomata structure result in decreasing plant performance with increasing water availability (Zhang et al., 2019).

In addition to the MAP effects on  $\Delta^{13}\text{C}$ , atmospheric  $p\text{CO}_2$  has also been regarded as a significant controlling factor on  $\Delta^{13}\text{C}$  based on growth chamber experiments and field observations (Schubert & Jahren, 2012, 2015; Cui & Schubert 2016, 2017, 2018; Dal Corso et al., 2017; Hare et al., 2018; Basu et al., 2019). Schubert and Jahren (2012) showed that  $\Delta^{13}\text{C}$  respond as a hyperbolic function as  $p\text{CO}_2$  increases from experimental C<sub>3</sub> plant carbon isotope data collected from plants grown in chambers across fifteen  $p\text{CO}_2$  conditions. They also showed that reconstructed  $p\text{CO}_2$  levels of the past 30 kyr from  $\Delta^{13}\text{C}$  data agree with the ice core data (Schubert & Jahren, 2015). Porter et al. (2019) combined Schubert and Jahren (2012)'s study with a mechanistical model using stomatal anatomy measurements to confirm that  $p\text{CO}_2$  can be accurately estimated using these methods.

Few studies, however, have attempted to understand the joint effects of MAP and  $p\text{CO}_2$  on  $\Delta^{13}\text{C}$ . Kohn (2016) developed a multi-regression that accounts for both MAP and  $p\text{CO}_2$ , but found that the effect of  $p\text{CO}_2$  on  $\Delta^{13}\text{C}$  is negative but insignificant (Eq. 3;  $p > 0.026$ ).

$$\Delta^{13}\text{C} = 6.35 - 1.80\text{e}^{-4} \times \text{Elevation (m)} + 5.84 \times \log(\text{MAP}-300, \text{mm yr}^{-1}) + 0.014 \times \text{Abs (latitude, }^{\circ}) - 0.012 \times p\text{CO}_2 \text{ (Equation 3)}$$

In contrast to the finding of the insignificant effect of  $p\text{CO}_2$  on  $\Delta^{13}\text{C}$  of Kohn (2016), we find that the small negative relationship between  $p\text{CO}_2$  and  $\Delta^{13}\text{C}$  is statistically significant. This negative correlation between  $p\text{CO}_2$  and  $\Delta^{13}\text{C}$  for the  $p\text{CO}_2$  range studied (380 to 410 ppm) is inconsistent with the general hyperbolic relationship established by Schubert and Jahren (2012) for  $p\text{CO}_2$  from 280 to 4000 ppm. This can be explained by the experimental work by Zhang et al. (2018) who demonstrated a large negative effect (1.5‰ decrease in  $\Delta^{13}\text{C}$  per 100 ppm increases in  $p\text{CO}_2$  for  $n\text{-C}_{29}$  alkane and 0.6‰ decrease in  $\Delta^{13}\text{C}$  per 100 ppm increases in  $p\text{CO}_2$  for cellulose) using winter wheat (*Triticum aestivum*) that grown under 170 to 400 ppm  $p\text{CO}_2$ . The negative  $p\text{CO}_2$  effects on carbon isotope fractionation is suggested to be due to higher stomatal conductance ( $g_s$ ) which may have driven increases in carbon isotope fractionation under low  $\text{CO}_2$  conditions (Zhang et al., 2018; Franks and Beerling, 2009). These studies suggest that the relationship between  $p\text{CO}_2$  and  $\Delta^{13}\text{C}$  may have been U-shaped for  $p\text{CO}_2$  ranging from 170 to 4000 ppm, and yet to be confirmed by further experimental studies that span a wider range of  $p\text{CO}_2$  conditions. Despite these limitations, our multi-regression curve reveals a statistically significant relationship between  $p\text{CO}_2$  and  $\Delta^{13}\text{C}$  after accounting for changes in MAP and other environmental factors, offering important potentials for more precise reconstruction in atmospheric  $p\text{CO}_2$  in the geologic past.




Figure 13. Comparison of the relationship between carbon isotope fractionation and MAP

#### 4.3 Quaternary atmospheric CO<sub>2</sub> levels

Ice-core records provide atmospheric  $p\text{CO}_2$  for the last 800,000 years. In addition, a number of proxies exist to infer past  $p\text{CO}_2$  records in the Quaternary. These widely used proxies include leaf stomata index, boron isotopes and alkenone extracted from phytoplankton (Foster et al., 2017; Beering et al., 2009). Our newly calculated  $p\text{CO}_2$  based on Quaternary sedimentary records (bone collagen, tooth enamel and fossil organic matter) is compared with the  $p\text{CO}_2$  from ice-core records (Lüthi, 2008) and proxies as reported in Foster et al. (2017) (Fig. 14). The degree to which the accuracy of this approach to reconstruct atmospheric  $p\text{CO}_2$  can be assessed using a subset of compiled Quaternary data where MAP can be accounted for before the  $p\text{CO}_2$  effects can be applied. We note that the reconstructed CO<sub>2</sub> values are broadly consistent with the ice core  $p\text{CO}_2$  records, and the difference between median of ice core records and the median

$p\text{CO}_2$  estimates is less than 220 ppm across all values for a given time. Such a difference is expected because the reconstructed  $p\text{CO}_2$  records are calculated from a global composite across a range of modern timescale that is not specific to the Quaternary time period.

$\text{CO}_2$  has risen rapidly in recent years through fossil fuel exploitation following the industrial revolution (Le Quéré et al., 2017).  $p\text{CO}_2$  fluctuates between 180 and 280 ppm within a series of glacial and inter-glacial cycles in the Quaternary (Olago et al., 1999; Sheldon, 2006). Large uncertainties exist for several proxies to reconstruct  $\text{CO}_2$  in the past, begging for urgent need to refine the proxy approach to reduce uncertainty and improve accuracy and precision of the reconstructed  $p\text{CO}_2$ . The Quaternary has rich dataset in  $\Delta^{13}\text{C}$  from sedimentary organic matter, regional temperature and precipitation as well as atmospheric  $p\text{CO}_2$  in the last 800 kyr. As is shown in Fig. 14, spikes in the highest  $\text{CO}_2$  concentrations often coincide with interglacial events, while lowest  $\text{CO}_2$  concentrations precedes the onset of glaciation. These geologically abrupt changes in  $p\text{CO}_2$  are predominantly controlled by Milankovitch cycles, which are related to the Earth's tilt or orbit. The climate response to such  $\text{CO}_2$  forcing is that some greenhouse gases, most notably atmospheric  $\text{CO}_2$  can amplify the fluctuations in global temperature (Hansen et al., 2013).




Figure 14. Ice core records for the last 800,000 years and various proxies from Foster et al. (2017) in the Quaternary

## 5. CONCLUSION

This is the first study to understand the joint effects of MAP and  $p\text{CO}_2$  on carbon isotope fractionation of C<sub>3</sub> land plants ( $\Delta^{13}\text{C}$ ) in modern environment and the first application of such effect to reconstruct atmospheric  $p\text{CO}_2$  in the Quaternary (2.58 Ma to present). The results reveal a statistically significant positive correlation between MAP and  $\Delta^{13}\text{C}$  (slope = 0.002,  $r^2$  = 0.39) and a negative correlation between  $p\text{CO}_2$  and  $\Delta^{13}\text{C}$  (slope = -0.04,  $r^2$  = 0.08), which provides evidence for accounting for changes in MAP in order to reconstruct more precise and accurate  $p\text{CO}_2$  in the geologic past. This new approach is founded on the long observation that  $\Delta^{13}\text{C}$  of C<sub>3</sub>

land plants is affected by stomatal conductance, which is related to changes in water availability or MAP in the growing environments and that the  $\Delta^{13}\text{C}$  is also affected by atmospheric  $p\text{CO}_2$ , although the direction of such effects can be both positive and negative, depending on the range of studied  $p\text{CO}_2$ . The degree to which the uncertainty of  $p\text{CO}_2$  reconstruction can be improved is assessed by using a subset of fossil  $\Delta^{13}\text{C}$  data with known MAP, using a multi-regression relationship developed from a large modern dataset. We note that the empirical relationship better accounts for the changes in MAP before a  $p\text{CO}_2$  effect is applied, and the reconstructed Quaternary  $p\text{CO}_2$  is broadly consistent with the ice-core and proxy records.

Future research is needed to show how much uncertainty can be reduced by accounting for changes in MAP can in order to obtain more precise and accurate  $p\text{CO}_2$  estimates in geological records. Our results suggest that  $p\text{CO}_2$  can be more reliably estimated based on empirical relationship between MAP,  $p\text{CO}_2$ , and  $\Delta^{13}\text{C}$ . Understanding past changes in  $p\text{CO}_2$  with reduced uncertainty can help understand the effects of anthropogenic CO<sub>2</sub> emissions in future climate change. Furthermore, the multi-regression equation used in this study may provide insight to analyze other geologic time periods as well by using available MAP records in order to reduce the uncertainty of atmospheric  $p\text{CO}_2$  reconstruction.

## APPENDIX

**Table 1**

**Modern Compilation**

References	Location	Country	Latitude	Longitude	MAP (mm)	$\delta^{13}\text{C}_{\text{plant}}$ (‰, VPDB)	Long-chain n-alkane	$\delta^{13}\text{C}_{\text{air}}$ (‰, VPD B)	$\Delta^{13}\text{C}$ (‰, VPDB)	Temperature (°C)	Altitude (m)	pCO <sub>2</sub>	Plant type
Ale et al., 2018	Langtang	Nepal	28.07391	85.42537	443	-27.99	-32.99	-8.7	19.84547 484	0.02	4650	406.55	Angiosperm
Ale et al., 2018	Langtang	Nepal	28.07391	85.42537	443	-26.32	-31.32	-8.7	18.09629 447	0.02	4650	406.55	Angiosperm
Ale et al., 2018	Langtang	Nepal	28.07727	85.42234	469	-27.59	-32.59	-8.7	19.42596 23	0.32	4600	406.55	Angiosperm
Ale et al., 2018	Langtang	Nepal	28.07727	85.42234	469	-27.51	-32.51	-8.7	19.34210 12	0.32	4600	406.55	Angiosperm
Ale et al., 2018	Manang	Nepal	28.66616	84.49606	383	-28.56	-33.56	-8.7	20.44387 713	0.44	4600	406.55	Angiosperm
Ale et al., 2018	Langtang	Nepal	28.0817	85.41974	469	-28.37	-33.37	-8.7	20.24433 169	0.58	4550	406.55	Angiosperm
Ale et al., 2018	Langtang	Nepal	28.0817	85.41974	469	-27.36	-32.36	-8.7	19.18489 883	0.58	4550	406.55	Angiosperm
Ale et al., 2018	Manang	Nepal	28.66676	84.4947	378	-27.75	-32.75	-8.7	19.59372 589	0.77	4550	406.55	Angiosperm
Ale et al., 2018	Langtang	Nepal	28.08184	85.41885	469	-28.01	-33.01	-8.7	19.86645 953	0.84	4500	406.55	Angiosperm
Ale et al., 2018	Langtang	Nepal	28.08184	85.41885	469	-27.21	-32.21	-8.7	19.02774 494	0.84	4500	406.55	Angiosperm
Ale et al., 2018	Manang	Nepal	28.66644	84.49345	383	-28.39	-33.39	-8.7	20.26533 28	0.96	4500	406.55	Angiosperm
Ale et al., 2018	Manang	Nepal	28.66489	84.49214	383	-28.53	-33.53	-8.7	20.41236 477	1.07	4480	406.55	Angiosperm
Ale et al., 2018	Manang	Nepal	28.66489	84.49214	383	-27.99	-32.99	-8.7	19.84547 484	1.07	4480	406.55	Angiosperm
Ale et al., 2018	Langtang	Nepal	28.08405	85.41505	447	-28.97	-33.97	-8.7	20.87474 125	1.34	4400	406.55	Angiosperm

Ale et al., 2018	Langtang	Nepal	28.08405	85.41505	447	-26.69	-31.69	-8.7	18.48331 981	1.34	4400	406.55	Angiosperm
Ale et al., 2018	Manang	Nepal	28.6632	84.48971	378	-27.41	-32.41	-8.7	19.23729 423	1.44	4430	406.55	Angiosperm
Ale et al., 2018	Manang	Nepal	28.66179	84.48653	378	-27.62	-32.62	-8.7	19.45741 377	1.69	4371	406.55	Angiosperm
Ale et al., 2018	Langtang	Nepal	28.08388	85.39813	494	-28.32	-33.32	-8.7	20.19183 27	1.91	4300	406.55	Angiosperm
Ale et al., 2018	Langtang	Nepal	28.08388	85.39813	494	-28.99	-33.99	-8.7	20.89576 832	1.91	4300	406.55	Angiosperm
Ale et al., 2018	Manang	Nepal	28.66059	84.48274	376	-27.86	-32.86	-8.7	19.70909 54	2.09	4310	406.55	Angiosperm
Ale et al., 2018	Manang	Nepal	28.66059	84.48274	376	-26.55	-31.55	-8.7	18.33684 319	2.09	4310	406.55	Angiosperm
Ale et al., 2018	Manang	Nepal	28.6597	84.48071	378	-26.91	-31.91	-8.7	18.71358 251	2.29	4270	406.55	Angiosperm
Ale et al., 2018	Manang	Nepal	28.65714	84.47568	378	-27.64	-32.64	-8.7	19.47838 249	2.29	4200	406.55	Angiosperm
Ale et al., 2018	Manang	Nepal	28.65945	84.4799	376	-27.054	-32.054	-8.7	18.86435 63	2.4	4250	406.55	Angiosperm
Ale et al., 2018	Manang	Nepal	28.65714	84.47568	378	-28.25	-33.25	-8.7	20.11834 32	2.77	4200	406.55	Angiosperm
Ale et al., 2018	Manang	Nepal	28.65635	84.47545	378	-28.28	-33.28	-8.7	20.14983 74	3.02	4130	406.55	Angiosperm
Ale et al., 2018	Langtang	Nepal	28.09134	85.3823	605	-28.99	-33.99	-8.7	20.89576 832	3.79	3950	406.55	Angiosperm
Ale et al., 2018	Langtang	Nepal	28.09255	85.38042	587	-29.17	-34.17	-8.7	21.08505 094	4.06	3900	406.55	Angiosperm
Bai et al., 2008	Alice	USA	27.7	-98.2	680	-26.7	-31.7	-8.13	19.07942 053	22.7	80	383.79	Angiosperm
Basu et al., 2015	Versa Ghat	India	22.3	87.3	1400	-30.4	-35.4	-8.2	22.89603 96	26.2	29	398.65	Angiosperm
Basu et al., 2015	Kanpur	India	26.4	80.3	1000	-28.9	-33.9	-8.2	21.31603 336	26.4	133	398.65	Angiosperm
Basu et al., 2015	Mohanpur	India	23.8	88.5	1250	-29.6	-34.6	-8.2	22.05276 175	26.93	9.7	398.65	Angiosperm
Bowling et al., 2002	Florence	USA	44.11666 667	- 124.1166 667	2129	-30.3	-35.3	-7.954	23.04424 049	11.9	30	371.14	Gymnosperm
Bowling	Camp	USA	44.5	-	523	-27.15	-32.15	-7.954	19.73171	12.9	941	371.14	Gymnosperm

et al., 2002	Sherman				121.6166					609			erm	
Bowling et al., 2002	Blodgett	USA	44.58333	-333	667	1892	-28.75	-33.75	-7.954	21.41158	12.9	290	371.14	Gymnosperm
Brooks et al., 1997	Mystery Lake	Canada	55.74666	-667	123.5833	513	-	-	-7.81	20.36553	-1.4	200	362.61	Mixed
Brooks et al., 1997	Christophe Lake	Canada	53.5625	-105.75	667	420	-	-	-7.81	19.90656	4.8	600	362.61	Mixed
Buchmann et al., 1997a	Sinnamary	France	5.033333	-53	333	2200	-28.6	-33.6	-7.84	21.37121	25.3	40	362.61	Angiosperm
Buchmann et al., 1997b	Kamas	USA	40.57	-111.33	224.14	-27.19	-32.19	-7.84	19.89083	18	2400	362.61	Mixed	
Buchmann et al., 1997b	Salt Lake City	USA	40.78	-	111.7666	600.24	-27.87	-32.87	-7.84	20.60424	18	1700	362.61	Mixed
Buchmann et al., 1997b	Hanna	USA	40.65	-110.9	667	979.5	-27.28	-32.28	-7.84	19.98519	18	2800	362.61	Mixed
Cerling & Harris, 1999	Río Grande	Argentina	-54.55	-68	500	-28.8	-33.8	-7.931	21.48785	5.9	150	366.7	Angiosperm	
Cerling & Harris, 1999	Río Grande	Argentina	-	53.76666	667	330	-25.4	-30.4	-7.931	17.92427	6.9	150	366.7	Angiosperm
Cerling & Harris, 1999	Río Grande	Argentina	-53.55	-68.15	380	-26.5	-31.5	-7.885	19.12172	6.9	150	366.7	Angiosperm	
Cerling & Harris, 1999	Río Grande	Argentina	-53.55	-68.15	380	-27.7	-32.7	-7.908	20.35585	6.9	150	366.7	Angiosperm	
Cerling	Río	Argentina	-53.6	-68.25	380	-27.8	-32.8	-7.632	20.74470	6.9	50	366.7	Angiosperm	

& Harris, 1999	Grande a									274			rm
Cerling & Harris, 1999	Caniapisca	Canada	-54.8	-68.25	530	- 25.93333 333	- 30.933333 33	-7.609	18.81219 629	7.2	50	366.7	Angiosper m
Cerling & Harris, 1999	Subd. D	Canada	- 54.88333 333	-67.3	600	-27.25	-32.25	-7.586	20.21485 479	7.2	10	366.7	Angiosper m
Cerling & Harris, 1999	Subd. D	Canada	- 54.88333 333	-67.3	600	-27.85	-32.85	-7.632	20.79720 208	7.2	10	366.7	Angiosper m
Cerling & Harris, 1999	Machakos County	Kenya	-1.4	37	750	-28.85	-33.85	-7.954	21.51675 848	27.1	1600	366.7	Angiosper m
Cerling & Harris, 1999	Laikipia County	Kenya	0.3	36.9	465	-27.1	-32.1	-7.931	19.70294 994	28	1800	366.7	Angiosper m
Cerling & Harris, 1999	Samburu County	Kenya	0.55	37.6	630	-28.24	-33.24	-7.586	21.25421 915	28	1800	366.7	Angiosper m
Cerling & Harris, 1999	Laikipia County	Kenya	0.3	37	1000	- 27.78571 429	- 32.785714 29	-7.931	20.42215 855	28	2500	366.7	Angiosper m
Cerling & Harris, 1999	Turkana County	Kenya	3.5	36	200	-27.1	-32.1	-7.931	19.70294 994	29.1	425	366.7	Angiosper m
Cerling et al., 2004	Ituri	Congo	1.35	28.58333 333	1700	-29	-34	-7.954	21.67456 231	27.7	1040	375.8	Angiosper m
Chen et al., 2002	Toksun	China	43.17	87.83	650	-26.5	-31.5	-8.05	18.95223 421	6.1	650	371.14	Angiosper m

Chen et al., 2002	Jinta	China	40	98.9	1250	-26.9	-31.9	-8.05	19.37108	8	1250	371.14	Angiosperm
Chevillet et al., 2005	Leymen	France	47.47	7.5	795	- 27.01466 759	- 32.014667 59	-7.98	19.56315	11.1	550	377.52	Mixed
Chikaraiishi and Naraoka 2003	Tokyo	Japan	35.6895	139.6917	1369	-30.3	-35.3	-8.07	22.92461	15.2	40	373.28	Mixed
Codron et al., 2005	Chicualacuala	Mozambique	-23	31.5	475	- 26.91666 667	- 31.916666 67	-8.07	19.36798	23.8	315	377.52	Angiosperm
Damesin et al., 1997	Mauguio	France	43.58333 333	3.966666 667	663	-26.7	-31.7	-7.84	19.37737 594	14.7	25	362.61	Angiosperm
Damesin et al., 1997	Mauguio	France	43.58333 333	3.966666 667	728	-27.7	-32.7	-7.84	20.42579 451	14.7	186	362.61	Angiosperm
Damesin et al., 1997	Mauguio	France	43.58333 333	3.966666 667	1129	-27.25	-32.25	-7.84	19.95373 94	14.7	250	362.61	Angiosperm
Damesin et al., 1997	Mauguio	France	43.58333 333	3.966666 667	1134	-27.9	-32.9	-7.84	20.63573 706	14.7	250	362.61	Angiosperm
De Lillis et al., 2004	Pina	Nepal	29.54166 667	82.06933 333	929	- 26.83498 629	- 31.834986 29	-7.82	19.53932 378	11	3000	375.8	Mixed
DeLucia and Schlesinger, 1991	Markleeville	USA	38.68	-119.72	950	- 24.87333 333	- 29.873333 33	-7.7	17.61138 724	6.23	2088	354.39	Mixed
DeLucia and Schlesinger, 1991	Storey County	USA	39.47	-119.38	200	- 22.88333 333	- 27.883333 33	-7.7	15.53891 552	10.3	1700	354.39	Mixed
DeLucia and Schlesinger, 1991	Reno	USA	39.38	-119.72	255	-23.456	-28.456	-7.7	16.13444 965	10.3	1615	354.39	Mixed

ger, 1991														
DeLucia and Schlesin ger, 1991	Reno	USA	39.55	-119.88	262	-23.54	-28.54	-7.7	16.22186 265	10.3	1710	354.39	Mixed	
Derner et al., 2006	Zeandale	USA	39.05	-96.35	835	-27.5	-32.5	-8.5	19.53727 506	12.8	444	379.8	Angiospe rm	
Diefend orf et al., 2010	Santa Cruz	USA	37.01	-122.06	1089.5 9	- 27.94509 882	- 32.945098 82	-8.2	20.31274 036	14.5	297	387.43	Mixed	
Diefend orf et al., 2011	Wyoming Castle Garden	USA	42.9	-107.6	286	-25	-30	-8.2	17.23076 923	6.2	1870	389.9	Angiospe rm	
Diefend orf et al., 2011	Wyoming Cabin Fork	USA	43.98	-106.7	321.4	-27.4	-32.4	-8.2	19.74090 068	6.8	1480	389.9	Angiospe rm	
Diefend orf et al., 2011	Penn State University	USA	40.79	-77.8599	1001	-28.5	-33.5	-8.2	20.89552 239	9.6	360	389.9	Angiospe rm	
Diefend orf et al., 2011	Panama	USA	9.3	-79.9	328	-28.7	-33.7	-8.2	21.10573 458	26.12	130	389.9	Angiospe rm	
Diels et al., 2001	Ibadan	Nigeria	7.5	3.9	1278	-28.2	-33.2	-8.02	20.76558 963	27.14	230	369.55	Angiospe rm	
Dodd et al., 1998	Nunn	USA	40.85	- 104.7166 667	321	-27.95	-32.95	-7.88	20.64708 606	9.1	1650	363.73	Angiospe rm	
Donova n and Ehlering er, 1991	Salt Lake City	USA	40.76666 667	- 111.8333 333	580	-27.23	-32.23	-7.72	20.05612 838	7.2	1630	354.39	Angiospe rm	
Du et al., 2014	Lushan Mountain	China	29.5793	115.9942	2112	-28.3	-33.3	-8.5	20.37665 946	11.3	1264	396.52	Mixed	
Du et al., 2014	Lushan Mountain	China	29.5793	115.9942	1429	-27	-32	-8.5	19.01336 074	16.2	219	396.52	Mixed	
Dungait et al.,	Yarnton	UK	51.775	-1.2875	644	-29.04	-34.04	-7.99	21.67957 485	10.3	60	383.79	Angiospe rm	

2008															
Ehlering er & Cooper, 1988	Golden Valley	USA	34.95	-	114.4166 667	175	-26.1	-31.1	-7.68	18.91364 616	23.4	657	349.19	Angiosper	
Ehlering er et al., 1987	Gaoyao	China	23.13	112.5833 333	1927	-30.19	-35.19	-7.66	23.23135 46	21.4	250	347.42	Angiosper		
Ehlering er et al., 1992	Golden Valley	USA	34.95	-	114.4166 667	150	-	-	-7.7	18.86687 411	20	785	355.61	Angiosper	
Ehlering er et al., 1998	n/a	South America	-25	-71	1	-22.75	-27.75	-7.7	15.40035 815	22	965	363.73	Angiosper		
Ehlering er et al., 1998	n/a	South America	-25	-71	1	-	-	-7.7	16.98364 592	22	90	363.73	Angiosper		
Ehlering er et al., 1998	n/a	South America	-25	-71	3	-25.1	-30.1	-7.7	17.84798 441	22	570	363.73	Angiosper		
Ehlering er et al., 1998	n/a	South America	-26	-71	10	-23.2	-28.2	-7.7	15.86814 087	22	400	363.73	Angiosper		
Escudero et al., 2008	San Pelayo de Guareña	Spain	41.05	-5.875	1163	-26.81	-31.81	-8.06	19.26653 583	10.1	1335	383.79	Mixed		
Escudero et al., 2008	San Pelayo de Guareña	Spain	41.05	-5.875	1099	-28.17	-33.17	-8.06	20.69291 954	10.9	1178	383.79	Mixed		
Escudero et al., 2008	San Pelayo de Guareña	Spain	41.05	-5.875	241	-26.66	-31.66	-8.06	19.10945 815	11.9	789	383.79	Mixed		
Escudero et al., 2008	San Pelayo de Guareña	Spain	41.05	-5.875	577	-28.29	-33.29	-8.06	20.81896 862	11.9	800	383.79	Mixed		
Escudero et al., 2008	San Pelayo de Guareña	Spain	41.05	-5.875	416	-27.17	-32.17	-8.06	19.64371 987	12	700	383.79	Mixed		
Escudero et al., 2008	San Pelayo de	Spain	41.05	-5.875	585	-28.36	-33.36	-8.06	20.89251 163	12.1	800	383.79	Mixed		

2008	Guareña													
Escudero et al., 2008	San Pelayo de Guareña	Spain	41.05	-5.875	400	-25.94	-30.94	-8.06	18.35615 876	12.4	706	383.79	Mixed	
Escudero et al., 2008	San Pelayo de Guareña	Spain	41.05	-5.875	616	-27.46	-32.46	-8.06	19.94776 564	12.6	708	383.79	Mixed	
Feranec, 2007	Gardiner	USA	45	-110.5	500	-28.5	-33.5	-8.05	21.04992 28	4.6	2350	381.9	Mixed	
Fischer and Tieszen, 1995	Palm and Tabonuco	Puerto Rico	18.3	65.78	2000	-30	-35	-7.85	22.83505 155	0.021677	1075	358.83	Angiosperm	
Fischer and Tieszen, 1995	Colorado and Dwarf	Puerto Rico	18.3	65.78	4000	-30.2	-35.2	-7.85	23.04598 886	0.021677	1075	358.83	Angiosperm	
Franco et al., 2005	São Sebastião	Brazil	-15.93	-47.8	1483	- 27.62144 55	- 32.621445 5	-7.88	20.30222 222	23.2	1100	377.52	Gymnosperm	
Garcin et al., 2014	Baleng	Cameroon	5.5	10.4	1850	-32	-37	-8.2	24.58677 686	21.49	1374	396.52	Angiosperm	
Garcin et al., 2014	Tizong	Cameroon	7.2	13.6	1450	-30.7	-35.7	-8.2	23.21262 767	22.22	1000	396.52	Angiosperm	
Garcin et al., 2014	Assom	Cameroon	6.6	12.9	1740	-30.4	-35.4	-8.2	22.89603 96	23.24	600	396.52	Angiosperm	
Garcin et al., 2014	Barombi Mbo	Cameroon	4.662	9.4034	2550	-31.5	-36.5	-8.2	24.05782 137	24.89	300	396.52	Angiosperm	
Garcin et al., 2014	Manengouba	Cameroon	5.03	9.83	2700	-30.1	-35.1	-8.2	22.57964 739	25.22	2411	396.52	Angiosperm	
Garcin et al., 2014	Mamguiewa	Cameroon	8.3909	13.7089	1560	-30	-35	-8.2	22.47422 68	26.56	1000	396.52	Angiosperm	
Garcin et al.,	Rhumsiki	Cameroon	10.4833	13.6	970	-28	-33	-8.2	20.37037 037	26.7	1200	396.52	Angiosperm	

2014		n												
Garcin et al., 2014	Mora	Cameroon	11.0465	14.1408	540	-28.7	-33.7	-8.2	21.10573	27.51	455	396.52	Angiosperm	
Garten and Taylor, 1992	Oak Ridge	USA	35.97	-84.28333	1176.8	-29.75	-34.75	-7.7	22.72610	14.4	300	355.61	Angiosperm	
Gerdol et al., 2000	Soraga	Italy	46.35	11.83333	1200	-29.32565	-34.325651	-7.91	22.06265	5	1600	368.38	Angiosperm	
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	39.415	7.475	879	-28.21316	-33.213166	-8.12	20.67651	12.5	590	385.6	Angiosperm	
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	41.452	7.167	592	-26.40102	-31.401020	-8.12	18.77674	14.5	260	385.6	Angiosperm	
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	41.32	7.209	552	-26.59209	-31.592091	-8.12	18.97672	14.6	550	385.6	Angiosperm	
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	39.301	7.643	663	-26.30545	-31.305457	-8.12	18.67675	15	304	385.6	Angiosperm	
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	41.557	7.035	696	-25.34879	-30.348791	-8.12	17.67687	15	520	385.6	Angiosperm	
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	39.874	7.011	715	-26.30545	-31.305457	-8.12	18.67675	15	376	385.6	Angiosperm	
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	39.337	7.578	764	-26.30545	-31.305457	-8.12	18.67675	15	317	385.6	Angiosperm	
Gouveia	National	Portugal	41.526	7.07	799	-	-	-8.12	18.47678	15	380	385.6	Angiospe	

& Freitas, 2009	Forestry Inventory				26.11427 449	31.114274 49		226				rm
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	40.031	7.322	852	- 27.45098 039	- 32.450980 39	-8.12 29	19.87661 15	356	385.6	Angiospe rm
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	39.381	7.428	879	- 27.83222 266	- 32.832222 66	-8.12 452	20.27656 15	600	385.6	Angiospe rm
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	39.943	7.374	746	- 27.45098 039	- 32.450980 39	-8.12 29	19.87661 15.1	380	385.6	Angiospe rm
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	39.944	7.514	820	- 27.64163 889	- 32.641638 89	-8.12 871	20.07658 15.1	385	385.6	Angiospe rm
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	39.85	7.509	820	- 27.73694 012	- 32.736940 12	-8.12 661	20.17657 15.4	326	385.6	Angiospe rm
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	38.004	8.506	710	- 26.11427 449	- 31.114274 49	-8.12 226	18.47678 15.5	138	385.6	Angiospe rm
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	38.546	8.653	670	- 26.68759 812	- 31.687598 12	-8.12 968	19.07670 15.9	50	385.6	Angiospe rm
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	39.238	7.652	620	- 27.64163 889	- 32.641638 89	-8.12 871	20.07658 16	277	385.6	Angiospe rm
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	37.532	8.48	624	- 25.82735 932	- 30.827359 32	-8.12 855	18.17681 16	130	385.6	Angiospe rm
Gouveia	National	Portugal	37.424	8.464	642	-	-	-8.12	18.47678 16	110	385.6	Angiospe

& Freitas, 2009	Forestry Inventory				26.11427 449	31.114274 49		226				rm	
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	37.64	8.412	691	- 27.64163 889	- 32.641638 89	-8.12 871	20.07658 16	16	250	385.6	Angiospe rm
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	38.061	8.707	700	- 26.78308 643	- 31.783086 43	-8.12 758	19.17669 16	16	110	385.6	Angiospe rm
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	38.16	8.568	737	- 25.63598 861	- 30.635988 61	-8.12 274	17.97684 16	16	130	385.6	Angiospe rm
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	39.322	7.496	776	- 27.16485 241	- 32.164852 41	-8.12 919	19.57664 16	16	420	385.6	Angiospe rm
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	38.018	8.654	777	- 26.11427 449	- 31.114274 49	-8.12 226	18.47678 16	16	210	385.6	Angiospe rm
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	38.087	8.683	800	- 26.40102 071	- 31.401020 71	-8.12 597	18.77674 16	16	190	385.6	Angiospe rm
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	37.329	8.553	1299	- 28.59381 12	- 33.593811 2	-8.12 774	21.07646 16.1	16.1	480	385.6	Angiospe rm
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	39.852	7.302	612	- 27.26024 711	- 32.260247 11	-8.12 71	19.67663 16.2	16.2	195	385.6	Angiospe rm
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	37.716	8.353	491	- 24.96559 858	- 29.965598 58	-8.12 742	17.27692 16.3	16.3	157	385.6	Angiospe rm
Gouveia	National	Portugal	37.788	8.323	526	-	-	-8.12	16.87697 16.3	16.3	125	385.6	Angiospe

& Freitas, 2009	Forestry Inventory				24.58210 423	29.582104 23		581				rm	
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	41.32	7.328	818	- 28.02273 173	- 33.022731 73	-8.12	20.47654 032	16.3	350	385.6	Angiosper m
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	37.284	8.56	1018	- 27.92748 653	- 32.927486 53	-8.12	20.37655 242	17.1	320	385.6	Angiosper m
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	38.009	8.39	609	- 27.35562 31	- 32.355623 1	-8.12	19.77662 5	17.5	70	385.6	Angiosper m
Gouveia & Freitas, 2009	National Forestry Inventory	Portugal	39.148	7.651	633	- 25.73168 336	- 30.731683 36	-8.12	18.07683 065	17.5	236	385.6	Angiosper m
Guo and Xie, 2006	Golmud	China	33	92	240	-25.4	-30.4	-7.98	17.87399 959	-5.077	4600	379.8	Angiosper m
Guo and Xie, 2006	Golmud	China	33	92	255	-25.1	-30.1	-7.98	17.56077 546	-5.077	4600	379.8	Angiosper m
Guo and Xie, 2006	Golmud	China	33	92	255	-25.3	-30.3	-7.98	17.76957 012	-5.077	4600	379.8	Angiosper m
Guo and Xie, 2006	Golmud	China	33	92	285	-26.05	-31.05	-7.98	18.55331 383	-5.077	3400	379.8	Angiosper m
Guo and Xie, 2006	Golmud	China	33	92	315	-24.9	-29.9	-7.98	17.35206 645	-5.077	4800	379.8	Angiosper m
Guo and Xie, 2006	Golmud	China	33	92	320	-25.8	-30.8	-7.98	18.29193 184	-5.077	4200	379.8	Angiosper m
Guo and Xie, 2006	Golmud	China	33	92	345	-26.25	-31.25	-7.98	18.76251 605	-5.077	4100	379.8	Angiosper m

Guo and Xie, 2006	Golmud	China	33	92	355	-24.9	-29.9	-7.98	17.35206 645	-5.077	4800	379.8	Angiosperm
Guo and Xie, 2006	Golmud	China	33	92	355	-24.95	-29.95	-7.98	17.40423 568	-5.077	4200	379.8	Angiosperm
Guo and Xie, 2006	Golmud	China	33	92	360	-23.8	-28.8	-7.98	16.20569 555	-5.077	4250	379.8	Angiosperm
Guo and Xie, 2006	Golmud	China	33	92	365	-25.7	-30.7	-7.98	18.18741 661	-5.077	4300	379.8	Angiosperm
Guo and Xie, 2006	Golmud	China	33	92	365	-26.8	-31.8	-7.98	19.33826 552	-5.077	4800	379.8	Angiosperm
Guo and Xie, 2006	Golmud	China	33	92	375	-25.35	-30.35	-7.98	17.82178 218	-5.077	4600	379.8	Angiosperm
Guo and Xie, 2006	Golmud	China	33	92	382	-27.4	-32.4	-7.98	19.96709 85	-5.077	4200	379.8	Angiosperm
Guo and Xie, 2006	Golmud	China	33	92	425	-24.7	-29.7	-7.98	17.14344 304	-5.077	4900	379.8	Angiosperm
Guo and Xie, 2006	Golmud	China	33	92	425	-25.4	-30.4	-7.98	17.87399 959	-5.077	4600	379.8	Angiosperm
Guo and Xie, 2006	Golmud	China	33	92	433	-25.2	-30.2	-7.98	17.66516 208	-5.077	4100	379.8	Angiosperm
Guo and Xie, 2006	Golmud	China	33	92	438	-27	-32	-7.98	19.54779 034	-5.077	3600	379.8	Angiosperm
Guo and Xie, 2006	Golmud	China	33	92	438	-27.9	-32.9	-7.98	20.49171 896	-5.077	3500	379.8	Angiosperm
Guo and Xie, 2006	Golmud	China	33	92	442	-25.8	-30.8	-7.98	18.29193 184	-5.077	4200	379.8	Angiosperm
Guo and Xie, 2006	Golmud	China	33	92	457	-26.5	-31.5	-7.98	19.02413	-5.077	4700	379.8	Angiosperm

Xie, 2006										97			rm
Guo and Xie, 2006	Golmud	China	33	92	465	-26.2	-31.2	-7.98	18.71020 743	-5.077	4100	379.8	Angiosper m
Guo and Xie, 2006	Golmud	China	33	92	465	-26.3	-31.3	-7.98	18.81483 003	-5.077	4100	379.8	Angiosper m
Guo and Xie, 2006	Golmud	China	33	92	465	-28.5	-33.5	-7.98	21.12197 633	-5.077	3800	379.8	Angiosper m
Guo and Xie, 2006	Golmud	China	33	92	475	-24.9	-29.9	-7.98	17.35206 645	-5.077	4800	379.8	Angiosper m
Guo and Xie, 2006	Golmud	China	33	92	475	-25.55	-30.55	-7.98	18.03068 398	-5.077	4800	379.8	Angiosper m
Guo and Xie, 2006	Golmud	China	33	92	480	-24.9	-29.9	-7.98	17.35206 645	-5.077	4800	379.8	Angiosper m
Hanba et al., 1997	Hitsujigao ka	Japan	43	141.4	1130	-28.9	-33.9	-7.14	22.40757 903	7.3	185	362.61	Angiosper m
Hartman et al., 2010	Ramat HaNegev	Israel	30.937	34.605	89	-24.65	-29.65	-8.16	16.90675 142	19.17	354	387.43	Mixed
Hartman et al., 2010	Ramat HaNegev	Israel	31.02	34.782	98	-26.05	-31.05	-8.16	18.36849 941	19.17	362	387.43	Mixed
Hartman et al., 2010	Turkana County	Kenya	31.768	35.118	605	-27.5	-32.5	-8.16	19.88688 946	19.23	639	387.43	Mixed
Hartman et al., 2010	n/a	Jerusale m	31.584	35.406	80	-26.55	-31.55	-8.16	18.89157 122	19.23	391	387.43	Mixed
Hartman et al., 2010	n/a	Jerusale m	31.583	35.403	82	-26.3	-31.3	-8.16	18.62996 816	19.23	328	387.43	Mixed
Hartman et al., 2010	n/a	Jerusale m	31.813	35.4	198	-26.25	-31.25	-8.16	18.57766 367	19.23	115	387.43	Mixed

Hartman et al., 2010	n/a	Jerusalem	31.831	35.349	314	-26.3	-31.3	-8.16	18.62996 816	19.23	269	387.43	Mixed
Hartman et al., 2010	n/a	Jerusalem	31.832	35.349	314	-26.3	-31.3	-8.16	18.62996 816	19.23	245	387.43	Mixed
Hartman et al., 2010	n/a	Jerusalem	31.825	35.325	356	-27.25	-32.25	-8.16	19.62477 512	19.23	347	387.43	Mixed
Hartman et al., 2010	Harei Yehuda	Israel	31.773	35.089	593	-27.1	-32.1	-8.16	19.46757 118	19.23	775	387.43	Mixed
Hartman et al., 2010	Harei Yehuda	Israel	31.823	35.087	706	-27.8	-32.8	-8.16	20.20160 461	19.23	656	387.43	Mixed
Hartman et al., 2010	Kinneret	Israel	32.655	35.424	503	-28.6	-33.6	-8.16	21.04179 535	19.52	81	387.43	Mixed
Hartman et al., 2010	Ma'ale Yosef	Israel	32.954	35.331	994	-26.65	-31.65	-8.16	18.99625 006	19.52	847	387.43	Mixed
Hartman et al., 2010	Lachish	Israel	31.611	34.927	375	-26.85	-31.85	-8.16	19.20567 23	19.99	346	387.43	Mixed
Hartman et al., 2010	Judean Foothills	Israel	31.719	34.908	498	-27.1	-32.1	-8.16	19.46757 118	19.99	229	387.43	Mixed
Hartman et al., 2010	Ramat HaNegev	Israel	30.504	34.608	77	-25.65	-30.65	-8.16	17.95042 849	20.07	993	387.43	Mixed
Hartman et al., 2010	Ramat HaNegev	Israel	30.79	34.469	75	-25.9	-30.9	-8.16	18.21168 258	20.11	329	387.43	Mixed
Hartman et al., 2010	Ramat HaNegev	Israel	31.076	34.836	133	-25.9	-30.9	-8.16	18.21168 258	20.16	357	387.43	Mixed
Hartman et al., 2010	Be'er Sheva	Israel	31.265	34.822	184	-26.45	-31.45	-8.16	18.78691 387	20.16	339	387.43	Mixed
Hartman	Benei	Israel	31.369	34.826	296	-27.05	-32.05	-8.16	19.41518	20.16	353	387.43	Mixed

064													
et al., 2010	Shim'on												
Hartman et al., 2010	n/a	Israel	32.616	34.931	593	-27.1	-32.1	-8.16	19.46757 118	20.79	17	387.43	Mixed
Hartman et al., 2010	Ezor Zihron Ya'akov	Israel	32.73	35	697	-28.5	-33.5	-8.16	20.93669 583	20.79	334	387.43	Mixed
He et al., 2008	Mengla	China	21.6	101.5833 333	1500	-28.5	-33.5	-8.14	20.95728 255	21	900	383.79	Angiosperm
Hemming et al., 2005	Sodankylä	Finland	67.4	26.7	500	-29.2	-34.2	-8.05	21.78615 575	-1	180	377.52	Angiosperm
Hemming et al., 2005	Kangasala	Finland	61.5	24.2	640	-26.67	-31.67	-8.05	19.13020 25	3.5	170	377.52	Angiosperm
Hemming et al., 2005	Staré Hamry	Czechia	49.5	18.5	1100	-28.32	-33.32	-8.05	20.86077 721	4.9	898	377.52	Angiosperm
Hemming et al., 2005	Tuscania	Italy	42.4	11.9	1180	-27.6	-32.6	-8.05	20.10489 51	6.3	1150	377.52	Angiosperm
Hemming et al., 2005	Lastebasse	Italy	45.9	11.3	1150	-27.2	-32.2	-8.05	19.68544 408	6.9	150	377.52	Angiosperm
Hemming et al., 2005	Klingenberg	Germany	50.9	13.5	820	-26.89	-31.89	-8.05	19.36060 671	7.7	380	377.52	Angiosperm
Hemming et al., 2005	Aberfeldy	UK	56.6	-3.8	1200	-29.25	-34.25	-8.05	21.83878 445	8	340	377.52	Angiosperm
Hemming et al., 2005	Saint-Quirin	France	48.6	7.1	885	-28.6	-33.6	-8.05	21.15503 397	9.2	300	377.52	Angiosperm
Hemming et al., 2005	Lunteren	Netherlands	52.1	5.6	786	-28.75	-33.75	-8.05	21.31274 131	9.8	25	377.52	Angiosperm
Hemming et al., 2005	Brasschaat	Belgium	51.3	4.5	750	-28.7	-33.7	-8.05	21.26016 679	10	16	377.52	Angiosperm

Hemming et al., 2005	Mios	France	44.7	-0.8	950	-28.67	-33.67	-8.05	21.22862 467	13.5	60	377.52	Angiosperm
Hemming et al., 2005	Nossa Senhora da Tourega	Portugal	38.5	-8	920	-27.66	-32.66	-8.05	20.16784 252	14.2	235	377.52	Angiosperm
Hemming et al., 2005	Castelfranco Emilia	Italy	44.6	11.1	1000	-29.27	-34.27	-8.05	21.85983 744	14.5	25	377.52	Angiosperm
Hemming et al., 2005	Ezor Be'er Sheva	Israel	31.2	35	275	-23.17	-28.17	-8.05	15.47864 009	22	680	377.52	Angiosperm
Holtum and Winter, 2005	Panama	USA	8.97	-79.38333 333	1800	-28.7	-33.7	-7.82	21.49696 283	26.7	85	377.52	Angiosperm
Inagaki et al., 2004	Otoyo	Japan	33.8	133.7333 333	2720	-28.13333 333	-33.133333 33	-7.89	20.82933 187	20.83447 661	606.6 6666 67	375.8	Gymnosperm
Inagaki et al., 2004	Otoyo	Japan	33.8	133.7333 333	2580	-28.375	-33.375	-7.89	21.08323 685	21.08838 286	892	375.8	Gymnosperm
Keitel et al., 2006	Varces-Allières-et-Risset	France	45.05	5.67	1450	-29.1	-34.1	-8.05	21.68091 462	5.67	450	379.8	Angiosperm
Keitel et al., 2006	Saint-Étienne-les-Orgues	France	44.07	5.83	736	-26.4	-31.4	-8.05	18.84757 601	5.83	1650	379.8	Angiosperm
Keitel et al., 2006	Saint-Étienne-les-Orgues	France	44.07	5.83	736	-27.5	-32.5	-8.05	20	5.83	1250	379.8	Angiosperm
Keitel et al., 2006	Saint-Étienne-les-Orgues	France	44.07	5.83	736	-28.4	-33.4	-8.05	20.94483 326	5.83	1030	379.8	Angiosperm
Keitel et al., 2006	Waldsee	Germany	48	7.85	950	-29.1	-34.1	-8.05	21.68091 462	7.85	280	379.8	Angiosperm
Keitel et al., 2006	Tannheim	Germany	48	8.4	856	-29.5	-34.5	-8.05	22.10200 927	8.4	750	379.8	Angiosperm
Keitel et	Tannheim	Germany	48	8.4	856	-30.3	-35.3	-8.05	22.94524	8.4	750	379.8	Angiosperm

al., 2006										08					rm
Keitel et al., 2006	Bärental	Germany	48.08	8.9	910	-29.3	-34.3	-8.05	21.89141	8.9		890	379.8	Angiosperm	
Keitel et al., 2006	Mühlhausen	Germany	51.22	10.45	700	-29.3	-34.3	-8.05	21.89141	10.45		400	379.8	Angiosperm	
Keitel et al., 2006	Ried	Germany	48.3	11.1	800	-30.1	-35.1	-8.05	22.73430	11.1		540	379.8	Angiosperm	
Keitel et al., 2006	Gasseldorf	Germany	49.8	11.2	903	-28.5	-33.5	-8.05	21.04992	11.2		300	379.8	Angiosperm	
Kloeppe l et al., 1998	Norilsk	Russia	69.4	88.28333	450	-26.3	-31.3	-7.9	18.89699	-10.1		75	363.73	Gymnosperm	
Kloeppe l et al., 1998	Division No. 22	Canada	56	-98.5	524.64	-	-	-7.9	20.55339	-2.5		213	363.73	Gymnosperm	
Kloeppe l et al., 1998	Davos	Switzerland	46.77166	9.8675	1215.4	-27.2	-32.2	-7.9	19.83963	0.9		2000	363.73	Gymnosperm	
Kloeppe l et al., 1998	Burr	Canada	52	-105	390.24	-	-	-7.9	20.17025	2		556	363.73	Gymnosperm	
Kloeppe l et al., 1998	Southern Region	Iceland	64.3	-	635.28	-	-	-7.9	21.25255	3.1		200	363.73	Gymnosperm	
Kloeppe l et al., 1998	Seeley Lake	USA	47.92	-	588.48	-	-	-7.9	19.58024	4.1		1012	363.73	Gymnosperm	
Kloeppe l et al., 1998	Lake Tomahawk	USA	45.77	-	811.29	-	-	-7.9	20.40197	4.4		482	363.73	Gymnosperm	
Kloeppe l et al., 1998	Troy	USA	48.42	-115.8	826.49	-	-	-7.9	20.42200	4.9		706	363.73	Gymnosperm	
Kloeppe l et al., 1998	Lincoln Heights	Canada	45.93	-	1142.4	-	-	-7.9	19.69015	5.2		72	363.73	Gymnosperm	
Kloeppe l et al., 1998	Sils im Engadin/S engl	Switzerland	46.4	9.8	1215.4	-	-	-7.9	18.01978	5.6		2000	363.73	Gymnosperm	
Kloeppe	Missoula	USA	46.85	-	740.12	-	-	-7.9	18.58068	6.1		1158	363.73	Gymnosperm	

I et al., 1998				113.8833	25.99763	30.997631	501			erm
Kloeppe l et al., 1998	Lolo	USA	46.7	333 114.1666 667	941.47 26.24038 213	122 31.240382 13	22 -7.9 948	18.83460 19.70430 193	6.3	2130 363.73
Kloeppe l et al., 1998	Kamniška	Slovenia	46.25	14.55 1721.0 4	1721.0 27.07088 896	- 32.070888 96	-7.9 -7.9	19.70430 193	8.2	1700 363.73
Kloeppe l et al., 1998	Xiaojin	China	30.82	102.5	840.96 27.44763 031	32.447630 31	-7.9 -7.9	20.09930 87	9.5	3500 363.73
Kloeppe l et al., 1998	Lokve	Slovenia	45.55	15.15 1235.2 8	1235.2 26.82605 862	- 31.826058 62	-7.9 -7.9	19.44776 552	9.8	300 363.73
Leffler and Enquist, 2002	Guanacast e Province	Costa Rica	10.75	- 85.61666 667	1565	-29.94 -34.94	-7.89	22.73055 275	25.9	100 371.14
Lockhea rt et al., 1997	Westonbir t	UK	51.6	- 2.229166 667	829.92 27.55135 997	- 32.551359 97	-7.82	20.29038 774	10.3	140 362.61
Ma et al., 2012	Gansu	China	38.5	102.54	105	-26.92 -31.92	-8	19.5	-0.66333	1350 391.65
Ma et al., 2012	Gansu	China	38.55	102.43	106	-25.88 -30.88	-8	18.4	-0.66333	1380 391.65
Ma et al., 2012	Gansu	China	38.59	103.3	107.5	-27.4 -32.4	-8	19.9	-0.66333	1310 391.65
Ma et al., 2012	Gansu	China	38.58	102.29	107.6	-26.58 -31.58	-8	19.1	-0.66333	1400 391.65
Ma et al., 2012	Gansu	China	39.01	101.59	124.5	-24.76 -29.76	-8	17.2	-0.66333	1400 391.65
Ma et al., 2012	Gansu	China	38.57	102.16	121.4	-26.28 -31.28	-8	18.84660 812	-0.66333	1340 391.65
Ma et al., 2012	Gansu	China	38.41	102.18	138.6	-26.63 -31.63	-8	18.1	-0.66333	1420 391.65
Ma et al., 2012	Neimeng	China	41.44	100.07	23.7	-23.8 -28.8	-8	16.18520 795	-0.46583	973 391.65
Ma et al., 2012	Neimeng	China	41.36	99.53	25.8	-23.92 -28.92	-8	16.31013 851	-0.46583	1010 391.65
Ma et	Neimeng	China	41.47	100.24	28.7	-24.5775 -29.5775	-8	17	-0.46583	945 391.65

al., 2012															rm
Ma et al., 2012	Neimeng	China	41.57	102.16	29.6	-26.24	-31.24	-8	18.7	-0.46583	1114	391.65	Angiosperm		
Ma et al., 2012	Neimeng	China	41.49	100.33	31.8	- 26.51666 667	- 31.516666 67	-8	19	-0.46583	978	391.65	Angiosperm		
Ma et al., 2012	Neimeng	China	41.26	99.43	33.4	-22.06	-27.06	-8	14.37716 015	-0.46583	1080	391.65	Angiosperm		
Ma et al., 2012	Neimeng	China	42	101.44	33.9	-26.37	-31.37	-8	18.86753 695	-0.46583	930	391.65	Angiosperm		
Ma et al., 2012	Neimeng	China	41.57	100.55	37.3	-25.57	-30.57	-8	18.03105 405	-0.46583	948	391.65	Angiosperm		
Ma et al., 2012	Neimeng	China	42.54	102.43	40	-25.89	-30.89	-8	18.36548 234	-0.46583	1080	391.65	Angiosperm		
Ma et al., 2012	Neimeng	China	41.14	99.27	45.9	-24.65	-29.65	-8	17.1	-0.46583	1370	391.65	Angiosperm		
Ma et al., 2012	Neimeng	China	40.59	99.25	53	-24.85	-29.85	-8	17.3	-0.46583	1300	391.65	Angiosperm		
Ma et al., 2012	Neimeng	China	41.29	103.28	54.2	-26.41	-31.41	-8	18.9	-0.46583	905	391.65	Angiosperm		
Ma et al., 2012	Neimeng	China	40.32	100.29	56.7	-25.62	-30.62	-8	18.1	-0.46583	1320	391.65	Angiosperm		
Ma et al., 2012	Neimeng	China	40.45	100.24	58.6	-25.36	-30.36	-8	18.9	-0.46583	1400	391.65	Angiosperm		
Ma et al., 2012	Neimeng	China	41.18	103.53	75	-25.05	-30.05	-8	17.5	-0.46583	848	391.65	Angiosperm		
Ma et al., 2012	Neimeng	China	40.21	104.45	100.5	-26.88	-31.88	-8	19.4	-0.46583	1280	391.65	Angiosperm		
Ma et al., 2012	Neimeng	China	39.41	105.43	86.5	-25.88	-30.88	-8	18.35502 813	-0.46583	1000	391.65	Angiosperm		
Ma et al., 2012	Neimeng	China	39.55	100.57	90.1	-23.97	-28.97	-8	16.36220 198	-0.46583	1390	391.65	Angiosperm		
Ma et al., 2012	Neimeng	China	41.09	104.14	90.8	-26.58	-31.58	-8	19.1	-0.46583	933	391.65	Angiosperm		
Ma et al., 2012	Neimeng	China	39.47	101.13	94.6	-27.03	-32.03	-8	19.6	-0.46583	1340	391.65	Angiosperm		
Ma et al., 2012	Neimeng	China	40.52	104.27	94.3	-26.1	-31.1	-8	18.6	-0.46583	1480	391.65	Angiosperm		
Ma et al., 2012	Neimeng	China	39.43	101.25	105.3	-26.44	-31.44	-8	18.9	-0.46583	1320	391.65	Angiosperm		

Ma et al., 2012	Neimeng	China	40.3	104.39	97.3	-26.53	-31.53	-8	19.01	-0.46583	1290	391.65	Angiosperm
Ma et al., 2012	Neimeng	China	40.05	104.53	108.1	-26.59	-31.59	-8	19.1	-0.46583	1390	391.65	Angiosperm
Ma et al., 2012	Neimeng	China	39.47	105.04	112	-25.97	-30.97	-8	18.4	-0.46583	1440	391.65	Angiosperm
Ma et al., 2012	Neimeng	China	39.3	105.36	113.2	-25.87	-30.87	-8	17.9	-0.46583	1070	391.65	Angiosperm
Ma et al., 2012	Neimeng	China	39.35	105.17	115.9	-26.59	-31.59	-8	19.1	-0.46583	1230	391.65	Angiosperm
Ma et al., 2012	Neimeng	China	39.1	101.44	116.6	-24.26	-29.26	-8	16.7	-0.46583	1580	391.65	Angiosperm
Ma et al., 2012	Neimeng	China	39.19	105.56	146.5	-25.43	-30.43	-8	17.9	-0.46583	1350	391.65	Angiosperm
Ma et al., 2012	Neimeng	China	39.22	105.42	143.9	-26.4	-31.4	-8	18.9	-0.46583	1150	391.65	Angiosperm
Ma et al., 2012	Neimeng	China	39.18	107.08	171.4	-26.14	-31.14	-8	18.6	-0.46583	1360	391.65	Angiosperm
Ma et al., 2012	Ningxia	China	38.46	106.1	194.3	-25.41	-30.41	-8	17.9	-0.46583	1830	391.65	Angiosperm
Ma et al., 2012	Ningxia	China	38.17	106.06	205.9	-25.59	-30.59	-8	18	-0.46583	1870	391.65	Angiosperm
Ma et al., 2012	Neimeng	China	39.15	107.3	207.8	-26	-31	-8	18.4	-0.46583	1360	391.65	Angiosperm
Ma et al., 2012	Ningxia	China	37.31	105.39	254.1	-27.14	-32.14	-8	19.7	-0.46583	1810	391.65	Angiosperm
Ma et al., 2012	Ningxia	China	37.38	105.09	268.8	-24.77	-29.77	-8	17.2	-0.46583	1340	391.65	Angiosperm
Ma et al., 2012	Neimeng	China	39.08	107.55	270	-25.9	-30.9	-8	19.2	-0.46583	1500	391.65	Angiosperm
Ma et al., 2012	Neimeng	China	38.56	108.15	282.9	-25.31	-30.31	-8	17.8	-0.46583	1410	391.65	Angiosperm
Ma et al., 2012	Ningxia	China	37.05	105.18	286.3	-27.34	-32.34	-8	19.9	-0.46583	1900	391.65	Angiosperm
Ma et al., 2012	Neimeng	China	38.47	108.32	331	-27.27	-32.27	-8	19.8	-0.46583	1360	391.65	Angiosperm
Ma et al., 2012	Neimeng	China	38.37	108.46	333	-27.52	-32.52	-8	20.1	-0.46583	1340	391.65	Angiosperm
Ma et al., 2012	Neimeng	China	38.43	109.09	341.9	-26.59	-31.59	-8	19.1	-0.46583	1310	391.65	Angiosperm

Ma et al., 2012	Shanxi	China	38.11	112.29	436.2	-27.4	-32.4	-8	19.9	-0.46583	1350	391.65	Angiosperm
Ma et al., 2012	Shanxi	China	38.23	109.38	398.2	-25.6	-30.6	-8	18.1	-0.46583	1150	391.65	Angiosperm
Ma et al., 2012	Shanxi	China	38.3	109.27	381.8	-28.6	-33.6	-8	21.2	-0.46583	1220	391.65	Angiosperm
Ma et al., 2012	Shanxi	China	38.13	112.45	439.9	-26.23	-31.23	-8	18.7	-0.46583	1060	391.65	Angiosperm
Ma et al., 2012	Shanxi	China	38.25	112.34	445.1	-27.47	-32.47	-8	20	-0.46583	900	391.65	Angiosperm
Ma et al., 2012	Shanxi	China	36.48	110.36	523.9	-28.95	-33.95	-8	21.6	-0.46583	794	391.65	Angiosperm
Ma et al., 2012	Shanxi	China	37.25	110.46	481	-28.03	-33.03	-8	20.6	-0.46583	828	391.65	Angiosperm
Ma et al., 2012	Shanxi	China	37.3	110.34	456	-26.3	-31.3	-8	18.8	-0.46583	1100	391.65	Angiosperm
Ma et al., 2012	Shanxi	China	36.5	110.28	531.9	-29.04	-34.04	-8	21.7	-0.46583	631	391.65	Angiosperm
Ma et al., 2012	Shanxi	China	35.36	112.42	584.6	-28.59	-33.59	-8	21.3	-0.46583	1100	391.65	Angiosperm
Ma et al., 2012	Shanxi	China	36.05	113.21	552.7	-30.04	-35.04	-8	22.72258 65	-0.46583	1320	391.65	Angiosperm
Ma et al., 2012	Shanxi	China	36.07	113.42	556.9	-28.7	-33.7	-8	21.3	-0.46583	1090	391.65	Angiosperm
Ma et al., 2012	Shanxi	China	35.37	112.5	582.4	-28.86	-33.86	-8	21.5	-0.46583	1056	391.65	Angiosperm
Ma et al., 2012	Shanxi	China	35.57	113.04	562.7	-28.44	-33.44	-8	21	-0.46583	1100	391.65	Angiosperm
McArthur and Moorhead, 1996	Martin	USA	33.18666 667	- 81.58916 667	1215.3 9 64	- 30.54283 64	- 35.542836 4	-7.88 113	23.37683 18.1 90	60	360.82	Angiosperm	
Medina and Minchin, 1980	Rio Negro	Venezuela	2	-67	3500	-29.6	-34.6	-7.49 88	22.78441 25.99	90	336.84	Angiosperm	
Menzel et al., 2013	Lonar lake region	India	19.96	76.5	680	-29.1	-34.1	-8.2 879	21.52641 23.8	800	393.85	Angiosperm	
Miller et	Victoria	Australia	-18.2	131.5	410	-	-	-7.91	19.68694 25	340	369.55	Angiosperm	

al., 2001															rm
Miller et al., 2001	Gurindji	Australia	-19	131.5	390	27.06413 022	32.064130 22		013						
Miller et al., 2001	Central Desert	Australia	-18.6	131.5	400	- 26.58687 334	- 31.586873 34	-7.91 557	19.18699 557	25.1		380	369.55	Angiosperm	
Miller et al., 2001	Central Desert	Australia	-19.7	131.5	350	- 26.49136 578	- 31.491365 78	-7.91	19.08700 665	25.1		360	369.55	Angiosperm	
Miller et al., 2001	Central Desert	Australia	-19.5	131.5	370	- 25.53525 83	- 30.535258 3	-7.91	18.88702 882	25.2		420	369.55	Angiosperm	
Miller et al., 2001	Lake MacKay	Australia	-22	131.5	300	- 24.57727 094	- 29.577270 94	-7.91	18.08711 752	25.2		400	369.55	Angiosperm	
Miller et al., 2001	Central Desert	Australia	-20.2	131.5	320	- 25.05649 995	- 30.056499 95	-7.91	17.58717 295	25.3		440	369.55	Angiosperm	
Miller et al., 2001	Lake MacKay	Australia	-22	131.5	280	- 24.96069 182	- 29.960691 82	-7.91	17.48718 404	25.4		500	369.55	Angiosperm	
Miller et al., 2001	Lake MacKay	Australia	-22	131.5	300	- 25.34381 139	- 30.343811 39	-7.91	17.88713 969	25.4		460	369.55	Angiosperm	
Miller et al., 2001	Lake MacKay	Australia	-23	131.5	270	- 25.15228 925	- 30.152289 25	-7.91	17.68716 186	25.5		540	369.55	Angiosperm	
Miller et al., 2001	Mereenie	Australia	-24	131.5	250	- 26.68236 217	- 31.682362 17	-7.91	19.28698 448	25.6		560	369.55	Angiosperm	
Miller et al., 2001	Lake MacKay	Australia	-23	131.5	270	- 26.01354 668	- 31.013546 68	-7.91	18.58706 208	25.6		520	369.55	Angiosperm	
Miller et al., 2001	Petermann	Australia	-24.3	131.5	230	- 25.34381 139	- 30.343811 39	-7.91	17.88713 969	25.7		580	369.55	Angiosperm	
Miller et al., 2001	Petermann	Australia	-25	131.5	200	- 24.86486	- 29.864864	-7.91	17.38719 512	25.8		600	369.55	Angiosperm	

Miller et al., 2001	Victoria River	Australia	-17.3	131.5	520	486	86					300	369.55	Angiosperm
						-	-	-7.91	19.38697	25.8				
						26.77783	31.777832		339					
						227	27							
Miller et al., 2001	Delamere	Australia	-16.9	131.5	630	-	-	-7.91	20.38686	26.5		280	369.55	Angiosperm
						27.73150	32.731504		253					
						416	16							
Miller et al., 2001	Gurindji NT	Australia	-17.8	131.5	470	-	-	-7.91	19.48696	26.7		320	369.55	Angiosperm
						26.87328	31.873283		231					
						364	64							
Miller et al., 2001	Claravale	Australia	-14.6	131.5	900	-	-	-7.91	20.08689	26.9		180	369.55	Angiosperm
						27.44559	32.445598		579					
						89	9							
Miller et al., 2001	Douglas-Daly	Australia	-13.7	131.5	1200	-	-	-7.91	20.38686	26.9		120	369.55	Angiosperm
						27.73150	32.731504		253					
						416	16							
Miller et al., 2001	Delamere	Australia	-16	131.5	680	-	-	-7.91	19.78692	27		260	369.55	Angiosperm
						27.15952	32.159525		905					
						544	44							
Miller et al., 2001	Delamere	Australia	-15.6	131.5	760	-	-	-7.91	20.28687	27		240	369.55	Angiosperm
						27.63622	32.636221		361					
						109	09							
Miller et al., 2001	Delamere	Australia	-15.1	131.5	780	-	-	-7.91	20.38686	27		220	369.55	Angiosperm
						27.73150	32.731504		253					
						416	16							
Miller et al., 2001	Delamere	Australia	-14.8	131.5	840	-	-	-7.91	20.58684	27		200	369.55	Angiosperm
						27.92201	32.922014		035					
						43	3							
Miller et al., 2001	Burrundie	Australia	-13.4	131.5	1230	-	-	-7.91	20.38686	27		100	369.55	Angiosperm
						27.73150	32.731504		253					
						416	16							
Miller et al., 2001	Margaret River	Australia	-13.1	131.5	1380	-	-	-7.91	20.28687	27		80	369.55	Angiosperm
						27.63622	32.636221		361					
						109	09							
Miller et al., 2001	Douglas-Daly	Australia	-14	131.5	1090	-	-	-7.91	20.78681	27.5		140	369.55	Angiosperm
						28.11244	33.112449		818					
						98	8							
Miller et al., 2001	Mount Bundey	Australia	-12.9	131.5	1450	-	-	-7.91	20.68682	27.7		60	369.55	Angiosperm
						28.01724	33.017241		927					
						138	38							

Miller et al., 2001	Claravale	Australia	-14.3	131.5	990	- 27.35025 978	- 32.350259 78	-7.91	19.98690 687	28	160	369.55	Angiosperm
Miller et al., 2001	Hotham	Australia	-12.4	131.5	1570	- 28.68330 886	- 33.683308 86	-7.91	21.38675 166	28.4	40	369.55	Angiosperm
Mooney et al., 1989	N.A.	Mexico	10.5	-105.05	748	-26.97	-31.97	-7.7	19.80411 704	26.1	50	351.57	Angiosperm
Murphy et al., 2009	Poatina TAS	Australia	-41.8075 7	146.8780	1018	-26.9	-31.9	-8.2	19.21693 557	6.9	299	385.6	Angiosperm
Murphy et al., 2009	Rockton NSW	Australia	- 37.09706	149.3063 5	998	-29.3	-34.3	-8.2	21.73689 09	10.7	466	385.6	Angiosperm
Murphy et al., 2009	Rockton NSW	Australia	- 37.09706	149.3063 5	998	-30.01	-35.01	-8.2	22.48476 788	10.7	466	385.6	Angiosperm
Murphy et al., 2009	Wollomombi NSW	Australia	- 30.49457	152.2060 2	1103	-26.9	-31.9	-8.2	19.21693 557	11.9	964	385.6	Angiosperm
Murphy et al., 2009	Wollomombi NSW	Australia	- 30.49457	152.2060 2	1103	-27.87	-32.87	-8.2	20.23391 933	11.9	964	385.6	Angiosperm
Murphy et al., 2009	Bridport TAS	Australia	- 41.04355	147.2278 1	788	-28.52	-33.52	-8.2	20.91653 971	12.5	52	385.6	Angiosperm
Murphy et al., 2009	Bridport TAS	Australia	- 41.04355	147.2278 1	788	-28.78	-33.78	-8.2	21.18984 37	12.5	52	385.6	Angiosperm
Murphy et al., 2009	Thorpdale VIC	Australia	- 38.34259	146.2038 6	1014	-30.95	-35.95	-8.2	23.47660 079	12.5	252	385.6	Angiosperm
Murphy et al., 2009	Mirranatwa VIC	Australia	- 37.42647	142.4238 6	673	-29.04	-34.04	-8.2	21.46329 406	12.8	250	385.6	Angiosperm
Murphy et al., 2009	Mirranatwa VIC	Australia	- 37.42647	142.4238 6	673	-29.71	-34.71	-8.2	22.16863	12.8	250	385.6	Angiosperm
Murphy	Lake	Australia	-	136.6002	305	-25.9	-30.9	-8.2	18.17061	16.2	265	385.6	Angiosperm

et al., 2009	Gilles SA		33.11968							903			rm
Murphy et al., 2009	Yanga NSW	Australia	-34.71164	143.64693	315	-27.6	-32.6	-8.2	19.9506376	16.3	65	385.6	Angiosperm
Murphy et al., 2009	Yanga NSW	Australia	-34.71164	143.64693	315	-27.8	-32.8	-8.2	20.16046081	16.3	65	385.6	Angiosperm
Murphy et al., 2009	Hay NSW	Australia	-34.52878	144.74484	345	-26.95	-31.95	-8.2	19.26930785	16.4	93	385.6	Angiosperm
Murphy et al., 2009	Caiguna WA	Australia	-32.30623	125.19432	235	-23	-28	-8.2	15.14841351	16.5	122	385.6	Angiosperm
Murphy et al., 2009	Yalata SA	Australia	-31.61731	132.05025	283	-23.08	-28.08	-8.2	15.23154404	16.6	90	385.6	Angiosperm
Murphy et al., 2009	Yalata SA	Australia	-31.61731	132.05025	283	-24.88	-29.88	-8.2	17.105587	16.6	90	385.6	Angiosperm
Murphy et al., 2009	Arrowsmith WA	Australia	-34.38838	142.42599	294	-25.66	-30.66	-8.2	17.91982265	16.6	39	385.6	Angiosperm
Murphy et al., 2009	Mallee NSW	Australia	-34.38838	142.42599	294	-27.2	-32.2	-8.2	19.53125	16.6	47	385.6	Angiosperm
Murphy et al., 2009	Mallee NSW	Australia	-34.38838	142.42599	294	-28.55	-33.55	-8.2	20.94806732	16.6	89	385.6	Angiosperm
Murphy et al., 2009	Goolgowi NSW	Australia	-33.98825	145.69836	366	-25.35	-30.35	-8.2	17.59606012	16.6	115	385.6	Angiosperm
Murphy et al., 2009	Goolgowi NSW	Australia	-33.98825	145.69836	366	-27.72	-32.72	-8.2	20.07652117	16.6	113	385.6	Angiosperm
Murphy et al., 2009	Balladonia WA	Australia	-32.43955	124.07732	261	-24.68	-29.68	-8.2	16.89701841	16.8	278	385.6	Angiosperm
Murphy et al.,	Hillston NSW	Australia	-33.47877	145.57027	366	-30.57	-35.57	-8.2	23.07541545	17	122	385.6	Angiosperm

2009														
Murphy et al., 2009	Mount Palmer WA	Australia	-31.2846	119.8118	264	-28.9	-33.9	-8.2	21.31603 336	17.2	371	385.6	Angiosperm	
Murphy et al., 2009	Pandurra SA	Australia	-32.63178	137.3856 6	230	-26.2	-31.2	-8.2	18.48428 835	17.3	81	385.6	Angiosperm	
Murphy et al., 2009	Nymagee NSW	Australia	-31.89	145.9653	375	-26.47	-31.47	-8.2	18.76675 603	17.6	260	385.6	Angiosperm	
Murphy et al., 2009	Nymagee NSW	Australia	-31.89	145.9653	375	-27.13	-32.13	-8.2	19.45789 263	17.6	260	385.6	Angiosperm	
Murphy et al., 2009	Pithara WA	Australia	-30.40698	116.6642 8	327	-27.2	-32.2	-8.2	19.53125	18.3	301	385.6	Angiosperm	
Murphy et al., 2009	Laverton WA	Australia	-28.60726	122.3968	352	-25.55	-30.55	-8.2	17.80491 559	18.3	461	385.6	Angiosperm	
Murphy et al., 2009	Tindarey NSW	Australia	-31.07485	145.9112 4	352	-26.01	-31.01	-8.2	18.28560 868	18.3	205	385.6	Angiosperm	
Murphy et al., 2009	Lanitza NSW	Australia	-29.89585	152.9852 1	1135	-30.34	-35.34	-8.2	22.83274 55	18.3	89	385.6	Angiosperm	
Murphy et al., 2009	Lanitza NSW	Australia	-29.89585	152.9852 1	1135	-30.81	-35.81	-8.2	23.32875 907	18.3	252	385.6	Angiosperm	
Murphy et al., 2009	Paynes Find WA	Australia	-28.99598	117.7884 6	253	-28.95	-33.95	-8.2	21.36862 16	19.7	339	385.6	Angiosperm	
Murphy et al., 2009	Eurardy WA	Australia	-29.58478	115.1484 8	503	-29.3	-34.3	-8.2	21.73689 09	19.7	330	385.6	Angiosperm	
Murphy et al., 2009	Tindarey NSW	Australia	-31.07485	145.9112 4	217	-24.62	-29.62	-8.2	16.83446 452	19.9	204	385.6	Angiosperm	
Murphy et al., 2009	Laverton	Australia	-28.60726	122.3968	217	-27.43	-32.43	-8.2	19.77235 572	19.9	461	385.6	Angiosperm	

Murphy et al., 2009	St George	Australia	-27.90805	148.70703	506	-26.36	-31.36	-8.2	18.6516577	19.9	201	385.6	Angiosperm
Murphy et al., 2009	St George QLD	Australia	-27.90805	148.70703	506	-27.19	-32.19	-8.2	19.52076973	19.9	201	385.6	Angiosperm
Murphy et al., 2009	St George QLD	Australia	-27.90805	148.70703	506	-27.69	-32.69	-8.2	20.04504736	19.9	201	385.6	Angiosperm
Murphy et al., 2009	Bollon QLD	Australia	-27.964956	147.80576	441	-27.41	-32.41	-8.2	19.75138548	20.1	183	385.6	Angiosperm
Murphy et al., 2009	Eurardy WA	Australia	-27.315136	114.60386	281	-26.78	-31.78	-8.2	19.09126405	20.2	330	385.6	Angiosperm
Murphy et al., 2009	Welbourn Hill SA	Australia	-27.45278	133.7315184	184	-27.3	-32.3	-8.2	19.63606456	20.5	311	385.6	Angiosperm
Murphy et al., 2009	Anmatjere NT	Australia	-22.9942	133.5812288	288	-28.22	-33.22	-8.2	20.60137068	20.9	659	385.6	Angiosperm
Murphy et al., 2009	Wiluna	Australia	-26.6318	120.2099222	222	-28.63	-33.63	-8.2	21.03215047	21.2	521	385.6	Angiosperm
Murphy et al., 2009	Hamelin Pool	Australia	-26.58355	114.5275223	223	-23.74	-28.74	-8.2	15.91789073	21.3	97	385.6	Angiosperm
Murphy et al., 2009	Lake Austin	Australia	-27.333063	117.9465209	209	-26.64	-31.64	-8.2	18.94468645	21.4	150	385.6	Angiosperm
Murphy et al., 2009	Mission River	Australia	-12.73343	142.37081539	1539	-28.81	-33.81	-8.2	21.22138819	25.8	44	385.6	Angiosperm
Murphy et al., 2009	Baines NT	Australia	-15.766183	130.0267762	762	-28.02	-33.02	-8.2	20.39136608	27.2	37	385.6	Angiosperm
Nagy and Proctor, 2000	Muara Joloi	Indonesia	-0.07	114.0166667	3700	-30.77584785	-35.77584785	-7.85	23.65381404	25.7	300	368.38	Angiosperm

Pfautsch et al., 2010	Melbourne	Australia	- 37.70833 333	145.6933 333	1760	-29.6	-34.6	-7.61	22.66075 845	0.818333	511	387.83	Mixed
Pfautsch et al., 2010	Melbourne	Australia	- 37.70833 333	145.6933 333	1980	-29.2	-34.2	-7.61	22.23939 019	0.818333	727	387.83	Mixed
Pfautsch et al., 2010	Melbourne	Australia	- 37.70833 333	145.6933 333	2220	-29.3	-34.3	-7.61	22.34469 97	0.818333	968	387.83	Mixed
Sandquist and Cordell, 2007	Kailua-Kona	USA	19.77	- 155.9383 333	487.1	- 26.56099 146	- 31.560991 46	-8.05	19.01607 732	22.2	655	381.9	Angiosperm
Schulze average 150-200	Laverton	Australia	- 27.82583 333	124.5251 958	179.46	- 26.69374 441	- 31.693744 41	-8.07	19.13451 63	N.A.	460.3 75	N.A.	N.A.
Schulze average 200-250	Bullabulli ng WA	Australia	- 31.11416 667	120.9521 5	215.62	- 26.31119 379	- 31.311193 79	-8.07	18.73411 061	N.A.	402.2 5	N.A.	N.A.
Schulze et al., 1996	Hardap	Namibia	-23.5	17	50	-26.2	-31.2	-7.43	19.27500 513	19.9	400	360.82	Angiosperm
Schulze et al., 1996	Hardap	Namibia	-23.5	17	350	-26.7	-31.7	-7.43	19.79862 324	19.9	1000	360.82	Angiosperm
Schulze et al., 1996	Hardap	Namibia	-23.5	17	450	-26.8	-31.8	-7.43	19.90341 143	19.9	1000	360.82	Angiosperm
Schulze et al., 1996	Hardap	Namibia	-23.5	17	550	-26.8	-31.8	-7.43	19.90341 143	19.9	1000	360.82	Angiosperm
Schulze et al., 1998	Mount Zeil	Australia	- 23.66666 667	132.35	216	- 25.54027 505	- 30.540275 05	-7.84	18.16419 355	20.57	780	363.7	Angiosperm
Schulze et al., 1998	Petermann	Australia	- 25.23333 333	130.35	310	- 25.15723 27	- 30.157232 7	-7.84	17.76412 903	21.2	560	363.7	Angiosperm
Schulze et al., 1998	Ngaanyatj arra-Giles	Australia	- 25.08333 333	128.35	245	- 24.86975 327	- 29.869753 27	-7.84	17.46408 065	22.44	480	363.7	Angiosperm

Schulze et al., 1998	Lake MacKay	Australia	- 23.29166 667	129.6166 667	329	- 25.92301 65	- 30.923016 5	-7.84	18.56425 806	23.12	470	363.7	Angiosperm
Schulze et al., 1998	Davenport	Australia	- 20.74166 667	134.1833 333	342	- 26.01865 488	- 31.018654 88	-7.84	18.66427 419	24.94	355	363.7	Angiosperm
Schulze et al., 1998	Pamayu	Australia	- 17.73333 333	133.6333 333	485	- 27.16485 241	- 32.164852 41	-7.84	19.86446 774	26.61	225	363.7	Angiosperm
Schulze et al., 1998	Victoria River	Australia	-17.3	130.75	472	- 26.68759 812	- 31.687598 12	-7.84	19.36438 71	26.68	215	363.7	Angiosperm
Schulze et al., 1998	Nitmiluk	Australia	-14.3	132.0833 333	970	- 26.30545 74	- 31.305457 4	-7.84	18.96432 258	26.86	175	363.7	Angiosperm
Schulze et al., 1998	Gregory	Australia	- 15.58333 333	131.1	803	- 26.87855 601	- 31.878556 01	-7.84	19.56441 935	26.87	180	363.7	Angiosperm
Schulze et al., 1998	Victoria Rive	Australia	- 16.11666 667	130.9166 667	590	- 27.83222 266	- 32.832222 66	-7.84	20.56458 065	27.2	100	363.7	Angiosperm
Schulze et al., 1998	Marrara	Australia	- 12.41666 667	130.8666 667	1693	- 26.78308 643	- 31.783086 43	-7.84	19.46440 323	27.39	5	363.7	Angiosperm
Schulze et al., 1998	Tiwi Islands	Australia	-11.75	130.8666 667	1801	- 27.45098 039	- 32.450980 39	-7.84	20.16451 613	27.39	45	363.7	Angiosperm
Schulze et al., 1998	Kakadu	Australia	- 12.68333 333	132.3833 333	1344	- 26.97400 687	- 31.974006 87	-7.84	19.66443 548	27.62	35	363.7	Angiosperm
Schulze et al., 2006	North Walpole	Australia	- 34.91666 667	116.6888 333	1018.7	-28.81	-33.81	-8.07	21.35524 46	14.75	111	379.8	Angiosperm
Schulze et al., 2006	Narrikup	Australia	-34.75	117.5058 333	1017.5	-28	-33	-8.07	20.50411 523	15.14	108	379.8	Angiosperm
Schulze et al., 2006	Stirling Range National Park	Australia	- 34.38333 333	117.7791 667	478.2	- 27.36777 778	- 32.367777 78	-8.07	19.84077 572	15.35	264	379.8	Angiosperm

Schulze et al., 2006	Walpole	Australia	-34.96666667	116.79166667	1017.5667	-28.47666667	-33.47666667	-8.07	21.00481375	15.52	169	379.8	Angiosperm
Schulze et al., 2006	Yeagarup	Australia	-34.48333333	115.95166667	1050.333	-27.21333333	-32.21333333	-8.07	19.67886073	15.57	170	379.8	Angiosperm
Schulze et al., 2006	Yeagarup	Australia	-34.51666667	116.00833333	1050.667	-27.96666667	-32.96666667	-8.07	20.46911971	15.57	120	379.8	Angiosperm
Schulze et al., 2006	Magitup	Australia	-34.15	118.235	275.6	-27.01666667	-32.01666667	-8.07	19.47275561	15.64	195	379.8	Angiosperm
Schulze et al., 2006	Mindarabi n	Australia	-33.91666667	118.32916667	275.667	-27.01	-32.01	-8.07	19.46577046	15.85	327	379.8	Angiosperm
Schulze et al., 2006	North Lake Grace	Australia	-33.03333333	118.4725	1018.7333	-28.485	-33.485	-8.07	21.01357159	16.23	169	379.8	Angiosperm
Schulze et al., 2006	Ludlow	Australia	-33.56666667	115.5	662	-26.92	-31.92	-8.07	19.37148025	16.84	7	379.8	Angiosperm
Schulze et al., 2006	Myalup	Australia	-33	115.74166667	662	-27.18333333	-32.18333333	-8.07	19.64741558	17.09	27	379.8	Angiosperm
Schulze et al., 2006	Gorrie	Australia	-31.88333333	116.25	772.3	-27.42666667	-32.42666667	-8.07	19.90252663	17.52	280	379.8	Angiosperm
Schulze et al., 2006	Gorrie	Australia	-31.88333333	116.2625	772.3	-28.39777778	-33.39777778	-8.07	20.92191363	17.52	278	379.8	Angiosperm
Schulze et al., 2006	Gorrie	Australia	-31.88333333	116.55833333	445.7	-27.00333333	-32.00333333	-8.07	19.4587854	17.7	351	379.8	Angiosperm
Schulze et al., 2006	Yanchep	Australia	-31.53333333	115.675	583.8	-27.3	-32.3	-8.07	19.76971317	18.53	26	379.8	Angiosperm
Song et al., 2008	Yushu	China	34	93	42	-24.275	-29.275	-8.12	16.55691921	-3.521	3000	383.79	Angiosperm
Song et al., 2008	Yushu	China	34	93	80	-24.06666666	-29.06666666	-8.12	16.33991393	-3.521	3000	383.79	Angiosperm

Song et al., 2008	Yushu	China	34	93	120	667	67	-24.85	-29.85	-8.12	17.15633 492	-3.521	3500	383.79	Angiosperm
Song et al., 2008	Yushu	China	34	93	160	-25.375	-30.375	-8.12	17.70424 522	-3.521	3500	383.79	Angiosperm		
Song et al., 2008	Yushu	China	34	93	180	-24.3	-29.3	-8.12	16.58296 608	-3.521	3500	383.79	Angiosperm		
Song et al., 2008	Yushu	China	34	93	180	-24.675	-29.675	-8.12	16.97382 924	-3.521	3500	383.79	Angiosperm		
Song et al., 2008	Yushu	China	34	93	200	-24.8	-29.8	-8.12	17.10418 376	-3.521	3500	383.79	Angiosperm		
Song et al., 2008	Yushu	China	34	93	225	-24.6	-29.6	-8.12	16.89563 256	-3.521	3500	383.79	Angiosperm		
Song et al., 2008	Yushu	China	34	93	250	-25.65	-30.65	-8.12	17.99148 15	-3.521	3500	383.79	Angiosperm		
Song et al., 2008	Yushu	China	34	93	260	-25.2	-30.2	-8.12	17.52154 288	-3.521	3500	383.79	Angiosperm		
Song et al., 2008	Yushu	China	34	93	275	-25.2375	-30.2375	-8.12	17.56068 786	-3.521	3500	383.79	Angiosperm		
Song et al., 2008	Yushu	China	34	93	290	-25.7	-30.7	-8.12	18.04372 37	-3.521	3500	383.79	Angiosperm		
Song et al., 2008	Yushu	China	34	93	350	-26.1	-31.1	-8.12	18.46185 44	-3.521	4000	383.79	Angiosperm		
Song et al., 2008	Yushu	China	34	93	360	-25.3	-30.3	-8.12	17.62593 619	-3.521	4000	383.79	Angiosperm		
Song et al., 2008	Yushu	China	34	93	380	-26.15	-31.15	-8.12	18.51414 489	-3.521	4000	383.79	Angiosperm		
Song et al., 2008	Yushu	China	34	93	410	-25.45	-30.45	-8.12	17.78256 631	-3.521	4000	383.79	Angiosperm		
Song et al., 2008	Yushu	China	34	93	450	-	-	-8.12	18.37969 448	-3.521	4000	383.79	Angiosperm		
						26.02142 857	31.021428 57								
Song et al., 2008	Yushu	China	34	93	460	-26.275	-31.275	-8.12	18.64489 461	-3.521	4000	383.79	Angiosperm		
Song et al., 2008	Yushu	China	34	93	475	-26.15	-31.15	-8.12	18.51414 489	-3.521	4000	383.79	Angiosperm		
Song et al., 2008	Yushu	China	34	93	490	-25.85	-30.85	-8.12	18.20048 247	-3.521	4000	383.79	Angiosperm		
Song et al., 2008	Yushu	China	34	93	550	-27.6	-32.6	-8.12	20.03290 827	-3.521	4000	383.79	Angiosperm		

Song et al., 2008	Yushu	China	34	93	570	-25.8	-30.8	-8.12	18.14822 418	-3.521	4000	383.79	Angiosperm
Song et al., 2008	Yushu	China	34	93	660	-26.4	-31.4	-8.12	18.77567 79	-3.521	4000	383.79	Angiosperm
Song et al., 2008	Yushu	China	34	93	670	- 27.14545	- 32.145454	-8.12	19.55631 973	-3.521	4000	383.79	Angiosperm
Song et al., 2008	Yushu	China	34	93	780	-26	-31	-8.12	18.35728 953	-3.521	4000	383.79	Angiosperm
Song et al., 2008	Yushu	China	34	93	800	-26.6	-31.6	-8.12	18.98500 103	-3.521	4000	383.79	Angiosperm
Song et al., 2008	Yushu	China	34	93	850	-26.75	-31.75	-8.12	19.14204 983	-3.521	4000	383.79	Angiosperm
Song et al., 2008	Yushu	China	34	93	880	-26.4	-31.4	-8.12	18.77567 79	-3.521	4000	383.79	Angiosperm
Song et al., 2008	Yushu	China	34	93	960	-29	-34	-8.12	21.50360 453	-3.521	4000	383.79	Angiosperm
Song et al., 2008	Yushu	China	34	93	1275	-29.05	-34.05	-8.12	21.55620 784	-3.521	4000	383.79	Angiosperm
Song et al., 2008	Yushu	China	34	93	1520	-28.65	-33.65	-8.12	21.13553 302	-3.521	4000	383.79	Angiosperm
Song et al., 2008	Yushu	China	34	93	1730	-30.1	-35.1	-8.12	22.66213 012	-3.521	4000	383.79	Angiosperm
Song et al., 2008	Yushu	China	34	93	1820	-29.2	-34.2	-8.12	21.71405 027	-3.521	4000	383.79	Angiosperm
Song et al., 2008	Yushu	China	34	93	1860	-28.85	-33.85	-8.12	21.34582 711	-3.521	4000	383.79	Angiosperm
Song et al., 2008	Yushu	China	34	93	1930	-29.1	-34.1	-8.12	21.60881 656	-3.521	4000	383.79	Angiosperm
Song et al., 2008	Yushu	China	34	93	2000	-28.45	-33.45	-8.12	20.92532 551	-3.521	4000	383.79	Angiosperm
Song et al., 2008	Yushu	China	34	93	2130	-29.5	-34.5	-8.12	22.02988 15	-3.521	4000	383.79	Angiosperm
Song et al., 2008	Yushu	China	34	93	2260	-28.85	-33.85	-8.12	21.34582 711	-3.521	4000	383.79	Angiosperm
Song et al., 2008	Yushu	China	34	93	2330	-29	-34	-8.12	21.50360 453	-3.521	4000	383.79	Angiosperm
Song et al., 2008	Yushu	China	34	93	2410	-28.2	-33.2	-8.12	20.66268 78	-3.521	4000	383.79	Angiosperm
Stewart	Carneys	Australia	-28.2	152.5	1199	-30	-35	-7.84	22.84536 16.75	650	358.83	Angiospe	

et al., 1995	Creek QLD								082				rm
Stewart et al., 1995	Bunya Mountains QLD	Australia	-26.8	151.5	672	-28	-33	-7.84	20.74074 074	18.32	800	358.83	Angiosperm
Stewart et al., 1995	Limpinwood	Australia	-28.3	153.2	1645	-31.2	-36.2	-7.84	24.11230 388	18.5	250	358.83	Angiosperm
Stewart et al., 1995	Kholo QLD	Australia	-27.7	152.4	836	-28.9	-33.9	-7.84	21.68674 699	18.72	250	358.83	Angiosperm
Stewart et al., 1995	Lake Wivenhoe QLD	Australia	-27.2	152.5	822	-27.2	-32.2	-7.84	19.90131 579	18.76	65	358.83	Angiosperm
Stewart et al., 1995	Glass House Mountains	Australia	-26.9	152.9	1616	-29.3	-34.3	-7.84	22.10775 729	19.36	85	358.83	Angiosperm
Stewart et al., 1995	Dundas	Australia	-27.3	152.7	1687	-30.6	-35.6	-7.84	23.47844 027	19.46	375	358.83	Angiosperm
Stewart et al., 1995	Yarrabilba QLD	Australia	-27.8	153.1	1244	-28.9	-33.9	-7.84	21.68674 699	19.87	55	358.83	Angiosperm
Stewart et al., 1995	Kholo QLD	Australia	-27.5	152.8	882	-27.3	-32.3	-7.84	20.00616 84	19.98	135	358.83	Angiosperm
Stewart et al., 1995	Kholo QLD	Australia	-27.5	152.8	1246	-28.7	-33.7	-7.84	21.47637 187	19.98	115	358.83	Angiosperm
Stewart et al., 1995	Hungerford QLD	Australia	-28.8	144.6	294	-26.6	-31.6	-7.84	19.27265 256	21.22	140	358.83	Angiosperm
Stewart et al., 1995	Blackall QLD	Australia	-24.5	145	450	-25.6	-30.6	-7.84	18.22660 099	22.2	275	358.83	Angiosperm
Swap et al., 2004	Rustenburg	South Africa	-25.6	27.2	650	-26.7	-31.7	-8.04	19.17188 945	20	1165	375.8	Mixed
Swap et al., 2004	Ghanzi	Botswana	-22.41	21.71	407	-27.2	-32.2	-8.04	19.69572 368	20.6	1082	375.8	Mixed
Swap et	Kruger	South	-25.17	31.27	650	-25.7	-30.7	-8.04	18.12583	22.4	580	375.8	Mixed

al., 2004	Park Oshikoto	Africa Region	Namibia	-19	16	340	-24.6	-29.6	-8.04	393 019	16.97765	22.5	1100	375.8	Mixed
Swap et al., 2004	Lukulu	Zambia	-14.42	23.52	970	-28	-33	-8.04	20.53497 942	22.63888 889	1060	375.8	Mixed		
Swap et al., 2004	Shangomb o	Zambia	-16.74	23.61	740	-27.8	-32.8	-8.04	20.32503 6	23.05555 556	1015	375.8	Mixed		
Swap et al., 2004	Senanga	Zambia	-15.86	23.34	810	-26.9	-31.9	-8.04	19.38135 854	23.05555 556	1045	375.8	Mixed		
Swap et al., 2004	Benede	South Africa	-27.75	21.42	230	-23.2	-28.2	-8.04	15.52006 552	23.5	940	375.8	Mixed		
Swap et al., 2004	Omaheke Region	Namibia	-22.02	19.17	410	-26.2	-31.2	-8.04	18.64859 314	23.5	1518	375.8	Mixed		
Swap et al., 2004	Ngamilan d East	Botswan a	-19.92	23.59	460	-26.8	-31.8	-8.04	19.27661 323	24.44444 444	945	375.8	Mixed		
Swap et al., 2004	Grootfontein	Namibia	-19.6	18.1	390	-26	-31	-8.04	18.43942 505	25.4	1410	375.8	Mixed		
Terwilliger, 1997	Panamá Oeste	Panama	8.97	- 79.63333 333	1809.4 8	-30.13	-35.13	-7.89	22.93090 827	26.7	85	362.61	Angiosperm		
Toft et al., 1989	Idaho Falls	USA	43.5	-112.05	224	-26.6	-31.6	-7.62	19.49866 448	7.6	1505	351.57	Angiosperm		
Uemura et al., 2006	Tabitomachi hi	Japan	36.97	140.6	1601	- 27.43339 574	- 32.433395 74	-8.05	19.93014 736	9.5	700	379.8	Angiosperm		
Valentini et al., 1992	Kaidomari	Italy	46.53	12.13	919.44	- 27.10098 674	- 32.100986 74	-7.79	19.84891 184	2.1	1000	357.1	Mixed		
Valentini et al., 1992	Cortina d'Ampezzo	Italy	46.33	12.32	1198.4 4	- 28.36691 599	- 33.366915 99	-7.79	21.17766 091	3.8	1500	357.1	Mixed		
Valentini et al., 1992	Castello Lavazzo BL	Italy	42.37	11.53333 333	860	-26.13	-31.13	-7.77	18.85261 893	16	4	357.1	Mixed		
Van de water et al., 2002	Utah	USA	37.3731	109.5229	550	-24.9	-29.9	-8.05	17.28027 895	0.436667	1800	371.14	Mixed		
Van de water et al., 2002	Utah	USA	37.3731	109.5229	550	-25	-30	-8.05	17.38461 538	0.436667	1800	371.14	Mixed		

Van de water et al., 2002	Utah	USA	37.3731	109.5229	550	-25.1	-30.1	-8.05	17.48897 323	0.436667	1800	371.14	Mixed
Van de water et al., 2002	Utah	USA	37.3731	109.5229	550	-25.3	-30.3	-8.05	17.69775 315	0.436667	1800	371.14	Mixed
Wang et al., 2008	Xilingereqi	China	43.63	116.7	350	-26.4	-31.4	-7.8	19.10435 497	0.2	1255	383.79	Angiosperm
Wang et al., 2008	Huangzhang	China	36.55	101.52	380	-26.6	-31.6	-7.8	19.31374 563	3	2473	383.79	Angiosperm
Wang et al., 2008	Sunan	China	38.81	99.63	280	-25.9	-30.9	-7.8	18.58125 449	3.6	2584	383.79	Angiosperm
Wang et al., 2008	Shenmu	China	38.81	110.27	440	-28.1	-33.1	-7.8	20.88692 252	5.3	1239	383.79	Angiosperm
Wang et al., 2008	Dongsheng2	China	39.75	109.95	380	-26.8	-31.8	-7.8	19.52322 236	5.5	1457	383.79	Angiosperm
Wang et al., 2008	Dongsheng1	China	39.81	110.8	380	-27.2	-32.2	-7.8	19.94243 421	5.6	1176	383.79	Angiosperm
Wang et al., 2008	Shandan	China	38.16	101.38	180	-26.1	-31.1	-7.8	18.79043 023	5.7	2636	383.79	Angiosperm
Wang et al., 2008	Yijinheluoqi	China	39.21	109.78	358	-27.3	-32.3	-7.8	20.04729 105	6.2	1264	383.79	Angiosperm
Wang et al., 2008	Dingxi	China	35.62	104.56	480	-27.6	-32.6	-7.8	20.36199 095	6.2	1900	383.79	Angiosperm
Wang et al., 2008	Hequ	China	39.42	111.21	494	-27.8	-32.8	-7.8	20.57189 879	6.3	933	383.79	Angiosperm
Wang et al., 2008	Lanzhou	China	36	103.83	327	-26.4	-31.4	-7.8	19.10435 497	6.6	1918	383.79	Angiosperm
Wang et al., 2008	Yuzhong	China	35.94	104.09	380	-26.2	-31.2	-7.8	18.89505 032	6.6	1915	383.79	Angiosperm
Wang et al., 2008	Zhungereqi	China	39.72	111.16	400	-26.7	-31.7	-7.8	19.41847 324	7.2	1183	383.79	Angiosperm
Wang et al., 2008	Alxa	China	38.5	105.6	150	-23	-28	-7.8	15.55783 009	7.8	1300	383.79	Angiosperm
Wang et al., 2008	Zuoqi	China	36.55	104.1	194	-26.2	-31.2	-7.8	18.89505 032	8	1879	383.79	Angiosperm
Wang et al., 2008	Baiyin	China	38.5	109.65	365	-27.3	-32.3	-7.8	20.04729 105	8	1171	383.79	Angiosperm
Wang et al., 2008	Jingtai	China	37.05	104.01	184	-23.5	-28.5	-7.8	16.07782 898	8.3	1729	383.79	Angiosperm

Wang et al., 2008	Tongxin	China	37	105.8	277	-27.9	-32.9	-7.8	20.67688 509	8.4	1454	383.79	Angiosperm
Wang et al., 2008	Zhongwei	China	37.45	104.63	186	-25.8	-30.8	-7.8	18.47669 883	8.5	1572	383.79	Angiosperm
Wang et al., 2008	Yinchuan	China	38.55	106.5	202	-26	-31	-7.8	18.68583 162	8.5	1104	383.79	Angiosperm
Wang et al., 2008	Guyuan	China	36	106.27	478	-26	-31	-7.8	18.68583 162	8.5	1730	383.79	Angiosperm
Wang et al., 2008	Linxia	China	35	103.2	501	-27.3	-32.3	-7.8	20.04729 105	8.6	3552	383.79	Angiosperm
Wang et al., 2008	Pingliang	China	35.55	106.67	511	-27.5	-32.5	-7.8	20.25706 941	8.8	1486	383.79	Angiosperm
Wang et al., 2008	Ansai	China	36.75	109.33	531	-26.7	-31.7	-7.8	19.41847 324	8.9	1260	383.79	Angiosperm
Wang et al., 2008	XIfeng	China	35.7	107.67	594	-27.7	-32.7	-7.8	20.46693 407	8.9	1132	383.79	Angiosperm
Wang et al., 2008	Ziwuling	China	36.1	108.7	600	-27.8	-32.8	-7.8	20.57189 879	9	1197	383.79	Angiosperm
Wang et al., 2008	Changwu	China	35.2	107.33	584	-27.4	-32.4	-7.8	20.15216 944	9.1	1322	383.79	Angiosperm
Wang et al., 2008	Zhongning	China	37.5	105.7	223	-26	-31	-7.8	18.68583 162	9.2	1183	383.79	Angiosperm
Wang et al., 2008	Luochuan	China	35.7	109.4	621	-27.8	-32.8	-7.8	20.57189 879	9.2	1067	383.79	Angiosperm
Wang et al., 2008	Huangling	China	35.6	109.25	631	-26.4	-31.4	-7.8	19.10435 497	9.4	883	383.79	Angiosperm
Wang et al., 2008	Fengxian	China	33.98	106.5	613	-27.1	-32.1	-7.8	19.83759 893	11.4	1178	383.79	Angiosperm
Wang et al., 2008	Gaochang	China	42.9	89.5	150.6	-26.5	-31.5	-7.8	19.20903 955	13.9	10	383.79	Angiosperm
Wang et al., 2010	Ghanzi	Africa	-21.39	21.49	424	-25.9	-30.9	-8.2	18.17061 903	23.7	1156	387.43	Angiosperm
Wang et al., 2010	Mongu	Africa	-15.26	23.15	879	-28.2	-33.2	-8.2	20.58036 633	25.4	1053	387.43	Angiosperm
Wang et al., 2010	Pandamate	Africa	-18.4	25.3	424	-27.1	-32.1	-8.2	19.42645 698	26.7	1069	387.43	Angiosperm
Weiguo et al., 2005	Mongolia	China	47.66	119.29	387.01	-26.1	-31.1	-8.5	18.07167 06	-1.27	1450	377.52	Angiosperm
Weiguo	Mongolia	China	47.66	119.29	387.01	-27.4	-32.4	-8.5	19.43244	-1.27	1450	377.52	Angiosperm

et al., 2005										911			rm
Weiguo et al., 2005	Mongolia	China	49.43	118.8	381.97	-26.2	-31.2	-8.5	18.17621 688	-0.5147	1450	377.52	Angiosper m
Weiguo et al., 2005	Mongolia	China	49.43	118.8	381.97	-26.4	-31.4	-8.5	18.38537 387	-0.5147	1450	377.52	Angiosper m
Weiguo et al., 2005	Mongolia	China	48.78	119.46	397.19	-26.2	-31.2	-8.5	18.17621 688	-0.3645	1450	377.52	Angiosper m
Weiguo et al., 2005	Mongolia	China	48.78	119.46	397.19	-26.7	-31.7	-8.5	18.69927 052	-0.3645	1450	377.52	Angiosper m
Weiguo et al., 2005	Mongolia	China	47.84	118.92	387.33	-26.4	-31.4	-8.5	18.38537 387	-0.2408	1450	377.52	Angiosper m
Weiguo et al., 2005	Mongolia	China	47.84	118.92	387.33	-27	-32	-8.5	19.01336 074	0.2408	1450	377.52	Angiosper m
Weiguo et al., 2005	Mongolia	China	48.77	117.83	348.28	-25.3	-30.3	-8.5	17.23607 264	0.5049	1450	377.52	Angiosper m
Weiguo et al., 2005	Mongolia	China	48.77	117.83	348.28	-26.5	-31.5	-8.5	18.48998 459	0.5049	1450	377.52	Angiosper m
Weiguo et al., 2005	Mongolia	China	48.45	117.31	330.89	-25.8	-30.8	-8.5	17.75816 054	1.177	1450	377.52	Angiosper m
Weiguo et al., 2005	Mongolia	China	48.45	117.31	330.89	-26.9	-31.9	-8.5	18.90864 248	1.177	1450	377.52	Angiosper m
Weiguo et al., 2005	Mongolia	China	44.02	116.21	335.8	-24.6	-29.6	-8.5	16.50604 88	2.318	1450	377.52	Angiosper m
Weiguo et al., 2005	Mongolia	China	43.72	113.53	265.77	-23.9	-28.9	-8.5	15.77707 202	4.065	1450	377.52	Angiosper m
Weiguo et al.,	Qingcheng	China	36	108	240	-25.6	-30.6	-8.05	18.01108 374	10.28	1450	377.52	Angiosper m

2005	Weiguo et al., 2005	Qingcheng	China	36	108	245	-26	-31	-8.05	18.42915 811	10.28	1450	377.52	Angiosperm
	Weiguo et al., 2005	Qingcheng	China	36	108	280	-24.4	-29.4	-8.05	16.75891 759	10.28	1450	377.52	Angiosperm
	Weiguo et al., 2005	Qingcheng	China	36	108	300	-26.8	-31.8	-8.05	19.26633 785	10.28	1450	377.52	Angiosperm
	Weiguo et al., 2005	Qingcheng	China	36	108	340	-26.4	-31.4	-8.05	18.84757 601	10.28	1450	377.52	Angiosperm
	Weiguo et al., 2005	Qingcheng	China	36	108	350	-25.9	-30.9	-8.05	18.32460 733	10.28	1450	377.52	Angiosperm
	Weiguo et al., 2005	Qingcheng	China	36	108	370	-25.1	-30.1	-8.05	17.48897 323	10.28	1450	377.52	Angiosperm
	Weiguo et al., 2005	Qingcheng	China	36	108	380	-25.9	-30.9	-8.05	18.32460 733	10.28	1450	377.52	Angiosperm
	Weiguo et al., 2005	Qingcheng	China	36	108	385	-26.5	-31.5	-8.05	18.95223 421	10.28	1450	377.52	Angiosperm
	Weiguo et al., 2005	Qingcheng	China	36	108	395	-25.6	-30.6	-8.05	18.01108 374	10.28	1450	377.52	Angiosperm
	Weiguo et al., 2005	Qingcheng	China	36	108	410	-25.9	-30.9	-8.05	18.32460 733	10.28	1450	377.52	Angiosperm
	Weiguo et al., 2005	Qingcheng	China	36	108	420	-26.7	-31.7	-8.05	19.16161 512	10.28	1450	377.52	Angiosperm
	Weiguo et al., 2005	Qingcheng	China	36	108	430	-26.3	-31.3	-8.05	18.74293 93	10.28	1450	377.52	Angiosperm
	Weiguo et al., 2005	Qingcheng	China	36	108	440	-26.7	-31.7	-8.05	19.16161 512	10.28	1450	377.52	Angiosperm

Weiguo et al., 2005	Qingcheng	China	36	108	450	-27.5	-32.5	-8.05	20	10.28	1450	377.52	Angiosperm
Weiguo et al., 2005	Qingcheng	China	36	108	460	-27.5	-32.5	-8.05	20	10.28	1450	377.52	Angiosperm
Weiguo et al., 2005	Qingcheng	China	36	108	470	-26.9	-31.9	-8.05	19.37108 211	10.28	1450	377.52	Angiosperm
Weiguo et al., 2005	Qingcheng	China	36	108	480	-27.1	-32.1	-8.05	19.58063 521	10.28	1450	377.52	Angiosperm
Weiguo et al., 2005	Qingcheng	China	36	108	490	-27.1	-32.1	-8.05	19.58063 521	10.28	1450	377.52	Angiosperm
Weiguo et al., 2005	Qingcheng	China	36	108	505	-29	-34	-8.05	21.57569 516	10.28	1450	377.52	Angiosperm
Weiguo et al., 2005	Qingcheng	China	36	108	510	-26.8	-31.8	-8.05	19.26633 785	10.28	1450	377.52	Angiosperm
Weiguo et al., 2005	Qingcheng	China	36	108	515	-27.1	-32.1	-8.05	19.58063 521	10.28	1450	377.52	Angiosperm
Weiguo et al., 2005	Qingcheng	China	36	108	520	-27.1	-32.1	-8.05	19.58063 521	10.28	1450	377.52	Angiosperm
Weiguo et al., 2005	Qingcheng	China	36	108	525	-27.3	-32.3	-8.05	19.79027 449	10.28	1450	377.52	Angiosperm
Weiguo et al., 2005	Qingcheng	China	36	108	535	-27.6	-32.6	-8.05	20.10489 51	10.28	1450	377.52	Angiosperm
Weiguo et al., 2005	Qingcheng	China	36	108	540	-27.2	-32.2	-8.05	19.68544 408	10.28	1450	377.52	Angiosperm
Weiguo et al., 2005	Qingcheng	China	36	108	550	-27	-32	-8.05	19.47584 789	10.28	1450	377.52	Angiosperm
Weiguo	Qingcheng	China	36	108	585	-27.2	-32.2	-8.05	19.68544	10.28	1450	377.52	Angiosperm

										408			rm	
et al., 2005	Weiguo et al., 2005	Qingcheng	China	36	108	590	-27.5	-32.5	-8.05	20	10.28	1450	377.52	Angiosper m
Weiguo et al., 2005	Weiguo et al., 2005	Qingcheng	China	36	108	640	-26.2	-31.2	-8.05	18.63832 409	10.28	1450	377.52	Angiosper m
Weiguo et al., 2005	Weiguo et al., 2005	Qingcheng	China	36	108	650	-26.9	-31.9	-8.05	19.37108 211	10.28	1450	377.52	Angiosper m
Weiguo et al., 2005	Weiguo et al., 2005	Qingcheng	China	36	108	670	-27.2	-32.2	-8.05	19.68544 408	10.28	1450	377.52	Angiosper m
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	320.51	-25.786	-30.786	-8.5	17.74353 479	-3.09	N.A.	398.65	Angiosper m	
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	325.81	-26.29	-31.29	-8.5	18.27032 689	-2.97	N.A.	398.65	Angiosper m	
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	325.18	-25.57	-30.57	-8.5	17.51793 356	-2.96	N.A.	398.65	Angiosper m	
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	332.37	-25.794	-30.794	-8.5	17.75189 231	-2.83	N.A.	398.65	Angiosper m	
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	332.56	-25.567	-30.567	-8.5	17.51480 091	-2.81	N.A.	398.65	Angiosper m	
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	307.88	-25.17	-30.17	-8.5	17.10041 751	-2.79	N.A.	398.65	Angiosper m	
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	346.19	-23.97	-28.97	-8.5	15.84992 265	-2.59	N.A.	398.65	Angiosper m	
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	346.19	-25.479	-30.479	-8.5	17.42291 854	-2.59	N.A.	398.65	Angiosper m	
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	350.16	-26.093	-31.093	-8.5	18.06435 317	-2.46	N.A.	398.65	Angiosper m	
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	274.77	-26.329	-31.329	-8.5	18.31111 33	-2.2	N.A.	398.65	Angiosper m	
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	361.42	-24.94	-29.94	-8.5	16.86050 089	-2.15	N.A.	398.65	Angiosper m	
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	291.26	-24.677	-29.677	-8.5	16.58630 013	-2.07	N.A.	398.65	Angiosper m	
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	291.26	-25.184	-30.184	-8.5	17.11502 478	-2.07	N.A.	398.65	Angiosper m	

Yang et al., 2015	Tibetan plateau	China	33.45	91.03	277.29	-24.77	-29.77	-8.5	16.68324 395	-1.56	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	405.87	-25.54	-30.54	-8.5	17.48660 797	-0.94	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	278.63	-25.164	-30.164	-8.5	17.09415 738	-0.55	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	363.9	-26.191	-31.191	-8.5	18.16680 684	-0.53	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	349.18	-25.618	-30.618	-8.5	17.56805 852	-0.52	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	352.64	-26.63	-31.63	-8.5	18.62601 066	-0.5	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	485.18	-25.72	-30.72	-8.5	17.67459 047	-0.48	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	336.79	-25.75	-30.75	-8.5	17.70592 764	-0.39	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	418.01	-25.633	-30.633	-8.5	17.58372 359	-0.38	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	293.47	-25.678	-30.678	-8.5	17.63072 167	-0.32	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	427.23	-24.98	-29.98	-8.5	16.90221 739	-0.3	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	375.33	-26.578	-31.578	-8.5	18.57159 588	-0.28	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	277.54	-24.354	-29.354	-8.5	16.24974 632	-0.22	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	495.89	-25.52	-30.52	-8.5	17.46572 531	-0.21	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	448.81	-25.55	-30.55	-8.5	17.49704 962	-0.2	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	371.12	-22.609	-27.609	-8.5	14.43536 926	-0.12	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	456.21	-25.77	-30.77	-8.5	17.72682 016	-0.11	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	475.17	-25.43	-30.43	-8.5	17.37176 396	-0.11	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	441.71	-24.05	-29.05	-8.5	15.93319 33	0.13	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	573.56	-25.39	-30.39	-8.5	17.33000 893	0.16	N.A.	398.65	Angiosperm

Yang et al., 2015	Tibetan plateau	China	33.45	91.03	477.36	-25.28	-30.28	-8.5	17.21520 026	0.17	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	417.84	-25.63	-30.63	-8.5	17.58059 054	0.18	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	335.46	-26.07	-31.07	-8.5	18.04031 091	0.23	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	323.8	-26.08	-31.08	-8.5	18.05076 392	0.31	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	331.68	-26.854	-31.854	-8.5	18.86047 931	0.33	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	322.52	-26.605	-31.605	-8.5	18.59984 898	0.36	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	358.8	-25.886	-30.886	-8.5	17.84801 368	0.37	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	437.5	-25.597	-30.597	-8.5	17.54612 824	0.38	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	265.79	-25.502	-30.502	-8.5	17.44693 165	0.39	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	404.91	-23.619	-28.619	-8.5	15.48473 393	0.39	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	267.64	-25.7	-30.7	-8.5	17.65370 009	0.52	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	245.88	-25.331	-30.331	-8.5	17.26842 651	0.59	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	642.31	-24.85	-29.85	-8.5	16.76665 128	0.6	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	642.31	-25.01	-30.01	-8.5	16.93350 701	0.6	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	642.31	-25.09	-30.09	-8.5	17.01695 541	0.6	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	642.31	-25.19	-30.19	-8.5	17.12128 517	0.6	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	254.14	-25.279	-30.279	-8.5	17.21415 667	0.64	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	307.39	-26.463	-31.463	-8.5	18.45127 612	0.64	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	318.22	-25.37	-30.37	-8.5	17.30913 27	0.64	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	228.65	-25.53	-30.53	-8.5	17.47616 653	0.67	N.A.	398.65	Angiosperm

Yang et al., 2015	Tibetan plateau	China	33.45	91.03	367.21	-26.424	-31.424	-8.5	18.41047 848	0.67	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	650.53	-24.66	-29.66	-8.5	16.56858 121	0.69	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	650.53	-25.05	-30.05	-8.5	16.97522 95	0.69	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	650.53	-25.53	-30.53	-8.5	17.47616 653	0.69	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	289.52	-25.673	-30.673	-8.5	17.62549 945	0.7	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	659.21	-25.08	-30.08	-8.5	17.00652 361	0.75	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	349.63	-26.338	-31.338	-8.5	18.32052 601	0.83	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	351.23	-26.27	-31.27	-8.5	18.24941 205	0.83	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	371.57	-24.619	-29.619	-8.5	16.52584 99	0.84	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	380.18	-25.95	-30.95	-8.5	17.91489 143	0.87	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	350.86	-26.02	-31.02	-8.5	17.98804 904	0.89	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	329.06	-26.344	-31.344	-8.5	18.32680 125	1.08	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	415.55	-23.22	-28.22	-8.5	15.06992 363	1.1	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	434.91	-26.121	-31.121	-8.5	18.09362 354	1.13	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	426.38	-23.914	-28.914	-8.5	15.79164 131	1.16	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	472.94	-25.26	-30.26	-8.5	17.19432 874	1.18	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	423.24	-24.843	-29.843	-8.5	16.75935 26	1.2	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	526.79	-25.86	-30.86	-8.5	17.82084 711	1.22	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	488.76	-23.85	-28.85	-8.5	15.72504 226	1.23	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	456.29	-26.3	-31.3	-8.5	18.28078 464	1.24	N.A.	398.65	Angiosperm

Yang et al., 2015	Tibetan plateau	China	33.45	91.03	521.26	-25.283	-30.283	-8.5	17.21833 106	1.27	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	524.91	-26.29	-31.29	-8.5	18.27032 689	1.29	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	219.39	-25.011	-30.011	-8.5	16.93455 003	1.31	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	214.98	-24.745	-29.745	-8.5	16.65718 197	1.32	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	551.06	-26.33	-31.33	-8.5	18.31215 915	1.33	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	693.67	-24.54	-29.54	-8.5	16.44352 408	1.37	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	227.88	-25.05	-30.05	-8.5	16.97522 95	1.38	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	230.44	-25.357	-30.357	-8.5	17.29556 361	1.42	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	547.98	-25.71	-30.71	-8.5	17.66414 517	1.42	N.A.	398.65	Angiosperm
Yang et al., 2015	Tibetan plateau	China	33.45	91.03	548.68	-25.16	-30.16	-8.5	17.08998 4	1.52	N.A.	398.65	Angiosperm

**Table 2****Quaternary Compilation**

References	Age (Ma)	Location	Country	Latitude	Longitude	Substrate	Sample	Taxon	Grazers/Browsers	$\delta^{13}\text{C}_{\text{plant}}$ (‰, VPD-B)	Long-g-chain n-alkane	$\delta^{13}\text{C}_{\text{air}}$ (‰, VPDB)	$\Delta^{13}\text{C}$ (‰, VPDB)	$p\text{CO}_2$
Bocherens et al., 2015b	0.011	Denmark	Europe	56.2639	9.5018	Collagen	-22.6	<i>Alces alces</i>	Browsers	-27.6	-32.6	-6.80364	21.3866	294.6
Bocherens et al., 2015b	0.011	Denmark	Europe	56.2639	9.5018	Collagen	-22.2	<i>Alces alces</i>	Browsers	-27.2	-32.2	-6.80364	20.9666	294.6
Bocherens et al., 2015b	0.011	Denmark	Europe	56.2639	9.5018	Collagen	-21.9	<i>Alces alces</i>	Browsers	-26.9	-31.9	-6.80364	20.6518	294.6
Bocherens et al., 2015b	0.011	Denmark	Europe	56.2639	9.5018	Collagen	-21.8	<i>Bos primigenius</i>	Grazers	-26.8	-31.8	-6.80364	20.5470	294.6
Bocherens et al., 2015b	0.011	Denmark	Europe	56.2639	9.5018	Collagen	-21.7	<i>Bos primigenius</i>	Grazers	-26.7	-31.7	-6.80364	20.4421	294.6
Bocherens et al., 2015b	0.011	Denmark	Europe	56.2639	9.5018	Collagen	-21.7	<i>Rangifer tarandus</i>	Grazers	-26.7	-31.7	-6.80364	20.4421	294.6
Bocherens et al., 2015b	0.011	Denmark	Europe	56.2639	9.5018	Collagen	-21.6	<i>Alces alces</i>	Browsers	-26.6	-31.6	-6.80364	20.3373	294.6
Bocherens et al., 2015b	0.011	Denmark	Europe	56.2639	9.5018	Collagen	-21.3	<i>Alces alces</i>	Browsers	-26.3	-31.3	-6.80364	20.0229	294.6

al., 2015b														
Bocher ens et al., 2015b	0.011	Denmark	Europ e	56.263 9	9.5018	Collag en	-21.3	Rangifer tarandus	Grazers	-26.3	- 31.3	-6.80364	20.0229 6395	294.6
Bocher ens et al., 2015b	0.011	Denmark	Europ e	56.263 9	9.5018	Collag en	-21.1	Bos primigenius	Grazers	-26.1	- 31.1	-6.80364	19.8134 9214	294.6
Bocher ens et al., 2015b	0.011	Denmark	Europ e	56.263 9	9.5018	Collag en	-21	Alces alces	Browsers	-26	-31	-6.80364	19.7087 885	294.6
Bocher ens et al., 2015b	0.011	Denmark	Europ e	56.263 9	9.5018	Collag en	-20.9	Bos primigenius	Grazers	-25.9	- 30.9	-6.80364	19.6041 0635	294.6
Bocher ens et al., 2015b	0.011	Denmark	Europ e	56.263 9	9.5018	Collag en	-20.7	Bos primigenius	Grazers	-25.7	- 30.7	-6.80364	19.3948 0653	294.6
Bocher ens et al., 2015b	0.011	Denmark	Europ e	56.263 9	9.5018	Collag en	-20.3	Rangifer tarandus	Grazers	-25.3	- 30.3	-6.80364	18.9764 6455	294.6
Bocher ens et al., 2015b	0.011	Denmark	Europ e	56.263 9	9.5018	Collag en	-20.1	Alces alces	Browsers	-25.1	- 30.1	-6.80364	18.7674 223	294.6
Bocher ens et al., 2015b	0.011	Denmark	Europ e	56.263 9	9.5018	Collag en	-19.9	Rangifer tarandus	Grazers	-24.9	- 29.9	-6.80364	18.5584 658	294.6
Bocher ens et al., 2015b	0.011	Denmark	Europ e	56.263 9	9.5018	Collag en	-19.7	Rangifer tarandus	Grazers	-24.7	- 29.7	-6.80364	18.3495 95	294.6
Bocher ens et	0.011	Denmark	Europ e	56.263 9	9.5018	Collag en	-19.5	Rangifer tarandus	Grazers	-24.5	- 29.5	-6.80364	18.1408 0984	294.6

al., 2015b														
Bocher ens et al., 2015b	0.011	Denmark	Europ e	56.263 9	9.5018	Collag en	-19.3	Rangifer tarandus	Grazers	-24.3	- 29.3	-6.80364	17.9321 1028	294.6
Bocher ens et al., 2015b	0.011	Denmark	Europ e	56.263 9	9.5018	Collag en	-19.2	Rangifer tarandus	Grazers	-24.2	- 29.2	-6.80364	17.8277 9258	294.6
Bocher ens et al., 2015b	0.011	Denmark	Europ e	56.263 9	9.5018	Collag en	-19.2	Rangifer tarandus	Grazers	-24.2	- 29.2	-6.80364	17.8277 9258	294.6
Bocher ens et al., 2015b	0.011	Denmark	Europ e	56.263 9	9.5018	Collag en	-19	Bos primigenius	Grazers	-24	-29	-6.80364	17.6192 2131	294.6
Bocher ens et al., 2015b	0.011	Denmark	Europ e	56.263 9	9.5018	Collag en	-18.8	Rangifer tarandus	Grazers	-23.8	- 28.8	-6.80364	17.4107 3551	294.6
Bocher ens et al., 2015b	0.011	Denmark	Europ e	56.263 9	9.5018	Collag en	-18.7	Rangifer tarandus	Grazers	-23.7	- 28.7	-6.80364	17.3065 2463	294.6
Bocher ens et al., 2015b	0.011	Denmark	Europ e	56.263 9	9.5018	Collag en	-18.6	Rangifer tarandus	Grazers	-23.6	- 28.6	-6.80364	17.2023 3511	294.6
Bocher ens et al., 2015b	0.011	Denmark	Europ e	56.263 9	9.5018	Collag en	-18.4	Rangifer tarandus	Grazers	-23.4	- 28.4	-6.80364	16.9940 2007	294.6
Bocher ens et al., 2015b	0.011	Denmark	Europ e	56.263 9	9.5018	Collag en	-18.2	Rangifer tarandus	Grazers	-23.2	- 28.2	-6.80364	16.7857 9034	294.6
Bocher ens et	0.011	Denmark	Europ e	56.263 9	9.5018	Collag en	-18	Rangifer tarandus	Grazers	-23	-28	-6.80364	16.5776 4585	294.6

---

al., 2015b Bocher ens et al., 2015b	0.011	Denmark	Europ e	56.263 9	9.5018	Collag en	-17.8	Rangifer tarandus	Grazers	-22.8	- 27.8	-6.80364 8657	16.3695 8657	294.6
Gilmou r et al., 2011	0.014	Oregon	USA	44.942 6	122.933 8	Collag en	-21.8	Equus sp.	Grazers	-26.8	- 31.8	-6.78727 4094	20.5638 4094	302.4
Gilmou r et al., 2011	0.014	Oregon	USA	44.942 6	122.933 8	Collag en	-21.7	Equus sp.	Grazers	-26.7	- 31.7	-6.78727 849	20.4589 849	302.4
Gilmou r et al., 2011	0.014	Oregon	USA	44.942 6	122.933 8	Collag en	-21.6	Mammuthus sp.	Grazers	-26.6	- 31.6	-6.78727 504	20.3541 504	302.4
Gilmou r et al., 2011	0.014	Oregon	USA	44.942 6	122.933 8	Collag en	-21.3	Mammuthus columbi	Grazers	-26.3	- 31.3	-6.78727 7611	20.0397 7611	302.4
Gilmou r et al., 2011	0.014	Oregon	USA	44.942 6	122.933 8	Collag en	-21	Bison antiquus	Grazers	-26	-31	-6.78727 9548	19.7255 9548	302.4
Gilmou r et al., 2011	0.014	Oregon	USA	44.942 6	122.933 8	Collag en	-21	Paramylodo n harlani	N.A.	-26	-31	-6.78727 9548	19.7255 9548	302.4
Gilmou r et al., 2011	0.014	Oregon	USA	44.942 6	122.933 8	Collag en	-20.9	Bison sp.	Grazers	-25.9	- 30.9	-6.78727 1161	19.6209 1161	302.4
Gilmou r et al., 2011	0.014	Oregon	USA	44.942 6	122.933 8	Collag en	-20.8	Bison sp.	Grazers	-25.8	- 30.8	-6.78727 4923	19.5162 4923	302.4
Gilmou r et al., 2011	0.014	Oregon	USA	44.942 6	122.933 8	Collag en	-20.8	Paramylodo n harlani	N.A.	-25.8	- 30.8	-6.78727 4923	19.5162 4923	302.4
Gilmou r et al., 2011	0.014	Oregon	USA	44.942 6	122.933 8	Collag en	-20.7	Bison sp.	Grazers	-25.7	- 30.7	-6.78727 0833	19.4116 0833	302.4
Gilmou r et al., 2011	0.014	Oregon	USA	44.942 6	122.933 8	Collag en	-20.5	Bison antiquus	Grazers	-25.5	- 30.5	-6.78727 9097	19.2023 9097	302.4
Gilmou	0.014	Oregon	USA	44.942	122.933	Collag	-20.1	Mammut	Both	-25.1	-	-6.78727	18.7842	302.4

r et al., 2011				6	8	en	americamum			30.1	1377		
France et al., 2007	0.016	Virginia	USA	36.881 5	81.7621	Collag en	- 22.7 1	Horse	Grazers	- 27.71	- 32.7 1	-6.77636	21.5302 4303
France et al., 2007	0.016	Virginia	USA	36.881 5	81.7621	Collag en	-22.4	Mastodon	Both	-27.4	- 32.4	-6.77636	21.2046 4734
France et al., 2007	0.016	Virginia	USA	36.881 5	81.7621	Collag en	- 22.0 8	Mastodon	Both	- 27.08	- 32.0 8	-6.77636	20.8687 6619
France et al., 2007	0.016	Virginia	USA	36.881 5	81.7621	Collag en	-22	Mammoth	Grazers	-27	-32	-6.77636	20.7848 3042
France et al., 2007	0.016	Virginia	USA	36.881 5	81.7621	Collag en	- 21.7 9	Ovibovine	Grazers	- 26.79	- 31.7 9	-6.77636	20.5645 6469
France et al., 2007	0.016	Virginia	USA	36.881 5	81.7621	Collag en	- 21.3 5	Mammoth	Grazers	- 26.35	- 31.3 5	-6.77636	20.1033 6363
France et al., 2007	0.016	Virginia	USA	36.881 5	81.7621	Collag en	- 21.1 5	Mastodon	Both	- 26.15	- 31.1 5	-6.77636	19.8938 6456
France et al., 2007	0.016	Virginia	USA	36.881 5	81.7621	Collag en	- 21.1 1	Deer	Browsers	- 26.11	- 31.1 1	-6.77636	19.8519 7507
France et al., 2007	0.016	Virginia	USA	36.881 5	81.7621	Collag en	- 20.9 5	Musk ox	Grazers	- 25.95	- 30.9 5	-6.77636	19.6844 5152
France et al., 2007	0.016	Virginia	USA	36.881 5	81.7621	Collag en	- 20.9 4	Musk ox	Grazers	- 25.94	- 30.9 4	-6.77636	19.6739 8312
France et al., 2007	0.016	Virginia	USA	36.881 5	81.7621	Collag en	-20.9	Musk ox	Grazers	-25.9	- 30.9	-6.77636	19.6321 1169
France et al., 2007	0.016	Virginia	USA	36.881 5	81.7621	Collag en	- 20.8 1	Musk ox	Grazers	- 25.81	- 30.8 1	-6.77636	19.5379 1355
France et al., 2007	0.016	Virginia	USA	36.881 5	81.7621	Collag en	- 20.7	Musk ox	Grazers	- 25.71	- 30.7	-6.77636	19.4332 6936

2007														
France et al., 2007	0.016	Virginia	USA	36.8815	81.7621	Collagen	1 - 20.67	Musk ox	Grazers	- 25.67	- 30.67	-6.77636	19.3914	307.6
France et al., 2007	0.016	Virginia	USA	36.8815	81.7621	Collagen	- 20.66	Megalonyx	Grazers	- 25.66	- 30.66	-6.77636	19.3809	307.6
France et al., 2007	0.016	Virginia	USA	36.8815	81.7621	Collagen	- 20.64	Musk ox	Grazers	- 25.64	- 30.64	-6.77636	19.3600	307.6
France et al., 2007	0.016	Virginia	USA	36.8815	81.7621	Collagen	- 20.61	Musk ox	Grazers	- 25.61	- 30.61	-6.77636	19.3286	307.6
France et al., 2007	0.016	Virginia	USA	36.8815	81.7621	Collagen	- 20.59	Mammoth	Grazers	- 25.59	- 30.59	-6.77636	19.3077	307.6
France et al., 2007	0.016	Virginia	USA	36.8815	81.7621	Collagen	- 20.55	Musk ox	Grazers	- 25.55	- 30.55	-6.77636	19.2658	307.6
France et al., 2007	0.016	Virginia	USA	36.8815	81.7621	Collagen	- 20.48	Musk ox	Grazers	- 25.48	- 30.48	-6.77636	19.1926	307.6
France et al., 2007	0.016	Virginia	USA	36.8815	81.7621	Collagen	- 20.4	Musk ox	Grazers	- 25.4	- 30.4	-6.77636	19.1090	307.6
France et al., 2007	0.016	Virginia	USA	36.8815	81.7621	Collagen	- 20.36	Musk ox	Grazers	- 25.36	- 30.36	-6.77636	19.0671	307.6
France et al., 2007	0.016	Virginia	USA	36.8815	81.7621	Collagen	- 20.28	Caribou	Browsers	- 25.28	- 30.28	-6.77636	18.9835	307.6
France et al., 2007	0.016	Virginia	USA	36.8815	81.7621	Collagen	- 20.2	Deer	Browsers	- 25.28	- 30.2	-6.77636	18.9835	307.6
France et al., 2007	0.016	Virginia	USA	36.8815	81.7621	Collagen	- 19.99	Musk ox	Grazers	- 24.99	- 29.99	-6.77636	18.6804	307.6
France et al., 2007	0.016	Virginia	USA	36.8815	81.7621	Collagen	- 19.91	Musk ox	Grazers	- 24.91	- 29.91	-6.77636	18.5968	307.6

Bocher ens et al., 2003	0.02	Palaeolithi c sites	Franc e	45.053	1.1677	Collag en	-21.1	Horse	Grazers	-26.1	- 31.1	-6.75455	19.8638	318
Bocher ens et al., 2003	0.02	Palaeolithi c sites	Franc e	45.053	1.1677	Collag en	-21	Horse	Grazers	-26	-31	-6.75455	19.7591	318
Bocher ens et al., 2003	0.02	Palaeolithi c sites	Franc e	45.053	1.1677	Collag en	-20.9	Squirrel	Browsers	-25.9	- 30.9	-6.75455	19.6545	318
Bocher ens et al., 2003	0.02	Palaeolithi c sites	Franc e	45.053	1.1677	Collag en	-20.2	Hare	Browsers	-25.2	- 30.2	-6.75455	18.9222	318
Bocher ens et al., 2003	0.02	Palaeolithi c sites	Franc e	45.053	1.1677	Collag en	-20.1	Bos/Bison	Grazers	-25.1	- 30.1	-6.75455	18.8177	318
Bocher ens et al., 2003	0.02	Palaeolithi c sites	Franc e	45.053	1.1677	Collag en	-19.9	Bos/Bison	Grazers	-24.9	- 29.9	-6.75455	18.6088	318
Bocher ens et al., 2003	0.02	Palaeolithi c sites	Franc e	45.053	1.1677	Collag en	-19.8	Snowy owl	Browsers	-24.8	- 29.8	-6.75455	18.5043	318
Bocher ens et al., 2003	0.02	Palaeolithi c sites	Franc e	45.053	1.1677	Collag en	-19.6	Reindeer	Browsers	-24.6	- 29.6	-6.75455	18.2955	318
Bocher ens et al., 2003	0.02	Palaeolithi c sites	Franc e	45.053	1.1677	Collag en	-19.6	Saiga	Grazers	-24.6	- 29.6	-6.75455	18.2955	318
Bocher ens et al., 2003	0.02	Palaeolithi c sites	Franc e	45.053	1.1677	Collag en	-19.3	Red Deer	Browsers	-24.3	- 29.3	-6.75455	17.9824	318

Bocher ens et al., 2003	0.02	Palaeolithi c sites	Franc e	45.053 9	1.1677	Collag en	-19.1	Reindeer	Browsers	-24.1	- 29.1	-6.75455 9854	17.7737 318
Bocher ens et al., 2003	0.02	Palaeolithi c sites	Franc e	45.053 9	1.1677	Collag en	-19	Wolf	Both	-24	-29	-6.75455 1844	17.6695 318
Coltrain et al., 2004	0.02	California	USA	34.05 6	118.242	Collag en	- 22.0 2	E. occidentalis	N.A.	- 27.02 2	- 32.0	-6.75455 2874	20.8282 318
Coltrain et al., 2004	0.02	California	USA	34.05 6	118.242	Collag en	- 21.7 1	E. occidentalis	N.A.	- 26.71 1	- 31.7	-6.75455 8747	20.5030 318
Coltrain et al., 2004	0.02	California	USA	34.05 6	118.242	Collag en	-21.7	E. occidentalis	N.A.	-26.7 - 31.7	- 31.7	-6.75455 0249	20.4926 318
Coltrain et al., 2004	0.02	California	USA	34.05 6	118.242	Collag en	- 21.6 1	E. occidentalis	N.A.	- 26.61 1	- 31.6	-6.75455 4736	20.3982 318
Coltrain et al., 2004	0.02	California	USA	34.05 6	118.242	Collag en	-21.6	E. occidentalis	N.A.	-26.6 - 31.6	- 31.6	-6.75455 6454	20.3877 318
Coltrain et al., 2004	0.02	California	USA	34.05 6	118.242	Collag en	- 21.5 6	E. occidentalis	N.A.	- 26.56 6	- 31.5	-6.75455 3539	20.3458 318
Coltrain et al., 2004	0.02	California	USA	34.05 6	118.242	Collag en	- 21.4 9	P. harlani	N.A.	- 26.49 9	- 31.4	-6.75455 6767	20.2724 318
Coltrain et al., 2004	0.02	California	USA	34.05 6	118.242	Collag en	- 21.4 8	P. harlani	N.A.	- 26.48 8	- 31.4	-6.75455 8743	20.2619 318
Coltrain et al., 2004	0.02	California	USA	34.05 6	118.242	Collag en	- 21.4 1	P. harlani	N.A.	- 26.41 1	- 31.4	-6.75455 3176	20.1886 318
Coltrain et al., 2004	0.02	California	USA	34.05 6	118.242	Collag en	- 21.3 6	P. harlani	N.A.	- 26.36 6	- 31.3	-6.75455 4132	20.1362 318
Coltrain et al., 2004	0.02	California	USA	34.05 6	118.242	Collag en	- 21.3	E. occidentalis	N.A.	- 26.35 31.3	- 31.3	-6.75455 6388	20.1257 318

2004														
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	-5	P. harlani	N.A.	-	-5	-6.75455	20.0419	318
					6		21.2			26.27	31.2		5208	
							7				7			
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	-	E. occidentalis	N.A.	-	-	-6.75455	20.0000	318
					6		21.2			26.23	31.2		5135	
							3				3			
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	-	E. occidentalis	N.A.	-	-	-6.75455	19.9895	318
					6		21.2			26.22	31.2		767	
							2				2			
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	-	E. occidentalis	N.A.	-	-	-6.75455	19.9581	318
					6		21.1			26.19	31.1		5405	
							9				9			
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	-	E. occidentalis	N.A.	-	-	-6.75455	19.9476	318
					6		21.1			26.18	31.1		8027	
							8				8			
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	-	B. antiquus	Grazers	-	-	-6.75455	19.9372	318
					6		21.1			26.17	31.1		067	
							7				7			
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	-	E. occidentalis	N.A.	-	-	-6.75455	19.9267	318
					6		21.1			26.16	31.1		3334	
							6				6			
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	-	E. occidentalis	N.A.	-	-	-6.75455	19.9267	318
					6		21.1			26.16	31.1		3334	
							6				6			
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	-	P. harlani	N.A.	-	-	-6.75455	19.9267	318
					6		21.1			26.16	31.1		3334	
							6				6			
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	-	E. occidentalis	N.A.	-	-	-6.75455	19.9057	318
					6		21.1			26.14	31.1		8728	
							4				4			
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	-	E. occidentalis	N.A.	-	-	-6.75455	19.7905	318
					6		21.0			26.03	31.0		993	
							3				3			
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	-21	C. hesternus	Grazers	-26	-31	-6.75455	19.7591	318
					6								8891	
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	-	E. occidentalis	N.A.	-	-	-6.75455	19.7382	318
					6		20.9			25.98	30.9		4973	
							8				8			

Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-20.93	<i>B. antiquus</i>	Grazers	-25.93	-30.93	-6.754550553	19.68590553	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-20.81	<i>C. latrans</i>	Grazers	-25.81	-30.81	-6.754550138	19.56030138	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-20.8	<i>B. antiquus</i>	Grazers	-25.8	-30.8	-6.754553576	19.54983576	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-20.79	<i>C. hesternus</i>	Grazers	-25.79	-30.79	-6.754557036	19.53937036	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-20.79	<i>E. occidentalis</i>	N.A.	-25.79	-30.79	-6.754557036	19.53937036	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-20.78	<i>M. americanum</i>	Both	-25.78	-30.78	-6.754550518	19.52890518	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-20.76	<i>E. occidentalis</i>	N.A.	-25.76	-30.76	-6.754557545	19.50797545	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-20.72	<i>B. antiquus</i>	Grazers	-25.72	-30.72	-6.754551857	19.46611857	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-20.72	<i>C. hesternus</i>	Grazers	-25.72	-30.72	-6.754551857	19.46611857	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-20.72	<i>E. occidentalis</i>	N.A.	-25.72	-30.72	-6.754551857	19.46611857	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-20.72	<i>M. americanum</i>	Both	-25.72	-30.72	-6.754551857	19.46611857	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-20.7	<i>C. latrans</i>	Grazers	-25.7	-30.7	-6.754559142	19.44519142	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-20.7	<i>P. harlani</i>	N.A.	-25.7	-30.7	-6.754559142	19.44519142	318
Coltrain	0.02	California	USA	34.05	118.242	Collag	-	<i>P. harlani</i>	N.A.	-	-	-6.75455	19.4033	318

et al., 2004					6	en	20.6			25.66	30.6		397
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 20.6 3	B. antiquus	Grazers	- 25.63	- 30.6 3	-6.75455	19.3719 5316
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 20.6 3	C. hesternus	Grazers	- 25.63	- 30.6 3	-6.75455	19.3719 5316
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 20.6 3	C. hesternus	Grazers	- 25.63	- 30.6 3	-6.75455	19.3719 5316
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 20.6 3	B. antiquus	Grazers	-25.6	- 30.6	-6.75455	19.3405 6856
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 20.5 3	M. americanum	Both	- 25.53	- 30.5 3	-6.75455	19.2673 4533
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 20.5 2	C. minor	N.A.	- 25.52	- 30.5 2	-6.75455	19.2568 8572
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 20.4 6	C. hesternus	Grazers	- 25.46	- 30.4 6	-6.75455	19.1941 3262
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 20.4 6	C. hesternus	Grazers	- 25.46	- 30.4 6	-6.75455	19.1941 3262
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 20.4 6	M. americanum	Both	- 25.46	- 30.4 6	-6.75455	19.1941 3262
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 20.4 2	B. antiquus	Grazers	- 25.42	- 30.4 2	-6.75455	19.1523 015
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 20.4 1	C. hesternus	Grazers	- 25.41	- 30.4 1	-6.75455	19.1418 4426
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	-20.4	C. hesternus	Grazers	-25.4	- 30.4	-6.75455	19.1313 8724
Coltrain et al.,	0.02	California	USA	34.05	118.242	Collag en	- 20.3	C. hesternus	Grazers	- 25.39	- 30.3	-6.75455	19.1209 3042

2004														
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	- 9 6 20.3 8	B. antiquus	Grazers	- 9 25.38 30.3 8	-6.75455	19.1104	318	7383
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	- 8 6 20.3 8	P. harlani	N.A.	- 8 25.38 30.3 8	-6.75455	19.1104	318	7383
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	- 5 6 20.3 5	B. antiquus	Grazers	- 5 25.35 30.3 5	-6.75455	19.0791	318	0532
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	- 1 6 20.3 1	C. latrans	Grazers	- 1 25.31 30.3 1	-6.75455	19.0372	318	8365
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	- 6 6 20.2 6	C. hesternus	Grazers	- 6 25.26 30.2 6	-6.75455	18.9850	318	1139
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	- 1 6 20.1 1	P. leo atrox	Both	- 1 25.11 30.1 1	-6.75455	18.8282	318	2677
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	- 20.1 6	C. latrans	Grazers	- 30.1 -25.1 30.1 -30.1	-6.75455	18.8177	318	7618
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	- 8 6 20.0 8	C. latrans	Grazers	- 8 25.08 30.0 8	-6.75455	18.7968	318	7564
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	- 4 6 20.0 4	B. antiquus	Grazers	- 4 25.04 30.0 4	-6.75455	18.7550	318	7713
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	- 2 6 20.0 2	M. americanum	Both	- 2 25.02 30.0 2	-6.75455	18.7341	318	7916
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	- 9 6 19.9 9	B. antiquus	Grazers	- 9 24.99 29.9 9	-6.75455	18.7028	318	3382
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	- 9 6 19.9 9	P. harlani	N.A.	- 9 24.99 29.9 9	-6.75455	18.7028	318	3382
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collagen	- 8 6 19.9 8	M. americanum	Both	- 8 24.98 29.9 8	-6.75455	18.6923	318	858

Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-19.95	<i>C. dirus</i>	Both	-24.95	-29.95	-6.75455	18.66104302	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-19.91	<i>B. antiquus</i>	Grazers	-24.91	-29.91	-6.75455	18.61925566	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-19.88	<i>C. latrans</i>	Grazers	-24.88	-29.88	-6.75455	18.58791738	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-19.87	<i>M. americanum</i>	Both	-24.87	-29.87	-6.75455	18.57747172	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-19.89	<i>B. antiquus</i>	Grazers	-24.8	-29.8	-6.75455	18.50435808	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-19.79	<i>B. antiquus</i>	Grazers	-24.79	-29.79	-6.75455	18.49391413	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-19.77	<i>S. fatalis</i>	Both	-24.7	-29.7	-6.75455	18.39992823	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-19.67	<i>C. dirus</i>	Both	-24.67	-29.67	-6.75455	18.36860345	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-19.67	<i>C. dirus</i>	Both	-24.67	-29.67	-6.75455	18.36860345	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-19.67	<i>S. fatalis</i>	Both	-24.67	-29.67	-6.75455	18.36860345	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-19.62	<i>C. hesternus</i>	Grazers	-24.62	-29.62	-6.75455	18.31639976	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-19.58	<i>C. dirus</i>	Both	-24.58	-29.58	-6.75455	18.27464067	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	-19.58	<i>C. latrans</i>	Grazers	-24.58	-29.58	-6.75455	18.27464067	318
Coltrain	0.02	California	USA	34.05	118.2426	Collagen	-	<i>C. dirus</i>	Both	-	-	-6.75455	18.1806	318

et al., 2004					6	en	19.4			24.49	29.4		9523
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 19.4 8	S. fatalis	Both	- 24.48	- 29.4 8	-6.75455	18.1702 5791
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 19.4 3	B. antiquus	Grazers	- 24.43	- 29.4 3	-6.75455	18.1180 7456
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 19.4 3	C. dirus	Both	- 24.43	- 29.4 3	-6.75455	18.1180 7456
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	-19.4	B. antiquus	Grazers	-24.4	- 29.4	-6.75455	18.0867 6712
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	-19.4	S. fatalis	Both	-24.4	- 29.4	-6.75455	18.0867 6712
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 19.3 1	C. dirus	Both	- 24.31	- 29.3 1	-6.75455	17.9928 5634
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	-19.3	P. leo atrox	Both	-24.3	- 29.3	-6.75455	17.9824 2288
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 19.2 6	P. leo atrox	Both	- 24.26	- 29.2 6	-6.75455	17.9406 9117
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	-19.2	P. leo atrox	Both	-24.2	- 29.2	-6.75455	17.8781 0002
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 19.1 3	C. dirus	Both	- 24.13	- 29.1 3	-6.75455	17.8050 8674
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 19.1 3	S. fatalis	Both	- 24.13	- 29.1 3	-6.75455	17.8050 8674
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 19.1 1	B. antiquus	Grazers	- 24.11	- 29.1 1	-6.75455	17.7842 2773
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	-19.1	S. fatalis	Both	-24.1	- 29.1	-6.75455	17.7737 9854

2004														
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	- 19.09	S. fatalis	Both	- 24.09	- 29.09	-6.75455	17.7633	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	- 19.06	C. dirus	Both	- 24.06	- 29.06	-6.75455	17.7320	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	- 19.03	C. latrans	Grazers	- 24.03	- 29.03	-6.75455	17.7008	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	- 19.01	S. fatalis	Both	- 24.01	- 29.01	-6.75455	17.6799	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	- 18.93	S. fatalis	Both	- 23.93	- 28.93	-6.75455	17.5965	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	- 18.82	S. fatalis	Both	- 23.82	- 28.82	-6.75455	17.4818	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	- 18.8	C. dirus	Both	- 23.8	- 28.8	-6.75455	17.4610	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	- 18.8	S. fatalis	Both	- 23.8	- 28.8	-6.75455	17.4610	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	- 18.77	C. dirus	Both	- 23.77	- 28.77	-6.75455	17.4297	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	- 18.76	S. fatalis	Both	- 23.76	- 28.76	-6.75455	17.4193	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	- 18.74	P. leo atrox	Both	- 23.74	- 28.74	-6.75455	17.3984	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	- 18.68	S. fatalis	Both	- 23.68	- 28.68	-6.75455	17.3359	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.2426	Collagen	- 18.67	S. fatalis	Both	- 23.67	- 28.67	-6.75455	17.3255	318

Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 6 2	C. dirus	Both	- 23.62 2	- 28.6 2	-6.75455	17.2734	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 6 8	C. dirus	Both	- 23.58 8	- 28.5 8	-6.75455	17.2317	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 6 6	P. leo atrox	Both	- 23.56 6	- 28.5 6	-6.75455	17.2109	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 6 5	C. dirus	Both	- 23.55 5	- 28.5 5	-6.75455	17.2005	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 6 2	S. fatalis	Both	- 23.52 2	- 28.5 2	-6.75455	17.1692	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 6 9	S. fatalis	Both	- 23.49 9	- 28.4 9	-6.75455	17.1380	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 6 6	C. dirus	Both	- 23.46 6	- 28.4 6	-6.75455	17.1067	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 6 6	C. dirus	Both	- 23.46 6	- 28.4 6	-6.75455	17.1067	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 6 6	S. fatalis	Both	- 23.46 6	- 28.4 6	-6.75455	17.1067	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 6 8	C. dirus	Both	- 23.38 8	- 28.3 8	-6.75455	17.0234	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 6 7	S. fatalis	Both	- 23.37 7	- 28.3 7	-6.75455	17.0130	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 6 6	C. latrans	Grazers	- 23.36 6	- 28.3 6	-6.75455	17.0026	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 6 2	S. fatalis	Both	- 23.32 2	- 28.3 2	-6.75455	16.9609	318
Coltrain	0.02	California	USA	34.05	118.242	Collag	-	P. leo atrox	Both	-	-	-6.75455	16.9505	318

et al., 2004					6	en	18.3			23.31	28.3		6773	
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 18.2 5	S. fatalis	Both	- 23.25	- 28.2 5	-6.75455	16.8880 9829	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 18.2 1	C. dirus	Both	- 23.21	- 28.2 1	-6.75455	16.8464 5625	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 18.1 7	S. fatalis	Both	- 23.17	- 28.1 7	-6.75455	16.8048 1762	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 18.1 1	C. dirus	Both	- 23.11	- 28.1 1	-6.75455	16.7423 6608	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	-18.1	C. dirus	Both	-23.1 - 28.1	- 28.1	-6.75455	16.7319 5824	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 18.0 7	C. dirus	Both	- 23.07	- 28.0 7	-6.75455	16.7007 3598	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 17.9 5	C. dirus	Both	- 22.95	- 27.9 5	-6.75455	16.5758 6613	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 17.9 4	P. leo atrox	Both	- 22.94	- 27.9 4	-6.75455	16.5654 6169	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 17.8 1	C. dirus	Both	- 22.81	- 27.8 1	-6.75455	16.4302 234	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	-17.2	S. fatalis	Both	-22.2 - 27.2	- 27.2	-6.75455	15.7961 2395	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 16.9 5	C. dirus	Both	- 21.95	- 26.9 5	-6.75455	15.5364 7564	318
Coltrain et al., 2004	0.02	California	USA	34.05	118.242	Collag en	- 16.4 6	S. fatalis	Both	- 21.46	- 26.4 6	-6.75455	15.0279 498	318
Coltrain et al.,	0.02	California	USA	34.05	118.242	Collag en	- 16.3	C. dirus	Both	- 21.39	- 26.3	-6.75455	14.9553 4483	318

2004														
Kohn et al., 2012	0.02	Wyoming	USA	42.7597	105.3822	tooth enamel	9 -15.7	Ursus	Grazers	-29.7	9 -34.7	-6.75455	23.6477	318
Kohn et al., 2012	0.02	Wyoming	USA	42.7597	105.3822	tooth enamel	-14.9	Arctodus	Grazers	-28.9	-33.9	-6.75455	22.8045	318
Kohn et al., 2012	0.02	Wyoming	USA	42.7597	105.3822	tooth enamel	-13.9	Lynx	Grazers	-28.4	-33.4	-6.75455	22.2781	318
Kohn et al., 2012	0.02	Wyoming	USA	44.8375	108.3896	tooth enamel	-13.4	Odocoileus	Browsers	-27.9	-32.9	-6.75455	21.7523	318
Kohn et al., 2012	0.02	Wyoming	USA	42.7597	105.3822	tooth enamel	-13.3	Taxidea	Grazers	-27.3	-32.3	-6.75455	21.1220	318
Kohn et al., 2012	0.02	Wyoming	USA	44.8375	108.3896	tooth enamel	-13.1	Arctodus	Grazers	-27.1	-32.1	-6.75455	20.9121	318
Kohn et al., 2012	0.02	Wyoming	USA	44.8375	108.3896	tooth enamel	-12.3	Vulpes	Grazers	-26.8	-31.8	-6.75455	20.5974	318
Kohn et al., 2012	0.02	Wyoming	USA	44.8375	108.3896	tooth enamel	-12.7	Gulo	Both	-26.7	-31.7	-6.75455	20.4926	318
Kohn et al., 2012	0.02	Wyoming	USA	42.7597	105.3822	tooth enamel	-11.8	Vulpes	Grazers	-26.3	-31.3	-6.75455	20.0733	318
Kohn et al., 2012	0.02	Wyoming	USA	44.8375	108.3896	tooth enamel	-11.6	C. lupus	Both	-26.1	-31.1	-6.75455	19.8638	318
Kohn et al., 2012	0.02	Wyoming	USA	44.8375	108.3896	tooth enamel	-11.9	Panthera spelaea	Both	-25.9	-30.9	-6.75455	19.6545	318
Kohn et al., 2012	0.02	Wyoming	USA	44.8375	108.3896	tooth enamel	-11.2	Miracinonyx	Both	-25.7	-30.7	-6.75455	19.4451	318
Kohn et al., 2012	0.02	Wyoming	USA	42.7597	105.3822	tooth enamel	-11.5	Equus	Grazers	-25.5	-30.5	-6.75455	19.2359	318

Kohn et al., 2012	0.02	Wyoming	USA	42.759 7	105.382 2	tooth enamel	-10.9	<i>C. lupus</i>	Both	-25.4	-30.4	-6.75455	19.1313 8724	318
Kohn et al., 2012	0.02	Wyoming	USA	42.759 7	105.382 2	tooth enamel	-10.9	<i>Odocoileus</i>	Browsers	-25.4	-30.4	-6.75455	19.1313 8724	318
Kohn et al., 2012	0.02	Wyoming	USA	42.759 7	105.382 2	tooth enamel	-10.3	<i>Cervus</i>	Browsers	-24.8	-29.8	-6.75455	18.5043 5808	318
Kohn et al., 2012	0.02	Wyoming	USA	42.759 7	105.382 2	tooth enamel	-10.3	<i>Ovis</i>	Grazers	-24.8	-29.8	-6.75455	18.5043 5808	318
Kohn et al., 2012	0.02	Wyoming	USA	44.837 5	108.389 6	tooth enamel	-10	<i>Antilocapra</i>	Grazers	-24.5	-29.5	-6.75455	18.1911 3275	318
Kohn et al., 2012	0.02	Wyoming	USA	44.837 5	108.389 6	tooth enamel	-10	<i>Bootherium</i>	Grazers	-24.5	-29.5	-6.75455	18.1911 3275	318
Kohn et al., 2012	0.02	Wyoming	USA	44.837 5	108.389 6	tooth enamel	-9.9	<i>Cervid</i>	Browsers	-24.4	-29.4	-6.75455	18.0867 6712	318
Kohn et al., 2012	0.02	Wyoming	USA	44.837 5	108.389 6	tooth enamel	-10.2	<i>Equus</i>	Grazers	-24.2	-29.2	-6.75455	17.8781 0002	318
Kohn et al., 2012	0.02	Wyoming	USA	42.759 7	105.382 2	tooth enamel	-9.4	<i>Felis</i>	Both	-23.9	-28.9	-6.75455	17.5652 5971	318
Kohn et al., 2012	0.02	Wyoming	USA	44.837 5	108.389 6	tooth enamel	-9.2	<i>Ovis</i>	Grazers	-23.7	-28.7	-6.75455	17.3568 0631	318
Kohn et al., 2012	0.02	Wyoming	USA	42.759 7	105.382 2	tooth enamel	-9.1	<i>Oreamnos</i>	Browsers	-23.6	-28.6	-6.75455	17.2526 1163	318
Kohn et al., 2012	0.02	Wyoming	USA	44.837 5	108.389 6	tooth enamel	-9	<i>Camelops</i>	Browsers	-23.5	-28.5	-6.75455	17.1484 383	318
Kohn et al., 2012	0.02	Wyoming	USA	44.837 5	108.389 6	tooth enamel	-9.3	<i>Mammuthus</i>	Grazers	-23.3	-28.3	-6.75455	16.9401 5563	318
Kohn et	0.02	Wyoming	USA	44.837	108.389	tooth	-8.5	<i>Bos</i>	Grazers	-23	-28	-6.75455	16.6278	318

al., 2012				5	6	enamel							915
Kohn et al., 2012	0.02	Wyoming	USA	44.837 5	108.389 6	tooth enamel	-8.3	Bison	Grazers	-22.8	- 27.8	-6.75455	16.4198 2194
Kohn et al., 2012	0.02	Wyoming	USA	42.759 7	105.382 2	tooth enamel	-8.1	Bison	Grazers	-22.6	- 27.6	-6.75455	16.2118 3753
Kohn et al., 2012	0.02	Wyoming	USA	44.837 5	108.389 6	tooth enamel	-7.9	C. latrans	Grazers	-22.4	- 27.4	-6.75455	16.0039 3822
Kohn et al., 2012	0.02	Wyoming	USA	44.837 5	108.389 6	tooth enamel	-8.2	Ursus	Grazers	-22.2	- 27.2	-6.75455	15.7961 2395
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 21.5 2	Cervus elaphus	Browsers	- 26.52	- 31.5 2	-6.74909	20.3095 1843
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 21.4 9	Cervus elaphus	Browsers	- 26.49	- 31.4 9	-6.74909	20.2780 7624
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 21.4 2	Cervus elaphus	Browsers	- 26.42	- 31.4 2	-6.74909	20.2047 1867
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 21.2 8	Cervus elaphus	Browsers	- 26.28	- 31.2 8	-6.74909	20.0580 3516
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 21.2 2	Cervus elaphus	Browsers	- 26.22	- 31.2 2	-6.74909	19.9951 8372
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 21.2 2	Cervus elaphus	Browsers	- 26.22	- 31.2 2	-6.74909	19.9951 8372
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 21.2 1	Bison priscus	Grazers	- 26.21	- 31.2 1	-6.74909	19.9847 0923
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 21.1 1	Cervus elaphus	Browsers	- 26.11	- 31.1 1	-6.74909	19.8799 7618
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	-21.1	Cervus elaphus	Browsers	-26.1	- 31.1	-6.74909	19.8695 0406

2014													
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 21.0 6	Bison priscus	Grazers	- 26.06	- 31.0 6	-6.74909	19.8276 1772 5
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 21.0 5	Cervus elaphus	Browsers	- 26.05	- 31.0 5	-6.74909	19.8171 4667 5
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 21.0 5	Cervus elaphus	Browsers	- 26.05	- 31.0 5	-6.74909	19.8171 4667 5
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 21.0 3	Cervus elaphus	Browsers	- 26.03	- 31.0 3	-6.74909	19.7962 0522 5
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	-21	Cervus elaphus	Browsers	-26	-31	-6.74909	19.7647 9466 5
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 20.9 1	Cervus elaphus	Browsers	- 25.91	- 30.9 1	-6.74909	19.6705 7459 5
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 20.9 1	Cervus elaphus	Browsers	- 25.91	- 30.9 1	-6.74909	19.6705 7459 5
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 20.9 1	Cervus elaphus	Browsers	- 25.91	- 30.9 1	-6.74909	19.6705 7459 5
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 20.9 1	Cervus elaphus	Browsers	- 25.91	- 30.9 1	-6.74909	19.6705 7459 5
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 20.9 1	Cervus elaphus	Browsers	- 25.91	- 30.9 1	-6.74909	19.6705 7459 5
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 20.8 8	Cervus elaphus	Browsers	- 25.88	- 30.8 8	-6.74909	19.6391 7177 5
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 20.8 6	Cervus elaphus	Browsers	- 25.86	- 30.8 6	-6.74909	19.6182 3762 5
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 20.8 5	Cervus elaphus	Browsers	- 25.85	- 30.8 5	-6.74909	19.6077 7088 5

Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 7 20.7	Cervus elaphus	Browsers	- 25.77 30.7 7	- - -6.74909 19.5240 4463 5	19.5240 4463 5	317.5	
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 1 20.7	Cervus elaphus	Browsers	- 25.71 30.7 1	- - -6.74909 19.4612 5897 5	19.4612 5897 5	317.5	
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 1 20.7	Cervus elaphus	Browsers	- 25.71 30.7 1	- - -6.74909 19.4612 5897 5	19.4612 5897 5	317.5	
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 8 20.6	Bison priscus	Grazers	- 25.68 30.6 8	- - -6.74909 19.4298 6904 5	19.4298 6904 5	317.5	
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 8 20.6	Cervus elaphus	Browsers	- 25.68 30.6 8	- - -6.74909 19.4298 6904 5	19.4298 6904 5	317.5	
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 6 20.6	Cervus elaphus	Browsers	- 25.66 30.6 6	- - -6.74909 19.4089 4349 5	19.4089 4349 5	317.5	
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 6 20.6	Cervus elaphus	Browsers	- 25.66 30.6 6	- - -6.74909 19.4089 4349 5	19.4089 4349 5	317.5	
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 4 20.6	Cervus elaphus	Browsers	- 25.64 30.6 4	- - -6.74909 19.3880 188 5	19.3880 188 5	317.5	
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 8 20.5	Cervus elaphus	Browsers	- 25.58 30.5 8	- - -6.74909 19.3252 4989 5	19.3252 4989 5	317.5	
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 5 20.2	Cervus elaphus	Browsers	- 25.25 30.2 5	- - -6.74909 18.9801 5902 5	18.9801 5902 5	317.5	
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 5 20.0	Bison priscus	Grazers	- 25.05 30.0 5	- - -6.74909 18.7711 2672 5	18.7711 2672 5	317.5	
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 5 20.0	Rangifer tarandus	Grazers	- 25.05 30.0 5	- - -6.74909 18.7711 2672 5	18.7711 2672 5	317.5	
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	- 3 20.0	Rangifer tarandus	Grazers	- 25.03 30.0 3	- - -6.74909 18.7502 2821 5	18.7502 2821 5	317.5	
Castano	0.021	Spain,	Europ	43.075	2.2237	Collag	-19.9	Rangifer	Grazers	-24.9	-	-6.74909	18.6144	317.5

s et al., 2014	Portugal	e	6	en	tarandus		29.9	0878	5					
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	-19.7 5	Rangifer tarandus	Grazers	-24.75 -	-29.7 5	-6.74909 3904	18.4577 5	317.5
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	-19.6 5	Rangifer tarandus	Grazers	-24.65 -	-29.6 5	-6.74909 1932	18.3533 5	317.5
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	-19.5 7	Rangifer tarandus	Grazers	-24.57 -	-29.5 7	-6.74909 9896	18.2697 5	317.5
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	-19.5 3	Rangifer tarandus	Grazers	-24.53 -	-29.5 3	-6.74909 4392	18.2280 5	317.5
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	-19.2 8	Rangifer tarandus	Grazers	-24.28 -	-29.2 8	-6.74909 5246	17.9671 5	317.5
Castano s et al., 2014	0.021	Spain, Portugal	Europ e	43.075 6	2.2237	Collag en	-19.0 2	Rangifer tarandus	Grazers	-24.02 -	-29.0 2	-6.74909 6713	17.6959 5	317.5
Iacumin et al., 1997	0.023	Pagliacci cave	Italy	41.654	15.6153	Collag en	-20.5	Mammal	Grazers	-25.5 -	-30.5	-6.73818 6552	19.2527 5	316.6
Bocher ens et al., 2011	0.024	Kesslerloc h	Europ e	47.745 2	8.6934	Collag en	-21.4	Hare	Browsers	-26.4 -	-31.4	-6.73273 6491	20.2005 316.2	
Bocher ens et al., 2011	0.024	Kesslerloc h	Europ e	47.745 2	8.6934	Collag en	-21.3	Mammoth	Grazers	-26.3 -	-31.3	-6.73273 8926	20.0957 316.2	
Bocher ens et al., 2011	0.024	Schussenq uelle	Europ e	48.119	9.3929	Collag en	-21.2	Horse	Grazers	-26.2 -	-31.2	-6.73273 3512	19.9910 316.2	
Bocher ens et al., 2011	0.024	Kesslerloc h	Europ e	47.745 2	8.6934	Collag en	-21	Ground squirrel	Grazers	-26 -	-31	-6.73273 9138	19.7815 316.2	
Bocher	0.024	Kesslerloc	Europ	47.745	8.6934	Collag	-20.9	Ground	Grazers	-25.9 -	-	-6.73273 19.6769	19.6769	316.2

ens et al., 2011		h	e	2		en		squirrel			30.9		0176	
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.9	Hare	Browsers	-25.9	-30.9	-6.73273	19.67690176	316.2
Bocherens et al., 2011	0.024	Bavans	Europe	47.483129	6.729747	Collagen	-20.8	Cerf	Browsers	-25.8	-30.8	-6.73273	19.57223363	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.8	Ground squirrel	Grazers	-25.8	-30.8	-6.73273	19.57223363	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.8	Hare	Browsers	-25.8	-30.8	-6.73273	19.57223363	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.8	Hare	Browsers	-25.8	-30.8	-6.73273	19.57223363	316.2
Bocherens et al., 2011	0.024	Schussenquelle	Europe	48.119	9.3929	Collagen	-20.6	Bear	Grazers	-25.6	-30.6	-6.73273	19.36296182	316.2
Bocherens et al., 2011	0.024	Rochedane	Europe	47.356348	6.758298	Collagen	-20.6	Cerf	Browsers	-25.6	-30.6	-6.73273	19.36296182	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.6	Hare	Browsers	-25.6	-30.6	-6.73273	19.36296182	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.6	Horse	Grazers	-25.6	-30.6	-6.73273	19.36296182	316.2
Bocher	0.024	Monruz	Europe	47.003	6.96153	Collag	-20.6	Horse	Grazers	-25.6	-	-6.73273	19.3629	316.2

ens et al., 2011		e	687	9	en						30.6		6182	
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.5	Hare	Browsers	-25.5	-30.5	-6.73273	19.25835813	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.5	Hare	Browsers	-25.5	-30.5	-6.73273	19.25835813	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.5	Hare	Browsers	-25.5	-30.5	-6.73273	19.25835813	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.5	Hare	Browsers	-25.5	-30.5	-6.73273	19.25835813	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.5	Mammoth	Grazers	-25.5	-30.5	-6.73273	19.25835813	316.2
Bocherens et al., 2011	0.024	Rochedane	Europe	47.356348	6.758298	Collagen	-20.4	Cerf	Browsers	-25.4	-30.4	-6.73273	19.15377591	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.4	Hare	Browsers	-25.4	-30.4	-6.73273	19.15377591	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.4	Hare	Browsers	-25.4	-30.4	-6.73273	19.15377591	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.4	Hare	Browsers	-25.4	-30.4	-6.73273	19.15377591	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.4	Hare	Browsers	-25.4	-30.4	-6.73273	19.15377591	316.2

ens et al., 2011		h	e	2		en						30.4		7591	
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.4	Hare		Browsers	-25.4	-30.4	-6.73273	19.15377591	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.4	Horse		Grazers	-25.4	-30.4	-6.73273	19.15377591	316.2
Bocherens et al., 2011	0.024	Monruz	Europe	47.003687	6.961539	Collagen	-20.4	Horse		Grazers	-25.4	-30.4	-6.73273	19.15377591	316.2
Bocherens et al., 2011	0.024	Schussenquelle	Europe	48.119	9.3929	Collagen	-20.3	Bear		Grazers	-25.3	-30.3	-6.73273	19.04921514	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.3	Bison sp.		Grazers	-25.3	-30.3	-6.73273	19.04921514	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.3	Ground squirrel		Grazers	-25.3	-30.3	-6.73273	19.04921514	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.3	Hare		Browsers	-25.3	-30.3	-6.73273	19.04921514	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.3	Horse		Grazers	-25.3	-30.3	-6.73273	19.04921514	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.3	Reindeer		Browsers	-25.3	-30.3	-6.73273	19.04921514	316.2
Bocher	0.024	Rochedane	Europe	47.356	6.75829	Collag	-20.3	Reindeer		Browsers	-25.3	-	-6.73273	19.0492	316.2

ens et al., 2011		e	348	8	en						30.3		1514	
Bocher ens et al., 2011	0.024	Grotte de Chaze	Europ e	41.469 858	- 71.2982 65	Collag en	-20.3	Rhinoceros	Browsers	-25.3 - 30.3	- 30.3	-6.73273 1514	19.0492 1514	316.2
Bocher ens et al., 2011	0.024	Schussenq uelle	Europ e	48.119	9.3929	Collag en	-20.3	wolf	Both	-25.3 - 30.3	- 30.3	-6.73273 1514	19.0492 1514	316.2
Bocher ens et al., 2011	0.024	Kesslerloc h	Europ e	47.745 2	8.6934	Collag en	-20.2	Cerf	Browsers	-25.2 - 30.2	- 30.2	-6.73273 7583	18.9446 7583	316.2
Bocher ens et al., 2011	0.024	Schussenq uelle	Europ e	48.119	9.3929	Collag en	-20.2	Elk	Grazers	-25.2 - 30.2	- 30.2	-6.73273 7583	18.9446 7583	316.2
Bocher ens et al., 2011	0.024	Kesslerloc h	Europ e	47.745 2	8.6934	Collag en	-20.2	Hare	Browsers	-25.2 - 30.2	- 30.2	-6.73273 7583	18.9446 7583	316.2
Bocher ens et al., 2011	0.024	Kesslerloc h	Europ e	47.745 2	8.6934	Collag en	-20.2	Hare	Browsers	-25.2 - 30.2	- 30.2	-6.73273 7583	18.9446 7583	316.2
Bocher ens et al., 2011	0.024	Kesslerloc h	Europ e	47.745 2	8.6934	Collag en	-20.2	Hare	Browsers	-25.2 - 30.2	- 30.2	-6.73273 7583	18.9446 7583	316.2
Bocher ens et al., 2011	0.024	Kesslerloc h	Europ e	47.745 2	8.6934	Collag en	-20.2	Hare	Browsers	-25.2 - 30.2	- 30.2	-6.73273 7583	18.9446 7583	316.2
Bocher ens et al., 2011	0.024	Kesslerloc h	Europ e	47.745 2	8.6934	Collag en	-20.2	Hare	Browsers	-25.2 - 30.2	- 30.2	-6.73273 7583	18.9446 7583	316.2
Bocher	0.024	Kesslerloc	Europ	47.745	8.6934	Collag	-20.2	Hare	Browsers	-25.2	-	-6.73273	18.9446	316.2

ens et al., 2011		h	e	2		en					30.2		7583	
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.2	Horse	Grazers	-25.2	-30.2	-6.73273	18.94467583	316.2
Bocherens et al., 2011	0.024	Fellstalle	Europe	48.3792	9.7543	Collagen	-20.2	Reindeer	Browsers	-25.2	-30.2	-6.73273	18.94467583	316.2
Bocherens et al., 2011	0.024	Petersfels	Europe	49.096536	7.706664	Collagen	-20.2	Reindeer	Browsers	-25.2	-30.2	-6.73273	18.94467583	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.2	wolverine	Grazers	-25.2	-30.2	-6.73273	18.94467583	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.1	Hare	Browsers	-25.1	-30.1	-6.73273	18.84015796	316.2
Bocherens et al., 2011	0.024	Champreveyres	Europe	47.00912	6.969253	Collagen	-20.1	Horse	Grazers	-25.1	-30.1	-6.73273	18.84015796	316.2
Bocherens et al., 2011	0.024	Schussenquelle	Europe	48.119	9.3929	Collagen	-20.1	Reindeer	Browsers	-25.1	-30.1	-6.73273	18.84015796	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20.1	wolverine	Grazers	-25.1	-30.1	-6.73273	18.84015796	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-20	Bison sp.	Grazers	-25	-30	-6.73273	18.73566154	316.2
Bocher	0.024	Kesslerloch	Europe	47.745	8.6934	Collag	-20	Horse	Grazers	-25	-30	-6.73273	18.7356	316.2

ens et al., 2011	h	e	2		en								6154	
Bocherens et al., 2011	0.024	Petersfels	Europe	49.096 536	7.70666 4	Collagen	-20	Reindeer	Browsers	-25	-30	-6.73273 6154	18.7356 316.2	
Bocherens et al., 2011	0.024	Petersfels	Europe	49.096 536	7.70666 4	Collagen	-20	Reindeer	Browsers	-25	-30	-6.73273 6154	18.7356 316.2	
Bocherens et al., 2011	0.024	Rochedane	Europe	47.356 348	6.75829 8	Collagen	-19.9	Cerf	Browsers	-24.9	-29.9	-6.73273 8654	18.6311 316.2	
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.745 2	8.6934	Collagen	-19.9	Reindeer	Browsers	-24.9	-29.9	-6.73273 8654	18.6311 316.2	
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.745 2	8.6934	Collagen	-19.9	Reindeer	Browsers	-24.9	-29.9	-6.73273 8654	18.6311 316.2	
Bocherens et al., 2011	0.024	Petersfels	Europe	49.096 536	7.70666 4	Collagen	-19.9	Reindeer	Browsers	-24.9	-29.9	-6.73273 8654	18.6311 316.2	
Bocherens et al., 2011	0.024	Petersfels	Europe	49.096 536	7.70666 4	Collagen	-19.9	Reindeer	Browsers	-24.9	-29.9	-6.73273 8654	18.6311 316.2	
Bocherens et al., 2011	0.024	Petersfels	Europe	49.096 536	7.70666 4	Collagen	-19.9	Reindeer	Browsers	-24.9	-29.9	-6.73273 8654	18.6311 316.2	
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.745 2	8.6934	Collagen	-19.9	Rhinoceros	Browsers	-24.9	-29.9	-6.73273 8654	18.6311 316.2	
Bocher	0.024	Kesslerloch	Europe	47.745	8.6934	Collag	-19.8	Bison sp.	Grazers	-24.8	-	-6.73273	18.5267	316.2

ens et al., 2011	h	e	2		en							29.8		3298
Bocherens et al., 2011	0.024	Schussenquelle	Europe	48.119	9.3929	Collagen	-19.8	Elk	Grazers	-24.8	-29.8	-6.73273	18.52673298	316.2
Bocherens et al., 2011	0.024	Champreyres	Europe	47.00912	6.969253	Collagen	-19.8	Horse	Grazers	-24.8	-29.8	-6.73273	18.52673298	316.2
Bocherens et al., 2011	0.024	Fellstalle	Europe	48.3792	9.7543	Collagen	-19.8	Reindeer	Browsers	-24.8	-29.8	-6.73273	18.52673298	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-19.8	Reindeer	Browsers	-24.8	-29.8	-6.73273	18.52673298	316.2
Bocherens et al., 2011	0.024	Petersfels	Europe	49.096536	7.706664	Collagen	-19.8	Reindeer	Browsers	-24.8	-29.8	-6.73273	18.52673298	316.2
Bocherens et al., 2011	0.024	Schussenquelle	Europe	48.119	9.3929	Collagen	-19.8	Reindeer	Browsers	-24.8	-29.8	-6.73273	18.52673298	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-19.7	Hare	Browsers	-24.7	-29.7	-6.73273	18.42230083	316.2
Bocherens et al., 2011	0.024	Buttentalhöhle	Europe	49.096536	7.706664	Collagen	-19.7	Reindeer	Browsers	-24.7	-29.7	-6.73273	18.42230083	316.2
Bocherens et al., 2011	0.024	Petersfels	Europe	49.096536	7.706664	Collagen	-19.7	Reindeer	Browsers	-24.7	-29.7	-6.73273	18.42230083	316.2
Bocher	0.024	Petersfels	Europe	49.096	7.70666	Collag	-19.7	Reindeer	Browsers	-24.7	-	-6.73273	18.4223	316.2

ens et al., 2011		e	536	4	en						29.7		0083	
Bocherens et al., 2011	0.024	Petersfels	Europe	49.096 536	7.70666 4	Collagen	-19.7	Reindeer	Browsers	-24.7	- 29.7	-6.73273 0083	18.4223 0083	316.2
Bocherens et al., 2011	0.024	Petersfels	Europe	49.096 536	7.70666	Collagen	-19.7	Reindeer	Browsers	-24.7	- 29.7	-6.73273 0083	18.4223 0083	316.2
Bocherens et al., 2011	0.024	Rochedane	Europe	47.356 348	6.75829 8	Collagen	-19.7	Reindeer	Browsers	-24.7	- 29.7	-6.73273 0083	18.4223 0083	316.2
Bocherens et al., 2011	0.024	Schussenquelle	Europe	48.119	9.3929	Collagen	-19.7	Reindeer	Browsers	-24.7	- 29.7	-6.73273 0083	18.4223 0083	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.745 2	8.6934	Collagen	-19.6	fox	Grazers	-24.6	- 29.6	-6.73273 901	18.3178 901	316.2
Bocherens et al., 2011	0.024	GeiBenklosterle	Europe	48.379 2	9.7543	Collagen	-19.6	Reindeer	Browsers	-24.6	- 29.6	-6.73273 901	18.3178 901	316.2
Bocherens et al., 2011	0.024	Petersfels	Europe	49.096 536	7.70666 4	Collagen	-19.6	Reindeer	Browsers	-24.6	- 29.6	-6.73273 901	18.3178 901	316.2
Bocherens et al., 2011	0.024	Petersfels	Europe	49.096 536	7.70666 4	Collagen	-19.6	Reindeer	Browsers	-24.6	- 29.6	-6.73273 901	18.3178 901	316.2
Bocherens et al., 2011	0.024	Grotte de la Baume Noire	Europe	47.460 657	5.94173 7	Collagen	-19.5	Reindeer	Browsers	-24.5	- 29.5	-6.73273 0077	18.2135 0077	316.2
Bocher	0.024	Grotte du	Europe	48.806	2.11854	Collag	-19.5	Reindeer	Browsers	-24.5	-	-6.73273	18.2135	316.2

ens et al., 2011		Chaumois-Boiv	e	643	3	en					29.5		0077	
Bocherens et al., 2011	0.024	Petersfels	Europe	49.096 536	7.70666 4	Collagen	-19.5	Reindeer	Browsers	-24.5	- 29.5	-6.73273 0077	18.2135 0077	316.2
Bocherens et al., 2011	0.024	Rochedane	Europe	47.356 348	6.75829 8	Collagen	-19.5	Reindeer	Browsers	-24.5	- 29.5	-6.73273 0077	18.2135 0077	316.2
Bocherens et al., 2011	0.024	Schussenquelle	Europe	48.119	9.3929	Collagen	-19.5	Reindeer	Browsers	-24.5	- 29.5	-6.73273 0077	18.2135 0077	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.745 2	8.6934	Collagen	-19.4	lynx	Grazers	-24.4	- 29.4	-6.73273 3284	18.1091 3284	316.2
Bocherens et al., 2011	0.024	GeiBenklosterle	Europe	48.379 2	9.7543	Collagen	-19.4	Reindeer	Browsers	-24.4	- 29.4	-6.73273 3284	18.1091 3284	316.2
Bocherens et al., 2011	0.024	Hohle Fels	Europe	48.379 2	9.7543	Collagen	-19.4	Reindeer	Browsers	-24.4	- 29.4	-6.73273 3284	18.1091 3284	316.2
Bocherens et al., 2011	0.024	Petersfels	Europe	49.096 536	7.70666 4	Collagen	-19.4	Reindeer	Browsers	-24.4	- 29.4	-6.73273 3284	18.1091 3284	316.2
Bocherens et al., 2011	0.024	Petersfels	Europe	49.096 536	7.70666 4	Collagen	-19.4	Reindeer	Browsers	-24.4	- 29.4	-6.73273 3284	18.1091 3284	316.2
Bocherens et al., 2011	0.024	Schussenquelle	Europe	48.119	9.3929	Collagen	-19.4	Reindeer	Browsers	-24.4	- 29.4	-6.73273 3284	18.1091 3284	316.2
Bocher	0.024	Hohle Fels	Europe	48.379	9.7543	Collag	-19.3	Bear	Grazers	-24.3	-	-6.73273	18.0047	316.2

ens et al., 2011		e	2		en						29.3		8631	
Bocherens et al., 2011	0.024	Fellstalle	Europe	48.3792	9.7543	Collagen	-19.3	Reindeer	Browsers	-24.3	-29.3	-6.73273	18.00478631	316.2
Bocherens et al., 2011	0.024	Petersfels	Europe	49.096536	7.706664	Collagen	-19.3	Reindeer	Browsers	-24.3	-29.3	-6.73273	18.00478631	316.2
Bocherens et al., 2011	0.024	Rochedane	Europe	47.356348	6.758298	Collagen	-19.3	Reindeer	Browsers	-24.3	-29.3	-6.73273	18.00478631	316.2
Bocherens et al., 2011	0.024	Grotte Grappin	Europe	51.224809	6.469302	Collagen	-19.1	Reindeer	Browsers	-24.1	-29.1	-6.73273	17.79615739	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-19.1	Reindeer	Browsers	-24.1	-29.1	-6.73273	17.79615739	316.2
Bocherens et al., 2011	0.024	Petersfels	Europe	49.096536	7.706664	Collagen	-19.1	Reindeer	Browsers	-24.1	-29.1	-6.73273	17.79615739	316.2
Bocherens et al., 2011	0.024	Petersfels	Europe	49.096536	7.706664	Collagen	-19.1	Reindeer	Browsers	-24.1	-29.1	-6.73273	17.79615739	316.2
Bocherens et al., 2011	0.024	Ranchot	Europe	47.1496	5.7245	Collagen	-19.1	Reindeer	Browsers	-24.1	-29.1	-6.73273	17.79615739	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-19.1	wolf	Both	-24.1	-29.1	-6.73273	17.79615739	316.2
Bocher	0.024	Kesslerloch	Europe	47.745	8.6934	Collag	-19	wolf	Both	-24	-29	-6.73273	17.6918	316.2

ens et al., 2011	h	e	2	en									75	
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-18.8	Cave lion	Both	-23.8	-28.8	-6.73273	17.48337431	316.2
Bocherens et al., 2011	0.024	Buttentalhöhle	Europe	47.7452	8.6934	Collagen	-18.7	Bear	Grazers	-23.7	-28.7	-6.73273	17.379156	316.2
Bocherens et al., 2011	0.024	Kesslerloch	Europe	47.7452	8.6934	Collagen	-18.5	Cave lion	Both	-23.5	-28.5	-6.73273	17.17078341	316.2
Bocherens et al., 2011	0.024	Ranchot	Europe	47.1496	5.7245	Collagen	-18.4	Cave lion	Both	-23.4	-28.4	-6.73273	17.06662912	316.2
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.2008	149.4937	Collagen	-24.16	Bos	Grazers	-29.16	-34.16	-6.7	23.13460508	313.5
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.2008	149.4937	Collagen	-21.87	Equus	Grazers	-26.87	-31.87	-6.7	20.72693268	313.5
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.2008	149.4937	Collagen	-21.7	Equus	Grazers	-26.7	-31.7	-6.7	20.54864893	313.5
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.2008	149.4937	Collagen	-21.68	Bos	Grazers	-26.68	-31.68	-6.7	20.52767846	313.5
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.2008	149.4937	Collagen	-21.58	Equus	Grazers	-26.58	-31.58	-6.7	20.42283906	313.5
Fox-	0.03	Alaska	USA	64.200	149.493	Collag	-21.5	Equus	Grazers	-26.5	-	-6.7	20.3389	313.5

Dobbs et al., 2008				8	7	en					31.5		8305	
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	-21.5	Equus	Grazers	-26.5	- 31.5	-6.7	20.3389 8305	313.5
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 21.4 8	Equus	Grazers	- 26.48	- 31.4 8	-6.7	20.3180 212	313.5
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 21.4 5	Equus	Grazers	- 26.45	- 31.4 5	-6.7	20.2865 8004	313.5
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	-21.4	Equus	Grazers	-26.4	- 31.4	-6.7	20.2341 8242	313.5
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 21.3 4	Bison	Grazers	- 26.34	- 31.3 4	-6.7	20.1713 1237	313.5
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 21.3 2	Equus	Grazers	- 26.32	- 31.3 2	-6.7	20.1503 5741	313.5
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	-21.3	Mammuthus	Grazers	-26.3	- 31.3	-6.7	20.1294 0331	313.5
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 21.2 9	Equus	Grazers	- 26.29	- 31.2 9	-6.7	20.1189 2658	313.5
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 21.2 8	Equus	Grazers	- 26.28	- 31.2 8	-6.7	20.1084 5007	313.5
Fox-	0.03	Alaska	USA	64.200	149.493	Collag	-	Bos	Grazers	-	-	-6.7	20.0874	313.5

Dobbs et al., 2008				8	7	en	21.2			26.26	31.2		9769
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 21.2 5	Equus	Grazers	- 26.25	- 31.2 5	-6.7	20.0770 2182
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 21.2 5	Equus	Grazers	- 26.25	- 31.2 5	-6.7	20.0770 2182
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 21.2 3	Equus	Grazers	- 26.23	- 31.2 3	-6.7	20.0560 7074
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	-21.2	Equus	Grazers	-26.2	- 31.2	-6.7	20.0246 4572
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	-21.2	Mammuthus	Grazers	-26.2	- 31.2	-6.7	20.0246 4572
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 21.1 9	Equus	Grazers	- 26.19	- 31.1 9	-6.7	20.0141 7114
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	-21.1	Mammuthus	Grazers	-26.1	- 31.1	-6.7	19.9199 0964
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 21.0 9	Equus	Grazers	- 26.09	- 31.0 9	-6.7	19.9094 3722
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 21.0 7	Equus	Grazers	- 26.07	- 31.0 7	-6.7	19.8884 9301
Fox-	0.03	Alaska	USA	64.200	149.493	Collag	-	Equus	Grazers	-	-	-6.7	19.8675
													313.5

Dobbs et al., 2008				8	7	en	21.0			26.05	31.0		4967
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 21.0 3	Equus	Grazers	- 26.03	- 31.0 3	-6.7	19.8466 0719
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	-21	Mammuthus	Grazers	-26	-31	-6.7	19.8151 9507
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 20.9 7	Equus	Grazers	- 25.97	- 30.9 7	-6.7	19.7837 8489
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 20.9 5	Equus	Grazers	- 25.95	- 30.9 5	-6.7	19.7628 4585
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 20.9 4	Symbos	N.A.	- 25.94	- 30.9 4	-6.7	19.7523 7665
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 20.9 3	Equus	Grazers	- 25.93	- 30.9 3	-6.7	19.7419 0767
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	-20.9	Equus	Grazers	-25.9	- 30.9	-6.7	19.7105 02
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 20.8 9	Equus	Grazers	- 25.89	- 30.8 9	-6.7	19.7000 3388
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 20.8 8	Bison	Grazers	- 25.88	- 30.8 8	-6.7	19.6895 6597
Fox-	0.03	Alaska	USA	64.200	149.493	Collag	-	Equus	Grazers	-	-	-6.7	19.6790
													313.5

Dobbs et al., 2008				8	7	en	20.8			25.87	30.8		9827
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 20.8 5	Equus	Grazers	- 25.85	- 30.8 5	-6.7	19.6581 6353
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 20.8 1	Equus	Grazers	- 25.81	- 30.8 1	-6.7	19.6162 9662
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	-20.8	Mammuthus	Grazers	-25.8 - 30.8	- 30.8	-6.7	19.6058 3042
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 20.7 6	Equus	Grazers	- 25.76	- 30.7 6	-6.7	19.5639 6781
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 20.7 3	Bos	Grazers	- 25.73	- 30.7 3	-6.7	19.5325 7311
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 20.7 2	Symbos	N.A.	- 25.72	- 30.7 2	-6.7	19.5221 0863
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	-20.7	Equus	Grazers	-25.7 - 30.7	- 30.7	-6.7	19.5011 8033
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	-20.7	Equus	Grazers	-25.7 - 30.7	- 30.7	-6.7	19.5011 8033
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 20.6 3	Equus	Grazers	- 25.63	- 30.6 3	-6.7	19.4279 3805
Fox-	0.03	Alaska	USA	64.200	149.493	Collag	-	Bison	Grazers	-	-	-6.7	19.3024
													313.5

Dobbs et al., 2008				8	7	en	20.5			25.51	30.5		0433
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 20.3 8	Bos	Grazers	- 25.38 8	- 30.3 8	-6.7	19.1664 4436
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 20.3 6	Symbos	N.A.	- 25.36 6	- 30.3 6	-6.7	19.1455 3066
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 20.3 2	Symbos	N.A.	- 25.32 2	- 30.3 2	-6.7	19.1037 0583
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 20.1 9	Symbos	N.A.	- 25.19 9	- 30.1 9	-6.7	18.9677 9885
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	-20.1	Bison	Grazers	-25.1 - 30.1	- 30.1	-6.7	18.8737 3064
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 20.0 8	Bison	Grazers	- 25.08 8	- 30.0 8	-6.7	18.8528 2895
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 20.0 8	Rangifer	Grazers	- 25.08 8	- 30.0 8	-6.7	18.8528 2895
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 20.0 7	Rangifer	Grazers	- 25.07 7	- 30.0 7	-6.7	18.8423 7843
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 19.9 6	Symbos	N.A.	- 24.96 6	- 29.9 6	-6.7	18.7274 3682
Fox-	0.03	Alaska	USA	64.200	149.493	Collag	-	Symbos	N.A.	-	-	-6.7	18.6856
													313.5

Dobbs et al., 2008				8	7	en	19.9			24.92	29.9		4631
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 19.8 9	Symbos	N.A.	- 24.89 9	- 29.8 9	-6.7	18.6543 0567
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 19.7 7	Bison	Grazers	- 24.77 7	- 29.7 7	-6.7	18.5289 624
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 19.7 2	Rangifer	Grazers	- 24.72 2	- 29.7 2	-6.7	18.4767 4514
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 19.7 1	Symbos	N.A.	- 24.71 1	- 29.7 1	-6.7	18.4663 0233
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 19.4 5	Rangifer	Grazers	- 24.45 5	- 29.4 5	-6.7	18.1948 6444
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 19.4 3	Rangifer	Grazers	- 24.43 3	- 29.4 3	-6.7	18.1739 9059
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 19.3 1	Rangifer	Grazers	- 24.31 1	- 29.3 1	-6.7	18.0487 6549
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 19.2 7	Rangifer	Grazers	- 24.27 7	- 29.2 7	-6.7	18.0070 3063
Fox-Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 19.2 1	Rangifer	Grazers	- 24.21 1	- 29.2 1	-6.7	17.9444 3477
Fox-	0.03	Alaska	USA	64.200	149.493	Collag	-	Rangifer	Grazers	-	-	-6.7	17.9235
													313.5

Dobbs et al., 2008				8	7	en	19.1			24.19	29.1		7119	
Fox- Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 18.9 9	Rangifer	Grazers	- 23.99	- 28.9 9	-6.7	17.7149 8243	
Fox- Dobbs et al., 2008	0.03	Alaska	USA	64.200 8	149.493 7	Collag en	- 17.5 1	Symbos	N.A.	- 22.51	- 27.5 1	-6.7	16.1740 7851	
Bocher ens et al., 2015a	0.030 5	Předmostí	Europ e	49.467 5	17.4374	Collag en	-23.3	Mammuthus primigenius	Grazers	-28.3 - 33.3	-6.69867	22.2304 5179	313.2 25	
Bocher ens et al., 2015a	0.030 5	Předmostí	Europ e	49.467 5	17.4374	Collag en	-22.6	Coelodonta antiquitatis	Both	-27.6 - 32.6	-6.69867	21.4945 8042	313.2 25	
Bocher ens et al., 2015a	0.030 5	Předmostí	Europ e	49.467 5	17.4374	Collag en	-22.1	Coelodonta antiquitatis	Both	-27.1 - 32.1	-6.69867	20.9696 0633	313.2 25	
Bocher ens et al., 2015a	0.030 5	Předmostí	Europ e	49.467 5	17.4374	Collag en	-22	Gulo gulo	Grazers	-27 -32	-6.69867	20.8646 7626	313.2 25	
Bocher ens et al., 2015a	0.030 5	Předmostí	Europ e	49.467 5	17.4374	Collag en	-21.8	Mammuthus primigenius	Grazers	-26.8 - 31.8	-6.69867	20.6548 8081	313.2 25	
Bocher ens et al., 2015a	0.030 5	Předmostí	Europ e	49.467 5	17.4374	Collag en	-21.5	Mammuthus primigenius	Grazers	-26.5 - 31.5	-6.69867	20.3403 4926	313.2 25	
Bocher ens et al., 2015a	0.030 5	Předmostí	Europ e	49.467 5	17.4374	Collag en	-21.3	Mammuthus primigenius	Grazers	-26.3 - 31.3	-6.69867	20.1307 6923	313.2 25	
Bocher	0.030	Předmostí	Europ	49.467	17.4374	Collag	-21.3	Mammuthus	Grazers	-26.3	-	-6.69867	20.1307	313.2

ens et al., 2015a	5	e	5	en	primigenius		31.3		6923	25
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-21.2	Mammuthus primigenius	Grazers	-26.2 -31.2
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-21.1	Mammuthus primigenius	Grazers	-26.1 -31.1
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-21	Equus ferus	Grazers	-26 -31
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-20.9	Cervus elaphus	Browsers	-25.9 -30.9
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-20.9	Mammuthus primigenius	Grazers	-25.9 -30.9
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-20.8	Canis lupus "wolf"	Both	-25.8 -30.8
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-20.8	Equus ferus	Grazers	-25.8 -30.8
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-20.8	Equus ferus	Grazers	-25.8 -30.8
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-20.7	Bovini	Grazers	-25.7 -30.7
Bocher	0.030	Předmostí	Europ	49.467	17.4374	Collag	-20.7	Equus ferus	Grazers	-25.7 -

ens et al., 2015a	5	e	5	en						30.7		4542	25	
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-20.7	Mammuthus primigenius	Grazers	-25.7	- 30.7	-6.69867 4542	19.5025 313.2 25	
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-20.5	Coelodonta antiquitatis	Both	-25.5	- 30.5	-6.69867 0939	19.2933 313.2 25	
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-20.4	Equus ferus	Grazers	-25.4	- 30.4	-6.69867 2358	19.1887 313.2 25	
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-20.3	Bovini	Grazers	-25.3	- 30.3	-6.69867 5923	19.0841 313.2 25	
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-20.3	Coelodonta antiquitatis	Both	-25.3	- 30.3	-6.69867 5923	19.0841 313.2 25	
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-20.3	Homo sapiens	N.A.	-25.3	- 30.3	-6.69867 5923	19.0841 313.2 25	
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-20.3	Ursus arctos	Grazers	-25.3	- 30.3	-6.69867 5923	19.0841 313.2 25	
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-20.2	Bovini	Grazers	-25.2	- 30.2	-6.69867 1633	18.9796 313.2 25	
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-20.1	Homo sapiens	N.A.	-25.1	- 30.1	-6.69867 9488	18.8750 313.2 25	
Bocher	0.030	Předmostí	Europ	49.467	17.4374	Collag	-19.8	Alopex	Grazers	-24.8	-	-6.69867	18.5616	313.2

ens et al., 2015a	5	e	5	en	lagopus		29.8		5915	25
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-19.8	Alopex lagopus	Grazers	-24.8 -29.8
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-19.8	Ursus arctos	Grazers	-24.8 -29.8
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-19.8	Ursus arctos	Grazers	-24.8 -29.8
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-19.8	Alopex lagopus	Grazers	-24.8 -29.8
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-19.7	Alopex lagopus	Grazers	-24.7 -29.7
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-19.6	Alopex lagopus	Grazers	-24.6 -29.6
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-19.6	Bovini	Grazers	-24.6 -29.6
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-19.6	Bovini	Grazers	-24.6 -29.6
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-19.6	Ovibos moschatus	Grazers	-24.6 -29.6
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-19.5	Alopex lagopus	Grazers	-24.5 -29.5
Bocher	0.030	Předmostí	Europ	49.467	17.4374	Collag	-19.5	Canis lupus	Both	-24.5 -

ens et al., 2015a	5	e	5	en	"wolf"		29.5		162	25
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-19.5	Canis lupus "wolf"	Both	-24.5 -29.5
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-19.4	Canis lupus "wolf"	Both	-24.4 -29.4
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-19.4	Gulo gulo	Grazers	-24.4 -29.4
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-19.4	Homo sapiens	N.A.	-24.4 -29.4
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-19.3	Canis lupus "dog"	Both	-24.3 -29.3
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-19.3	Gulo gulo	Grazers	-24.3 -29.3
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-19.3	Panthera spelaea	Both	-24.3 -29.3
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-19.3	Rangifer tarandus	Grazers	-24.3 -29.3
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-19.1	Ovibos moschatus	Grazers	-24.1 -29.1
Bocher	0.030	Předmostí	Europ	49.467	17.4374	Collag	-19	Alopex	Grazers	-24 -29

ens et al., 2015a	5	e	5	en	lagopus							7254	25
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-19	Gulo gulo	Grazers	-24	-29	-6.69867	17.7267 7254
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-18.9	Gulo gulo	Grazers	-23.9	- 28.9	-6.69867	17.6225 0794
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-18.9	Rangifer tarandus	Grazers	-23.9	- 28.9	-6.69867	17.6225 0794
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-18.9	Rangifer tarandus	Grazers	-23.9	- 28.9	-6.69867	17.6225 0794
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-18.8	Rangifer tarandus	Grazers	-23.8	- 28.8	-6.69867	17.5182 647
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-18.7	Canis lupus "dog"	Both	-23.7	- 28.7	-6.69867	17.4140 4281
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-18.7	Canis lupus "wolf"	Both	-23.7	- 28.7	-6.69867	17.4140 4281
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-18.7	Ovibos moschatus	Grazers	-23.7	- 28.7	-6.69867	17.4140 4281
Bocher ens et al., 2015a	0.030	Předmostí	Europ e	49.467 5	17.4374	Collag en	-18.6	Panthera spelaea	Both	-23.6	- 28.6	-6.69867	17.3098 4228
Bocher	0.030	Předmostí	Europ	49.467	17.4374	Collag	-18.6	Panthera	Both	-23.6	-	-6.69867	17.3098
													313.2

ens et al., 2015a	5	e	5	en	spelaea		28.6		4228	25
Bocherens et al., 2015a	0.030	Předmostí	Europe	49.4675	17.4374	Collagen	-18.3	Canis lupus "dog"	Both	-23.3 -28.3
									-6.698676869	16.997325
Richardson et al., 2003	0.035	Belguim	Europe	50.5039	4.4699	Collagen	-20	Fauna	N.A.	-25 -30
									-6.686670256	18.78295
Feranec et al., 2010	0.04	Burgos	Spain	42.344	3.6969	tooth enamel	-15.8	Ursus spelaeus	Grazers	-29.8 -34.8
									-6.673331299	23.8370
Feranec et al., 2010	0.04	Burgos	Spain	42.344	3.6969	tooth enamel	-14.3	Ursus arctos	Grazers	-28.3 -33.3
									-6.673332979	22.2565
Feranec et al., 2010	0.04	Burgos	Spain	42.344	3.6969	tooth enamel	-13.7	Lynx pardinus	Grazers	-28.2 -33.2
									-6.673333772	22.1513
Feranec et al., 2010	0.04	Burgos	Spain	42.344	3.6969	tooth enamel	-13	Crocuta crocuta	Both	-27.5 -32.5
									-6.673339897	21.4155
Feranec et al., 2010	0.04	Burgos	Spain	42.344	3.6969	tooth enamel	-12.3	Vulpes vulpes	Grazers	-26.8 -31.8
									-6.673331862	20.6809
Feranec et al., 2010	0.04	Burgos	Spain	42.344	3.6969	tooth enamel	-12.1	Castor fiber	Browsers	-26.1 -31.1
									-6.673339438	19.9472
Feranec et al., 2010	0.04	Burgos	Spain	42.344	3.6969	tooth enamel	-10.9	Canis lupus	Both	-25.4 -30.4
									-6.673332399	19.2147
Feranec et al., 2010	0.04	Burgos	Spain	42.344	3.6969	tooth enamel	-10.8	Cervus elaphus	Browsers	-25.3 -30.3
									-6.673335697	19.1101
Feranec et al., 2010	0.04	Burgos	Spain	42.344	3.6969	tooth enamel	-10.6	Equus ferus	Grazers	-24.6 -29.6
									-6.673338819	18.3787
Feranec et al., 2010	0.04	Burgos	Spain	42.344	3.6969	tooth enamel	-10	Rupicapra rupicapra	Browsers	-24.5 -29.5
									-6.673339262	18.2743

Feranec et al., 2010	0.04	Burgos	Spain	42.344	3.6969	tooth enamel	-10.3	Stephanorhinus	Both	-24.3	-29.3	-6.67333	18.0656	308
Feranec et al., 2010	0.04	Burgos	Spain	42.344	3.6969	tooth enamel	-9.7	Capra pyrenaica	Both	-24.2	-29.2	-6.67333	17.9613	308
Feranec et al., 2010	0.04	Burgos	Spain	42.344	3.6969	tooth enamel	-9.9	Equus hydruntinus	Grazers	-23.9	-28.9	-6.67333	17.6484	308
Feranec et al., 2010	0.04	Burgos	Spain	42.344	3.6969	tooth enamel	-8.9	Bos primigenius	Grazers	-23.4	-28.4	-6.67333	17.1274	308
Raghavan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-21.8	Musk ox	Grazers	-26.8	-31.8	-6.67333	20.6809	308
Raghavan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-21.7	Musk ox	Grazers	-26.7	-31.7	-6.67333	20.5760	308
Raghavan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-21.7	Musk ox	Grazers	-26.7	-31.7	-6.67333	20.5760	308
Raghavan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-21.5	Musk ox	Grazers	-26.5	-31.5	-6.67333	20.3663	308
Raghavan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-21.5	Musk ox	Grazers	-26.5	-31.5	-6.67333	20.3663	308
Raghavan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-21.4	Musk ox	Grazers	-26.4	-31.4	-6.67333	20.2615	308
Raghavan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-21.4	Musk ox	Grazers	-26.4	-31.4	-6.67333	20.2615	308
Raghavan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-21.4	Musk ox	Grazers	-26.4	-31.4	-6.67333	20.2615	308
Raghavan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-21.3	Musk ox	Grazers	-26.3	-	-6.67333	20.1567	308

n et al., 2014			da			en					31.3		9367	
Raghv n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-21.3	Musk ox	Grazers	-26.3	- 31.3	-6.67333	20.1567 9367	308
Raghv n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-21.3	Musk ox	Grazers	-26.3	- 31.3	-6.67333	20.1567 9367	308
Raghv n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-21.2	Musk ox	Grazers	-26.2	- 31.2	-6.67333	20.0520 3327	308
Raghv n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-21.2	Musk ox	Grazers	-26.2	- 31.2	-6.67333	20.0520 3327	308
Raghv n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-21.2	Musk ox	Grazers	-26.2	- 31.2	-6.67333	20.0520 3327	308
Raghv n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-21.2	Musk ox	Grazers	-26.2	- 31.2	-6.67333	20.0520 3327	308
Raghv n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-21.2	Musk ox	Grazers	-26.2	- 31.2	-6.67333	20.0520 3327	308
Raghv n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-21.2	Musk ox	Grazers	-26.2	- 31.2	-6.67333	20.0520 3327	308
Raghv n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-21.1	Musk ox	Grazers	-26.1	- 31.1	-6.67333	19.9472 9438	308
Raghv n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-21.1	Musk ox	Grazers	-26.1	- 31.1	-6.67333	19.9472 9438	308
Raghv n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-21.1	Musk ox	Grazers	-26.1	- 31.1	-6.67333	19.9472 9438	308

2014														
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-21.1	Musk ox	Grazers	-26.1	-31.1	-6.67333	19.94729438	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-21.1	Musk ox	Grazers	-26.1	-31.1	-6.67333	19.94729438	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-21.1	Musk ox	Grazers	-26.1	-31.1	-6.67333	19.94729438	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-21.1	Musk ox	Grazers	-26.1	-31.1	-6.67333	19.94729438	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-21.1	Musk ox	Grazers	-26.1	-31.1	-6.67333	19.94729438	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-21	Musk ox	Grazers	-26	-31	-6.67333	19.842577	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-21	Musk ox	Grazers	-26	-31	-6.67333	19.842577	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-21	Musk ox	Grazers	-26	-31	-6.67333	19.842577	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-21	Musk ox	Grazers	-26	-31	-6.67333	19.842577	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-21	Musk ox	Grazers	-26	-31	-6.67333	19.842577	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20.9	Musk ox	Grazers	-25.9	-30.9	-6.67333	19.73788112	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20.9	Musk ox	Grazers	-25.9	-30.9	-6.67333	19.73788112	308

Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.9	Musk ox	Grazers	-25.9	-30.9	-6.67333	19.7378	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.9	Musk ox	Grazers	-25.9	-30.9	-6.67333	19.7378	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.9	Musk ox	Grazers	-25.9	-30.9	-6.67333	19.7378	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.9	Musk ox	Grazers	-25.9	-30.9	-6.67333	19.7378	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.9	Musk ox	Grazers	-25.9	-30.9	-6.67333	19.7378	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.9	Musk ox	Grazers	-25.9	-30.9	-6.67333	19.7378	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.9	Musk ox	Grazers	-25.9	-30.9	-6.67333	19.7378	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.9	Musk ox	Grazers	-25.9	-30.9	-6.67333	19.7378	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.9	Musk ox	Grazers	-25.9	-30.9	-6.67333	19.7378	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.9	Musk ox	Grazers	-25.9	-30.9	-6.67333	19.7378	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.8	Musk ox	Grazers	-25.9	-30.9	-6.67333	19.7378	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.8	Musk ox	Grazers	-25.8	-30.8	-6.67333	19.6332	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.8	Musk ox	Grazers	-25.8	-30.8	-6.67333	19.6332	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.8	Musk ox	Grazers	-25.8	-30.8	-6.67333	19.6332	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.8	Musk ox	Grazers	-25.8	-30.8	-6.67333	19.6332	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.8	Musk ox	Grazers	-25.8	-30.8	-6.67333	19.6332	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.7	Musk ox	Grazers	-25.7	-	-6.67333	19.5285	308

n et al., 2014			da			en					30.7		5383	
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.7	Musk ox	Grazers	-25.7	- 30.7	-6.67333	19.5285 5383	308
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.7	Musk ox	Grazers	-25.7	- 30.7	-6.67333	19.5285 5383	308
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.7	Musk ox	Grazers	-25.7	- 30.7	-6.67333	19.5285 5383	308
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.7	Musk ox	Grazers	-25.7	- 30.7	-6.67333	19.5285 5383	308
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.7	Musk ox	Grazers	-25.7	- 30.7	-6.67333	19.5285 5383	308
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.7	Musk ox	Grazers	-25.7	- 30.7	-6.67333	19.5285 5383	308
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.7	Musk ox	Grazers	-25.7	- 30.7	-6.67333	19.5285 5383	308
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.7	Musk ox	Grazers	-25.7	- 30.7	-6.67333	19.5285 5383	308
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.7	Musk ox	Grazers	-25.7	- 30.7	-6.67333	19.5285 5383	308
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.6	Musk ox	Grazers	-25.6	- 30.6	-6.67333	19.4239 2241	308
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.6	Musk ox	Grazers	-25.6	- 30.6	-6.67333	19.4239 2241	308
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.6	Musk ox	Grazers	-25.6	- 30.6	-6.67333	19.4239 2241	308
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.6	Musk ox	Grazers	-25.6	- 30.6	-6.67333	19.4239 2241	308
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.6	Musk ox	Grazers	-25.6	- 30.6	-6.67333	19.4239 2241	308

2014														
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20.6	Musk ox	Grazers	-25.6	-30.6	-6.67333	19.4239	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20.5	Musk ox	Grazers	-25.5	-30.5	-6.67333	19.3193	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20.5	Musk ox	Grazers	-25.5	-30.5	-6.67333	19.3193	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20.5	Musk ox	Grazers	-25.5	-30.5	-6.67333	19.3193	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20.5	Musk ox	Grazers	-25.5	-30.5	-6.67333	19.3193	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20.5	Musk ox	Grazers	-25.5	-30.5	-6.67333	19.3193	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20.5	Musk ox	Grazers	-25.5	-30.5	-6.67333	19.3193	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20.5	Musk ox	Grazers	-25.5	-30.5	-6.67333	19.3193	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20.4	Musk ox	Grazers	-25.4	-30.4	-6.67333	19.2147	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20.4	Musk ox	Grazers	-25.4	-30.4	-6.67333	19.2147	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20.4	Musk ox	Grazers	-25.4	-30.4	-6.67333	19.2147	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20.4	Musk ox	Grazers	-25.4	-30.4	-6.67333	19.2147	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20.4	Musk ox	Grazers	-25.4	-30.4	-6.67333	19.2147	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20.4	Musk ox	Grazers	-25.4	-30.4	-6.67333	19.2147	308

Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.4	Musk ox	Grazers	-25.4	-30.4	-6.67333	19.21472399	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.4	Musk ox	Grazers	-25.4	-30.4	-6.67333	19.21472399	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.4	Musk ox	Grazers	-25.4	-30.4	-6.67333	19.21472399	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.3	Musk ox	Grazers	-25.3	-30.3	-6.67333	19.11015697	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.3	Musk ox	Grazers	-25.3	-30.3	-6.67333	19.11015697	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.3	Musk ox	Grazers	-25.3	-30.3	-6.67333	19.11015697	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.3	Musk ox	Grazers	-25.3	-30.3	-6.67333	19.11015697	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.3	Musk ox	Grazers	-25.3	-30.3	-6.67333	19.11015697	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.3	Musk ox	Grazers	-25.3	-30.3	-6.67333	19.11015697	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.3	Musk ox	Grazers	-25.3	-30.3	-6.67333	19.11015697	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.3	Musk ox	Grazers	-25.3	-30.3	-6.67333	19.11015697	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.3	Musk ox	Grazers	-25.3	-30.3	-6.67333	19.11015697	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.3	Musk ox	Grazers	-25.3	-30.3	-6.67333	19.11015697	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.3	Musk ox	Grazers	-25.3	-30.3	-6.67333	19.11015697	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.3	Musk ox	Grazers	-25.3	-30.3	-6.67333	19.11015697	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-20.3	Musk ox	Grazers	-25.3	-30.3	-6.67333	19.11015697	308

n et al., 2014			da			en					30.3		5697	
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.3	Musk ox	Grazers	-25.3	- 30.3	-6.67333	19.1101 5697	308
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.2	Musk ox	Grazers	-25.2	- 30.2	-6.67333	19.0056 1141	308
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.2	Musk ox	Grazers	-25.2	- 30.2	-6.67333	19.0056 1141	308
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.2	Musk ox	Grazers	-25.2	- 30.2	-6.67333	19.0056 1141	308
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.2	Musk ox	Grazers	-25.2	- 30.2	-6.67333	19.0056 1141	308
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.2	Musk ox	Grazers	-25.2	- 30.2	-6.67333	19.0056 1141	308
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.2	Musk ox	Grazers	-25.2	- 30.2	-6.67333	19.0056 1141	308
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.2	Musk ox	Grazers	-25.2	- 30.2	-6.67333	19.0056 1141	308
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.2	Musk ox	Grazers	-25.2	- 30.2	-6.67333	19.0056 1141	308
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.1	Musk ox	Grazers	-25.1	- 30.1	-6.67333	18.9010 8729	308
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.1	Musk ox	Grazers	-25.1	- 30.1	-6.67333	18.9010 8729	308
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.1	Musk ox	Grazers	-25.1	- 30.1	-6.67333	18.9010 8729	308
Raghv a n et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-20.1	Musk ox	Grazers	-25.1	- 30.1	-6.67333	18.9010 8729	308

2014														
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20	Musk ox	Grazers	-25	-30	-6.67333	18.79658462	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20	Musk ox	Grazers	-25	-30	-6.67333	18.79658462	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20	Musk ox	Grazers	-25	-30	-6.67333	18.79658462	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20	Musk ox	Grazers	-25	-30	-6.67333	18.79658462	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20	Musk ox	Grazers	-25	-30	-6.67333	18.79658462	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20	Musk ox	Grazers	-25	-30	-6.67333	18.79658462	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20	Musk ox	Grazers	-25	-30	-6.67333	18.79658462	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20	Musk ox	Grazers	-25	-30	-6.67333	18.79658462	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20	Musk ox	Grazers	-25	-30	-6.67333	18.79658462	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20	Musk ox	Grazers	-25	-30	-6.67333	18.79658462	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-20	Musk ox	Grazers	-25	-30	-6.67333	18.79658462	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-19.9	Musk ox	Grazers	-24.9	-29.9	-6.67333	18.69210337	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-19.9	Musk ox	Grazers	-24.9	-29.9	-6.67333	18.69210337	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-19.9	Musk ox	Grazers	-24.9	-29.9	-6.67333	18.69210337	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-19.9	Musk ox	Grazers	-24.9	-29.9	-6.67333	18.69210337	308



n et al., 2014			da			en					29.8		4356	
Raghvan et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-19.7	Musk ox	Grazers	-24.7	- 29.7	-6.67333	18.4832 0517	308
Raghvan et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-19.7	Musk ox	Grazers	-24.7	- 29.7	-6.67333	18.4832 0517	308
Raghvan et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-19.7	Musk ox	Grazers	-24.7	- 29.7	-6.67333	18.4832 0517	308
Raghvan et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-19.7	Musk ox	Grazers	-24.7	- 29.7	-6.67333	18.4832 0517	308
Raghvan et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-19.7	Musk ox	Grazers	-24.7	- 29.7	-6.67333	18.4832 0517	308
Raghvan et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-19.7	Musk ox	Grazers	-24.7	- 29.7	-6.67333	18.4832 0517	308
Raghvan et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-19.7	Musk ox	Grazers	-24.7	- 29.7	-6.67333	18.4832 0517	308
Raghvan et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-19.7	Musk ox	Grazers	-24.7	- 29.7	-6.67333	18.4832 0517	308
Raghvan et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-19.6	Musk ox	Grazers	-24.6	- 29.6	-6.67333	18.3787 8819	308
Raghvan et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-19.6	Musk ox	Grazers	-24.6	- 29.6	-6.67333	18.3787 8819	308
Raghvan et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-19.6	Musk ox	Grazers	-24.6	- 29.6	-6.67333	18.3787 8819	308
Raghvan et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-19.6	Musk ox	Grazers	-24.6	- 29.6	-6.67333	18.3787 8819	308
Raghvan et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-19.6	Musk ox	Grazers	-24.6	- 29.6	-6.67333	18.3787 8819	308
Raghvan et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-19.5	Musk ox	Grazers	-24.5	- 29.5	-6.67333	18.2743 9262	308
Raghvan et al., 2014	0.04	Taimyr	Canan da	76	105	Collag en	-19.5	Musk ox	Grazers	-24.5	- 29.5	-6.67333	18.2743 9262	308

2014														
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-19.5	Musk ox	Grazers	-24.5	-29.5	-6.67333	18.27439262	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-19.4	Musk ox	Grazers	-24.4	-29.4	-6.67333	18.17001845	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-19.4	Musk ox	Grazers	-24.4	-29.4	-6.67333	18.17001845	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-19.4	Musk ox	Grazers	-24.4	-29.4	-6.67333	18.17001845	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-19.4	Musk ox	Grazers	-24.4	-29.4	-6.67333	18.17001845	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-19.3	Musk ox	Grazers	-24.3	-29.3	-6.67333	18.06566568	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-19.3	Musk ox	Grazers	-24.3	-29.3	-6.67333	18.06566568	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-19.3	Musk ox	Grazers	-24.3	-29.3	-6.67333	18.06566568	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-19.3	Musk ox	Grazers	-24.3	-29.3	-6.67333	18.06566568	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-19.3	Musk ox	Grazers	-24.3	-29.3	-6.67333	18.06566568	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-19.3	Musk ox	Grazers	-24.3	-29.3	-6.67333	18.06566568	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-19.1	Musk ox	Grazers	-24.1	-29.1	-6.67333	17.85702429	308
Raghvan et al., 2014	0.04	Taimyr	Cananda	76	105	Collagen	-19.1	Musk ox	Grazers	-24.1	-29.1	-6.67333	17.85702429	308

Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-19.1	Musk ox	Grazers	-24.1	-29.1	-6.67333	17.8570	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-18.9	Musk ox	Grazers	-23.9	-28.9	-6.67333	17.6484	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-18.8	Musk ox	Grazers	-23.8	-28.8	-6.67333	17.5442	308
Raghvan et al., 2014	0.04	Taimyr	Canada	76	105	Collagen	-18.6	Musk ox	Grazers	-23.6	-28.6	-6.67333	17.3357	308
Pushkina et al., 2014	0.047	Germany	Europe	51.192	7.07445	tooth enamel	-17.2	Cervus elaphus	Browsers	-31.7	-36.7	-6.65055	25.8695	309.4
Pushkina et al., 2014	0.047	Germany	Europe	51.192	7.07445	tooth enamel	-17	Dama dama	Browsers	-31.5	-36.5	-6.65055	25.6576	309.4
Pushkina et al., 2014	0.047	Germany	Europe	51.192	7.07445	tooth enamel	-16.2	Megalaceros giganteus	Grazers	-30.7	-35.7	-6.65055	24.8111	309.4
Pushkina et al., 2014	0.047	Germany	Europe	51.192	7.07445	tooth enamel	-15.2	Cervus elaphus	Browsers	-29.7	-34.7	-6.65055	23.7549	309.4
Pushkina et al., 2014	0.047	Germany	Europe	51.192	7.07445	tooth enamel	-15.2	Dama dama	Browsers	-29.7	-34.7	-6.65055	23.7549	309.4
Pushkina et al., 2014	0.047	Germany	Europe	51.192	7.07445	tooth enamel	-15.0	Megalaceros giganteus	Grazers	-29.57	-34.5	-6.65055	23.6178	309.4
Pushkina et al., 2014	0.047	Germany	Europe	51.192	7.07445	tooth enamel	-14.9	Dama dama	Browsers	-29.4	-34.4	-6.65055	23.4385	309.4
Pushkina et al., 2014	0.047	Germany	Europe	51.192	7.07445	tooth enamel	-14.9	Megalaceros giganteus	Grazers	-29.4	-34.4	-6.65055	23.4385	309.4
Pushkina et al., 2014	0.047	Germany	Europe	51.192	7.07445	tooth enamel	-15.2	Stephanorhinus	Both	-29.2	-34.2	-6.65055	23.2276	309.4
Pushkina	0.047	Germany	Europe	51.192	7.07445	tooth	-	Stephanorhinus	Both	-	-	-6.65055	22.9958	309.4

a et al., 2014	e	726	5	enamel	14.9	nus	28.98	33.9	7032			
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 14.9 2	Stephanorhi nus etruscus or hundsheime nsis	- 28.92 33.9 2			
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-14.3	Dama dama	Browsers	-28.8 - 33.8	-6.65055 22.8062 7059	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 14.5 4	Stephanorhi nus etruscus or hundsheime nsis	- 28.54 33.5 4	-6.65055 22.5325 2836	309.4	
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 14.2 7	Stephanorhi nus etruscus or hundsheime nsis	- 28.27 - 33.2 7	-6.65055 22.2484 1262	309.4	
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 14.2 4	Stephanorhi nus kirchbergens is	- 28.24 - 33.2 4	-6.65055 22.2168 5396	309.4	
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 14.2 2	Stephanorhi nus etruscus or hundsheime nsis	- 28.22 - 33.2 2	-6.65055 22.1958 1593	309.4	
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-14.2	Equus ferus	Grazers	-28.2 - 33.2	-6.65055 22.1747 7876	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 14.0 5	Stephanorhi nus etruscus or hundsheime nsis	- 28.05 - 33.0 5	-6.65055 22.0170 2762	309.4	
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 13.9 1	Equus mosbachensi s	Grazers	- 27.91 - 32.9 1	-6.65055 21.8698 3715	309.4

Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 13.8 5	Palaeoloxod on antiquus	Both	- 27.85 5	- 32.8 5	-6.65055	21.8067 685	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-13.3	Cervus elaphus	Browsers	-27.8 - 32.8	- 32.8	-6.65055	21.7542 1724	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-13.8	Equus sp.	Grazers	-27.8 - 32.8	- 32.8	-6.65055	21.7542 1724	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 13.6 9	Stephanorhi nus etruscus or hundsheim ensis	Both	- 27.69 9	- 32.6 9	-6.65055	21.6386 2348	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-13.6	Equus ferus	Grazers	-27.6 - 32.6	- 32.6	-6.65055	21.5440 6623	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-13.6	Stephanorhi nus kirchbergens is	Both	-27.6 - 32.6	- 32.6	-6.65055	21.5440 6623	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 13.5 6	Equus ferus	Grazers	- 27.56 6	- 32.5 6	-6.65055	21.5020 464	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-13	Cervus elaphus	Browsers	-27.5 - 32.5	- 32.5	-6.65055	21.4390 2314	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 13.4 3	Equus ferus	Grazers	- 27.43 3	- 32.4 3	-6.65055	21.3655 0582	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-12.9	Cervus elaphus	Browsers	-27.4 - 32.4	- 32.4	-6.65055	21.3340 0165	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 12.8 4	Megalaceros giganteus	Grazers	- 27.34 4	- 32.3 4	-6.65055	21.2709 9912	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 13.3 3	Equus ferus	Grazers	- 27.33 3	- 32.3 3	-6.65055	21.2604 9945	309.4
Pushkin	0.047	Germany	Europ	51.192	7.07445	tooth	-	Megalaceros	Grazers	-	-	-6.65055	21.2604	309.4

a et al., 2014	e	726	5	enamel	12.8	giganteus		27.33	32.3		9945		
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 13.3 1	Stephanorhi nus etruscus or hundsheim ensis	Both	- 27.31	- 32.3 1	-6.65055 0077	21.2395 309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 13.2 9	Equus ferus	Grazers	- 27.29	- 32.2 9	-6.65055 0295	21.2185 309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 13.2 2	Palaeoloxod on antiquus	Both	- 27.22	- 32.2 2	-6.65055 1737	21.1450 309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 13.2 2	Stephanorhi nus kirchbergens is	Both	- 27.22	- 32.2 2	-6.65055 1737	21.1450 309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 12.6 8	Megalaceros giganteus	Grazers	- 27.18	- 32.1 8	-6.65055 3037	21.1030 309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 13.1 6	Stephanorhi nus kirchbergens is	Both	- 27.16	- 32.1 6	-6.65055 3816	21.0820 309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 13.1 3	Palaeoloxod on antiquus	Both	- 27.13	- 32.1 3	-6.65055 5146	21.0505 309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-13.1	Equus mosbachensi	Grazers	-27.1	- 32.1	-6.65055 6671	21.0190 309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-13.1	Equus sp.	Grazers	-27.1	- 32.1	-6.65055 6671	21.0190 309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-13.1	Mammuthus primigenius fraasi	Grazers	-27.1	- 32.1	-6.65055 6671	21.0190 309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 13.0 5	Stephanorhi nus kirchbergens is	Both	- 27.05	- 32.0 5	-6.65055 9643	20.9665 309.4

Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 4 13.0	Mammuthus primigenius fraasi	Grazers	- 27.04	- 32.0 4	-6.65055	20.9561 0303	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 4 13.0	Stephanorhi nus kirchbergens is	Both	- 27.04	- 32.0 4	-6.65055	20.9561 0303	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 3 13.0	Equus ferus	Grazers	- 27.03	- 32.0 3	-6.65055	20.9456 0983	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 3 13.0	Palaeoloxod on antiquus	Both	- 27.03	- 32.0 3	-6.65055	20.9456 0983	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 7 12.9	Mammuthus primigenius fraasi	Grazers	- 26.97	- 31.9 7	-6.65055	20.8826 5521	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-12.4	Cervus elaphus	Browsers	-26.9	- 31.9	-6.65055	20.8092 1796	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-12.4	Cervus elaphus	Browsers	-26.9	- 31.9	-6.65055	20.8092 1796	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-12.9	Stephanorhi nus sp.	Both	-26.9	- 31.9	-6.65055	20.8092 1796	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 9 12.8	Palaeoloxod on antiquus	Both	- 26.89	- 31.8 9	-6.65055	20.7987 2779	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 3 12.8	Equus mosbachensi s	Grazers	- 26.83	- 31.8 3	-6.65055	20.7357 9128	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-12.8	Equus ferus	Grazers	-26.8	- 31.8	-6.65055	20.7043 2594	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 5 12.7	Mammuthus primigenius fraasi	Grazers	- 26.75	- 31.7 5	-6.65055	20.6518 88	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 2 12.7	Equus mosbachensi s	Grazers	- 26.72	- 31.7 2	-6.65055	20.6204 2783	309.4

Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-12.2	<i>Cervus</i> <i>elaphus</i>	Browsers	-26.7	- 31.7	-6.65055 5546	20.5994	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-12.7	<i>Equus</i> <i>hyduntinus</i>	Grazers	-26.7	- 31.7	-6.65055 5546	20.5994	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-12.7	<i>Equus</i> sp.	Grazers	-26.7	- 31.7	-6.65055 5546	20.5994	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 12.5 8	<i>Palaeoloxod</i> <i>on antiquus</i>	Both	- 26.58	- 31.5 8	-6.65055 3933	20.4736	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 12.5 6	<i>Mammuthus</i> <i>primigenius</i> <i>fraasi</i>	Grazers	- 26.56	- 31.5 6	-6.65055 7299	20.4526	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 12.5 3	<i>Equus</i> <i>ferus</i>	Grazers	- 26.53	- 31.5 3	-6.65055 251	20.4212	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-12	<i>Bos/Bison</i>	Grazers	-26.5	- 31.5	-6.65055 7915	20.3897	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-12.5	<i>Equus</i> sp.	Grazers	-26.5	- 31.5	-6.65055 7915	20.3897	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 12.4 6	<i>Coelodonta</i> <i>antiquitatis</i>	Both	- 26.46	- 31.4 6	-6.65055 5422	20.3478	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 12.4 5	<i>Equus</i> <i>ferus</i>	Grazers	- 26.45	- 31.4 5	-6.65055 7353	20.3373	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 11.9 5	<i>Megaloceros</i> <i>giganteus</i>	Grazers	- 26.45	- 31.4 5	-6.65055 7353	20.3373	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 12.4 4	<i>Palaeoloxod</i> <i>on antiquus</i>	Both	- 26.44	- 31.4 4	-6.65055 9305	20.3268	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 12.3 8	<i>Palaeoloxod</i> <i>on antiquus</i>	Both	- 26.38	- 31.3 8	-6.65055 1471	20.2640	309.4
Pushkin	0.047	Germany	Europ	51.192	7.07445	tooth	-	<i>Coelodonta</i>	Both	-	-	-6.65055	20.1906	309.4

a et al., 2014	e	726	5	enamel	12.3 1	antiquitatis		26.31	31.3 1		6643	
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-12.3	Equus hydruntinus	Grazers	-26.3 -31.3	-6.65055 20.1801 8897	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-12.2 3	Mammuthus primigenius	Grazers	-26.23 31.2	-6.65055 20.1068 5275	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-11.7	Bos/Bison	Grazers	-26.2 -31.2	-6.65055 20.0754 2617	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-12.2	Equus hydruntinus	Grazers	-26.2 -31.2	-6.65055 20.0754 2617	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-12.1 7	Equus caballus	Grazers	-26.17 31.1 7	-6.65055 20.0440 0152	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-11.5	Bos/Bison	Grazers	-26 -31	-6.65055 19.8659 6509	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-12	Equus hydruntinus	Grazers	-26 -31	-6.65055 19.8659 6509	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-11.9 4	Equus caballus	Grazers	-25.94 30.9 4	-6.65055 19.8031 4354	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-11.9 2	Coelodonta antiquitatis	Both	-25.92 30.9 2	-6.65055 19.7822 0475	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-11.9 1	Coelodonta antiquitatis	Both	-25.91 30.9 1	-6.65055 19.7717 3567	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-11.4	Bos/Bison	Grazers	-25.9 -30.9	-6.65055 19.7612 6681	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-11.9	Stephanorhi nus	Both	-25.9 -30.9	-6.65055 19.7612 6681	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-11.8	Coelodonta antiquitatis	Both	-25.82 30.8	-6.65055 19.6775 2366	309.4

2014														
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	2 -11.3	Bos/Bison	Grazers	-25.8 -	2 30.8	-6.65055 9002	19.6565 9002	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 2 11.7	Equus caballus	Grazers	- 25.72 25.72	- 30.7 30.7	-6.65055 6406	19.5728 6406	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 2 11.7	Mammuthus primigenius	Grazers	- 25.72 25.72	- 30.7 30.7	-6.65055 6406	19.5728 6406	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 1 11.7	Coelodonta antiquitatis	Both	- 25.71 25.71	- 30.7 30.7	-6.65055 9929	19.5623 9929	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 2 11.6	Coelodonta antiquitatis	Both	- 25.62 25.62	- 30.6 30.6	-6.65055 2595	19.4682 2595	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 2 11.6	Coelodonta antiquitatis	Both	- 25.62 25.62	- 30.6 30.6	-6.65055 2595	19.4682 2595	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-11.1	Bos/Bison	Grazers	-25.6 -	- 30.6	-6.65055 009	19.4473 009	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 9	Equus caballus	Grazers	- 25.59 25.59	- 30.5 30.5	-6.65055 9	19.4368 387	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 3	Mammuthus primigenius	Grazers	- 25.53 25.53	- 30.5 30.5	-6.65055 3	19.3740 7001	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 9	Equus caballus	Grazers	- 25.39 25.39	- 30.3 30.3	-6.65055 9	19.2276 3977	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 8	Coelodonta antiquitatis	Both	- 25.38 25.38	- 30.3 30.3	-6.65055 8	19.2171 8208	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 2	Coelodonta antiquitatis	Both	- 25.12 25.12	- 30.1 30.1	-6.65055 2	18.9453 5738	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-10.6	Bos/Bison	Grazers	-25.1 -	- 30.1	-6.65055 5379	18.9244 5379	309.4

Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	-10.6	Bos/Bison	Grazers	-25.1	- 30.1	-6.65055 5379	18.9244 5379	309.4
Pushkin a et al., 2014	0.047	Germany	Europ e	51.192 726	7.07445 5	tooth enamel	- 9 10.9	Coelodonta antiquitatis	Both	- 24.99	- 29.9 9	-6.65055 9939	18.8094 9939	309.4
Scherle r et al., 2014	0.002	Switzerlan d	Europ e	47.441 527	7.09631 2	tooth enamel	-14.5	Bison priscus	Grazers	-29	-34	-6.641	23.0267 7652	271.2
Scherle r et al., 2014	0.002	Switzerlan d	Europ e	47.441 527	7.09631 2	tooth enamel	-13.1	Equus germanicus	Grazers	-27.1	- 32.1	-6.641	21.0288 8272	271.2
Scherle r et al., 2014	0.002	Switzerlan d	Europ e	47.441 527	7.09631 2	tooth enamel	-12.4	Bison priscus	Grazers	-26.9	- 31.9	-6.641	20.8190 3196	271.2
Scherle r et al., 2014	0.002	Switzerlan d	Europ e	47.441 527	7.09631 2	tooth enamel	-12.6	Equus germanicus	Grazers	-26.6	- 31.6	-6.641	20.5044 1751	271.2
Scherle r et al., 2014	0.002	Switzerlan d	Europ e	47.441 527	7.09631 2	tooth enamel	-12.6	Mammuthus primigenius	Grazers	-26.6	- 31.6	-6.641	20.5044 1751	271.2
Scherle r et al., 2014	0.002	Switzerlan d	Europ e	47.441 527	7.09631 2	tooth enamel	-12.5	Mammuthus primigenius	Grazers	-26.5	- 31.5	-6.641	20.3995 8911	271.2
Scherle r et al., 2014	0.002	Switzerlan d	Europ e	47.441 527	7.09631 2	tooth enamel	-12.5	Mammuthus primigenius	Grazers	-26.5	- 31.5	-6.641	20.3995 8911	271.2
Scherle r et al., 2014	0.002	Switzerlan d	Europ e	47.441 527	7.09631 2	tooth enamel	-12.4	Equus germanicus	Grazers	-26.4	- 31.4	-6.641	20.2947 8225	271.2
Scherle r et al., 2014	0.002	Switzerlan d	Europ e	47.441 527	7.09631 2	tooth enamel	-12.4	Equus germanicus	Grazers	-26.4	- 31.4	-6.641	20.2947 8225	271.2
Scherle r et al., 2014	0.002	Switzerlan d	Europ e	47.441 527	7.09631 2	tooth enamel	-12.2	Mammuthus primigenius	Grazers	-26.2	- 31.2	-6.641	20.0852 3311	271.2
Scherle r et al., 2014	0.002	Switzerlan d	Europ e	47.441 527	7.09631 2	tooth enamel	-12	Mammuthus primigenius	Grazers	-26	-31	-6.641	19.8757 7002	271.2
Scherle	0.002	Switzerlan	Europ	47.441	7.09631	tooth	-12	Mammuthus	Grazers	-26	-31	-6.641	19.8757	271.2

r et al., 2014	d	e	527	2	enamel		primigenius					7002		
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-12	Mammuthus primigenius	Grazers	-26	-31	-6.641	19.8757 7002	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-11.9	Equus germanicus	Grazers	-25.9	- 30.9	-6.641	19.7710 7073	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-11.9	Equus germanicus	Grazers	-25.9	- 30.9	-6.641	19.7710 7073	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-11.8	Equus germanicus	Grazers	-25.8	- 30.8	-6.641	19.6663 9294	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-11.7	Equus germanicus	Grazers	-25.7	- 30.7	-6.641	19.5617 3663	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-11.7	Equus germanicus	Grazers	-25.7	- 30.7	-6.641	19.5617 3663	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-11.7	Equus germanicus	Grazers	-25.7	- 30.7	-6.641	19.5617 3663	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-11.7	Mammuthus primigenius	Grazers	-25.7	- 30.7	-6.641	19.5617 3663	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-11.7	Mammuthus primigenius	Grazers	-25.7	- 30.7	-6.641	19.5617 3663	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-11.6	Coelodonta antiquitatis	Both	-25.6	- 30.6	-6.641	19.4571 0181	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-11.6	Coelodonta antiquitatis	Both	-25.6	- 30.6	-6.641	19.4571 0181	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-11.6	Coelodonta antiquitatis	Both	-25.6	- 30.6	-6.641	19.4571 0181	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-11.6	Equus germanicus	Grazers	-25.6	- 30.6	-6.641	19.4571 0181	271.2

2014														
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-11.6	<i>Equus germanicus</i>	Grazers	-25.6	- 30.6	-6.641	19.4571 0181	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-11.6	<i>Equus germanicus</i>	Grazers	-25.6	- 30.6	-6.641	19.4571 0181	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-11.6	<i>Mammuthus primigenius</i>	Grazers	-25.6	- 30.6	-6.641	19.4571 0181	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-11	<i>Bison priscus</i>	Grazers	-25.5	- 30.5	-6.641	19.3524 8846	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-11.4	<i>Equus germanicus</i>	Grazers	-25.4	- 30.4	-6.641	19.2478 9657	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-10.8	<i>Bison priscus</i>	Grazers	-25.3	- 30.3	-6.641	19.1433 2615	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-10.8	<i>Bison priscus</i>	Grazers	-25.3	- 30.3	-6.641	19.1433 2615	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-11.3	<i>Coelodonta antiquitatis</i>	Both	-25.3	- 30.3	-6.641	19.1433 2615	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-11.3	<i>Coelodonta antiquitatis</i>	Both	-25.3	- 30.3	-6.641	19.1433 2615	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-11.3	<i>Coelodonta antiquitatis</i>	Both	-25.3	- 30.3	-6.641	19.1433 2615	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-11.3	<i>Coelodonta antiquitatis</i>	Both	-25.3	- 30.3	-6.641	19.1433 2615	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-11.3	<i>Coelodonta antiquitatis</i>	Both	-25.3	- 30.3	-6.641	19.1433 2615	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-11.1	<i>Coelodonta antiquitatis</i>	Both	-25.1	- 30.1	-6.641	18.9342 4967	271.2

Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-10.5	Bison priscus	Grazers	-25	-30	-6.641	18.8297 4359	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-11	Coelodonta antiquitatis	Both	-25	-30	-6.641	18.8297 4359	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-11	Equus germanicus	Grazers	-25	-30	-6.641	18.8297 4359	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-10.4	Bison priscus	Grazers	-24.9	-29.9	-6.641	18.7252 5895	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-10.8	Coelodonta antiquitatis	Both	-24.8	-29.8	-6.641	18.6207 9573	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-10.7	Equus germanicus	Grazers	-24.7	-29.7	-6.641	18.5163 5394	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-10.1	Bison priscus	Grazers	-24.6	-29.6	-6.641	18.4119 3357	271.2
Scherler et al., 2014	0.002	Switzerland	Europe	47.441 527	7.09631 2	tooth enamel	-9.2	Equus germanicus	Grazers	-23.2	-28.2	-6.641	16.9522 932	271.2
Britton et al., 2012	0.12	Germany	Europe	51.192 8	11.5356	Collagen	-22.3	Bos/Bison	Grazers	-27.3	-32.3	-6.5	21.3837 7712	335
Britton et al., 2012	0.12	Germany	Europe	51.192 8	11.5356	Collagen	-22.1	Cervid	Browsers	-27.1	-32.1	-6.5	21.1738 1026	335
Britton et al., 2012	0.12	Germany	Europe	51.192 8	11.5356	Collagen	-22.1	Equus	Grazers	-27.1	-32.1	-6.5	21.1738 1026	335
Britton et al., 2012	0.12	Germany	Europe	51.192 8	11.5356	Collagen	-21.9	Equus	Grazers	-26.9	-31.9	-6.5	20.9639 2971	335
Britton et al., 2012	0.12	Germany	Europe	51.192 8	11.5356	Collagen	-21.7	Equus	Grazers	-26.7	-31.7	-6.5	20.7541 3542	335
Britton	0.12	Germany	Europe	51.192	11.5356	Collag	-21.7	Equus	Grazers	-26.7	-	-6.5	20.7541	335

et al., 2012		e	8		en						31.7		3542
Britton et al., 2012	0.12	Germany	Europ e	51.192 8	11.5356	Collag en	-21.6	Bos/Bison	Grazers	-26.6	- 31.6	-6.5	20.6492 706
Britton et al., 2012	0.12	Germany	Europ e	51.192 8	11.5356	Collag en	-21.6	Equus	Grazers	-26.6	- 31.6	-6.5	20.6492 706
Britton et al., 2012	0.12	Germany	Europ e	51.192 8	11.5356	Collag en	-21.4	Bos/Bison	Grazers	-26.4	- 31.4	-6.5	20.4396 0559
Britton et al., 2012	0.12	Germany	Europ e	51.192 8	11.5356	Collag en	-21.3	Equus	Grazers	-26.3	- 31.3	-6.5	20.3348 0538
Britton et al., 2012	0.12	Germany	Europ e	51.192 8	11.5356	Collag en	-21.1	Bos/Bison	Grazers	-26.1	- 31.1	-6.5	20.1252 6953
Britton et al., 2012	0.12	Germany	Europ e	51.192 8	11.5356	Collag en	-21	Bos/Bison	Grazers	-26	-31	-6.5	20.0205 3388
Britton et al., 2012	0.12	Germany	Europ e	51.192 8	11.5356	Collag en	-21	Bos/Bison	Grazers	-26	-31	-6.5	20.0205 3388
Britton et al., 2012	0.12	Germany	Europ e	51.192 8	11.5356	Collag en	-20.9	Bos primigenius	Grazers	-25.9	- 30.9	-6.5	19.9158 1973
Britton et al., 2012	0.12	Germany	Europ e	51.192 8	11.5356	Collag en	-20.9	Bos/Bison	Grazers	-25.9	- 30.9	-6.5	19.9158 1973
Britton et al., 2012	0.12	Germany	Europ e	51.192 8	11.5356	Collag en	-20.9	Bos/Bison	Grazers	-25.9	- 30.9	-6.5	19.9158 1973
Britton et al., 2012	0.12	Germany	Europ e	51.192 8	11.5356	Collag en	-20.8	Bos/Bison	Grazers	-25.8	- 30.8	-6.5	19.8111 2708
Britton et al., 2012	0.12	Germany	Europ e	51.192 8	11.5356	Collag en	-20.8	Bos/Bison	Grazers	-25.8	- 30.8	-6.5	19.8111 2708
Britton et al., 2012	0.12	Germany	Europ e	51.192 8	11.5356	Collag en	-20.7	Bos/Bison	Grazers	-25.7	- 30.7	-6.5	19.7064 5592

2012														
Britton et al., 2012	0.12	Germany	Europe	51.1928	11.5356	Collagen	-20.7	Bos/Bison	Grazers	-25.7	-30.7	-6.5	19.70645592	335
Britton et al., 2012	0.12	Germany	Europe	51.1928	11.5356	Collagen	-20.5	Bos/Bison	Grazers	-25.5	-30.5	-6.5	19.49717804	335
Britton et al., 2012	0.12	Germany	Europe	51.1928	11.5356	Collagen	-20.5	Equus	Grazers	-25.5	-30.5	-6.5	19.49717804	335
Britton et al., 2012	0.12	Germany	Europe	51.1928	11.5356	Collagen	-20.4	Bos sp.	Grazers	-25.4	-30.4	-6.5	19.39257131	335
Ecker et al., 2013	0.175	Payre	France	44.7596	4.5624	tooth enamel	-16.5	<i>Ursus spelaeus</i>	Grazers	-30.5	-35.5	-6.4	24.85817432	323.1667
Ecker et al., 2013	0.175	Payre	France	44.7596	4.5624	tooth enamel	-16.1	<i>Ursus spelaeus</i>	Grazers	-30.1	-35.1	-6.4	24.43550882	323.1667
Ecker et al., 2013	0.175	Payre	France	44.7596	4.5624	tooth enamel	-15.7	<i>Ursus spelaeus</i>	Grazers	-29.7	-34.7	-6.4	24.0131918	323.1667
Ecker et al., 2013	0.175	Payre	France	44.7596	4.5624	tooth enamel	-14.6	<i>Homo neanderthalensis</i>	N.A.	-29.1	-34.1	-6.4	23.38036873	323.1667
Ecker et al., 2013	0.175	Payre	France	44.7596	4.5624	tooth enamel	-14.5	<i>Ursus arctos</i>	Grazers	-28.5	-33.5	-6.4	22.74832733	323.1667
Ecker et al., 2013	0.175	Payre	France	44.7596	4.5624	tooth enamel	-14	<i>Stephanorhinus</i>	Both	-28	-33	-6.4	22.22222222	323.1667
Ecker et al., 2013	0.175	Payre	France	44.7596	4.5624	tooth enamel	-13.4	<i>Canis lupus</i>	Both	-27.9	-32.9	-6.4	22.11706615	323.1667
Ecker et al., 2013	0.175	Payre	France	44.7596	4.5624	tooth enamel	-13.4	<i>Stephanorhinus</i>	Both	-27.4	-32.4	-6.4	21.59161012	323.1667
Ecker et al., 2013	0.175	Payre	France	44.7596	4.5624	tooth enamel	-13.1	<i>Equus sp.</i>	Grazers	-27.1	-32.1	-6.4	21.27659574	323.1667

Ecker et al., 2013	0.175	Payre	France	44.759	4.5624	tooth enamel	-13	Stephanorhinus	Both	-27	-32	-6.4	21.1716	323.1
Ecker et al., 2013	0.175	Payre	France	44.759	4.5624	tooth enamel	-12.1	Bos p./Bison p.	Grazers	-26.6	-31.6	-6.4	20.7520	323.1
Ecker et al., 2013	0.175	Payre	France	44.759	4.5624	tooth enamel	-12.5	Equus sp.	Grazers	-26.5	-31.5	-6.4	20.6471	323.1
Ecker et al., 2013	0.175	Payre	France	44.759	4.5624	tooth enamel	-12.4	Equus sp.	Grazers	-26.4	-31.4	-6.4	20.5423	323.1
Ecker et al., 2013	0.175	Payre	France	44.759	4.5624	tooth enamel	-11.8	Bos p./Bison p.	Grazers	-26.3	-31.3	-6.4	20.4375	323.1
Ecker et al., 2013	0.175	Payre	France	44.759	4.5624	tooth enamel	-11.7	Bos p./Bison p.	Grazers	-26.2	-31.2	-6.4	20.3327	323.1
Ecker et al., 2013	0.175	Payre	France	44.759	4.5624	tooth enamel	-11.7	Hemitragus bonali	Browsers	-26.2	-31.2	-6.4	20.3327	323.1
Ecker et al., 2013	0.175	Payre	France	44.759	4.5624	tooth enamel	-11.6	Hemitragus bonali	Browsers	-26.1	-31.1	-6.4	20.2279	323.1
Ecker et al., 2013	0.175	Payre	France	44.759	4.5624	tooth enamel	-11.3	Cervus elaphus	Browsers	-25.8	-30.8	-6.4	19.9137	323.1
Ecker et al., 2013	0.175	Payre	France	44.759	4.5624	tooth enamel	-11	Cervus elaphus	Browsers	-25.5	-30.5	-6.4	19.5997	323.1
Ecker et al., 2013	0.175	Payre	France	44.759	4.5624	tooth enamel	-11	Cervus elaphus	Browsers	-25.5	-30.5	-6.4	19.5997	323.1
Ecker et al., 2013	0.175	Payre	France	44.759	4.5624	tooth enamel	-11	Hemitragus bonali	Browsers	-25.5	-30.5	-6.4	19.5997	323.1
Kuitem s et al., 2015	0.29	Schoningen	Germany	52.139	10.9662	Collagen	-23.6	Stephanorhinus sp.	Both	-28.6	-33.6	-6.4	22.8536	261.1
Kuitem	0.29	Schoningen	Germ	52.139	10.9662	Collag	-23.2	Equus	Grazers	-28.2	-	-6.4	22.4325	261.1

s et al., 2015	n	any	5	en	mosbachensi		33.2	993	905					
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139 5	10.9662	Collag en	-23	Cervus elaphus	Browsers	-28	-33	-6.4	22.2222 2222	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139 5	10.9662	Collag en	-22.9	Palaeoloxod on antiquus	Both	-27.9	- 32.9	-6.4	22.1170 6615	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139 5	10.9662	Collag en	-22.9	Stephanorhi nus sp.	Both	-27.9	- 32.9	-6.4	22.1170 6615	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139 5	10.9662	Collag en	-22.7	Equus mosbachensi	Grazers	-27.7	- 32.7	-6.4	21.9068 1888	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139 5	10.9662	Collag en	-22.7	Stephanorhi nus sp.	Both	-27.7	- 32.7	-6.4	21.9068 1888	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139 5	10.9662	Collag en	-22.5	Palaeoloxod on antiquus	Both	-27.5	- 32.5	-6.4	21.6966 581	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139 5	10.9662	Collag en	-22.4	Palaeoloxod on antiquus	Both	-27.4	- 32.4	-6.4	21.5916 1012	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139 5	10.9662	Collag en	-22.4	Stephanorhi nus kirchbergens is	Both	-27.4	- 32.4	-6.4	21.5916 1012	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139 5	10.9662	Collag en	-22.1	Equus mosbachensi	Grazers	-27.1	- 32.1	-6.4	21.2765 9574	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139 5	10.9662	Collag en	-22.1	Stephanorhi nus kirchbergens is	Both	-27.1	- 32.1	-6.4	21.2765 9574	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139 5	10.9662	Collag en	-22	Palaeoloxod on antiquus	Both	-27	-32	-6.4	21.1716 3412	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139 5	10.9662	Collag en	-21.9	Equus mosbachensi	Grazers	-26.9	- 31.9	-6.4	21.0666 9407	261.1 905

Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139	10.9662	Collag en	-21.9	Equus mosbachensi	Grazers	-26.9	- 31.9	-6.4	21.0666 9407	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139	10.9662	Collag en	-21.9	Palaeoloxod on antiquus	Both	-26.9	- 31.9	-6.4	21.0666 9407	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139	10.9662	Collag en	-21.8	Cervus elaphus	Browsers	-26.8	- 31.8	-6.4	20.9617 7559	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139	10.9662	Collag en	-21.8	Equus mosbachensi	Grazers	-26.8	- 31.8	-6.4	20.9617 7559	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139	10.9662	Collag en	-21.6	Equus mosbachensi	Grazers	-26.6	- 31.6	-6.4	20.7520 0329	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139	10.9662	Collag en	-21.5	Equus mosbachensi	Grazers	-26.5	- 31.5	-6.4	20.6471 4946	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139	10.9662	Collag en	-21.5	Megaloceros giganteus	Grazers	-26.5	- 31.5	-6.4	20.6471 4946	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139	10.9662	Collag en	-21.4	Equus mosbachensi	Grazers	-26.4	- 31.4	-6.4	20.5423 1717	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139	10.9662	Collag en	-21.4	Equus mosbachensi	Grazers	-26.4	- 31.4	-6.4	20.5423 1717	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139	10.9662	Collag en	-21.4	Equus mosbachensi	Grazers	-26.4	- 31.4	-6.4	20.5423 1717	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139	10.9662	Collag en	-21.4	Palaeoloxod on antiquus	Both	-26.4	- 31.4	-6.4	20.5423 1717	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139	10.9662	Collag en	-21.2	Bison sp.	Grazers	-26.2	- 31.2	-6.4	20.3327 1719	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139	10.9662	Collag en	-21.2	Cervus elaphus	Browsers	-26.2	- 31.2	-6.4	20.3327 1719	261.1 905
Kuitem	0.29	Schoningen	Germ	52.139	10.9662	Collag	-21.2	Equus	Grazers	-26.2	-	-6.4	20.3327	261.1

s et al., 2015	n	any	5	en	mosbachensi		31.2	1719	905					
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139 5	10.9662	Collag en	-21.1	Bos/Bison	Grazers	-26.1	- 31.1	-6.4	20.2279 4948	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139 5	10.9662	Collag en	-21.1	Equus mosbachensi	Grazers	-26.1	- 31.1	-6.4	20.2279 4948	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139 5	10.9662	Collag en	-20.9	Bos/Bison	Grazers	-25.9	- 30.9	-6.4	20.0184 786	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139 5	10.9662	Collag en	-20.9	Cervus elaphus	Browsers	-25.9	- 30.9	-6.4	20.0184 786	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139 5	10.9662	Collag en	-20.9	Equus mosbachensi	Grazers	-25.9	- 30.9	-6.4	20.0184 786	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139 5	10.9662	Collag en	-20.7	Cervus elaphus	Browsers	-25.7	- 30.7	-6.4	19.8090 9371	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139 5	10.9662	Collag en	-20.6	Bos/Bison	Grazers	-25.6	- 30.6	-6.4	19.7044 335	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139 5	10.9662	Collag en	-20.6	Cervus elaphus	Browsers	-25.6	- 30.6	-6.4	19.7044 335	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139 5	10.9662	Collag en	-20.6	Megaloceros giganteus	Grazers	-25.6	- 30.6	-6.4	19.7044 335	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139 5	10.9662	Collag en	-20.5	Cervus elaphus	Browsers	-25.5	- 30.5	-6.4	19.5997 9477	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139 5	10.9662	Collag en	-20.5	Cervus elaphus	Browsers	-25.5	- 30.5	-6.4	19.5997 9477	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139 5	10.9662	Collag en	-20.5	Megaloceros giganteus	Grazers	-25.5	- 30.5	-6.4	19.5997 9477	261.1 905
Kuitem s et al., 2015	0.29	Schoningen	Germ any	52.139 5	10.9662	Collag en	-20.4	Bison sp.	Grazers	-25.4	- 30.4	-6.4	19.4951 7751	261.1 905

2015														
Kuitens et al., 2015	0.29	Schoningen	Germany	52.1395	10.9662	Collagen	-20.4	Stephanorhinus sp.	Both	-25.4	-30.4	-6.4	19.49517751	261.1905
Kuitens et al., 2015	0.29	Schoningen	Germany	52.1395	10.9662	Collagen	-20.4	Stephanorhinus sp.	Both	-25.4	-30.4	-6.4	19.49517751	261.1905
Kuitens et al., 2015	0.29	Schoningen	Germany	52.1395	10.9662	Collagen	-20.2	Bos/Bison	Grazers	-25.2	-30.2	-6.4	19.2860739	261.1905
Kuitens et al., 2015	0.29	Schoningen	Germany	52.1395	10.9662	Collagen	-20.1	Cervus elaphus	Browsers	-25.1	-30.1	-6.4	19.18145451	261.1905
Kuitens et al., 2015	0.29	Schoningen	Germany	52.1395	10.9662	Collagen	-20	Equus mosbachensis	Grazers	-25	-30	-6.4	19.07692308	261.1905
Kuitens et al., 2015	0.29	Schoningen	Germany	52.1395	10.9662	Collagen	-19.8	Bos/Bison	Grazers	-24.8	-29.8	-6.4	18.86792453	261.1905
Qu et al., 2014	1.4	Chongzuo	China	22.404173	107.352798	tooth enamel	-4	Bibos	Grazers	-	31.64	-36.6	26.06468669	193
Qu et al., 2014	1.4	Chongzuo	China	22.404173	107.352798	tooth enamel	-3	Cervus	Browsers	-	31.13	-36.1	25.52458018	193
Qu et al., 2014	1.4	Chongzuo	China	22.404173	107.352798	tooth enamel	-4	Cervus	Browsers	-	30.84	-35.8	25.21771431	193
Qu et al., 2014	1.4	Chongzuo	China	22.404173	107.352798	tooth enamel	-16.2	Cervus	Browsers	-30.7	-	-6.4	25.06963788	193
Qu et al., 2014	1.4	Chongzuo	China	22.404173	107.352798	tooth enamel	-4	Gigantopithecus blacki	N.A.	-	30.64	-35.6	25.00618965	193
Qu et al., 2014	1.4	Chongzuo	China	22.404173	107.352798	tooth enamel	-9	Bibos	Grazers	-	30.39	-35.3	24.74190654	193
Qu et al., 2014	1.4	Chongzuo	China	22.404173	107.352798	tooth enamel	-5	Gigantopithecus blacki	N.A.	-	30.35	-35.3	24.69963389	193

Qu et al., 2014	1.4	Chongzuo	China	22.404 173	107.352 798	tooth enamel	- 3 15.8 3	Bibos	Grazers	- 30.33 3 35.3 3	-6.4	24.6784 9887	193
Qu et al., 2014	1.4	Chongzuo	China	22.404 173	107.352 798	tooth enamel	- 6 15.5 6	Bibos	Grazers	- 30.06 6 35.0 6	-6.4	24.3932 6144	193
Qu et al., 2014	1.4	Chongzuo	China	22.404 173	107.352 798	tooth enamel	-15.7	Gigantopithecus blacki	N.A.	-29.7 - 34.7	-6.4	24.0131 918	193
Qu et al., 2014	1.4	Chongzuo	China	22.404 173	107.352 798	tooth enamel	- 2 15.6 2	Rhinoceros	Browsers	- 29.62 2 34.6 2	-6.4	23.9287 7017	193
Qu et al., 2014	1.4	Chongzuo	China	22.404 173	107.352 798	tooth enamel	- 7 15.0 7	Bibos	Grazers	- 29.57 7 34.5 7	-6.4	23.8760 1373	193
Qu et al., 2014	1.4	Chongzuo	China	22.404 173	107.352 798	tooth enamel	- 1 15.5 1	Gigantopithecus blacki	N.A.	- 29.51 1 34.5 1	-6.4	23.8127 1317	193
Qu et al., 2014	1.4	Chongzuo	China	22.404 173	107.352 798	tooth enamel	- 7 15.3 7	Gigantopithecus blacki	N.A.	- 29.37 7 34.3 7	-6.4	23.6650 4229	193
Qu et al., 2014	1.4	Chongzuo	China	22.404 173	107.352 798	tooth enamel	- 4 15.3 4	Pongo(Orangutan)	Browsers	- 29.34 4 34.3 4	-6.4	23.6334 0408	193
Qu et al., 2014	1.4	Chongzuo	China	22.404 173	107.352 798	tooth enamel	- 7 15.2 7	Gigantopithecus blacki	N.A.	- 29.27 7 34.2 7	-6.4	23.5595 8918	193
Qu et al., 2014	1.4	Chongzuo	China	22.404 173	107.352 798	tooth enamel	- 5 14.7 5	Cervus	Browsers	- 29.25 5 34.2 5	-6.4	23.5385 0116	193
Qu et al., 2014	1.4	Chongzuo	China	22.404 173	107.352 798	tooth enamel	- 3 15.2 3	Gigantopithecus blacki	N.A.	- 29.23 3 34.2 3	-6.4	23.5174 1401	193
Qu et al., 2014	1.4	Chongzuo	China	22.404 173	107.352 798	tooth enamel	- 1 14.7 1	Cervus	Browsers	- 29.21 1 34.2 1	-6.4	23.4963 2773	193
Qu et al., 2014	1.4	Chongzuo	China	22.404 173	107.352 798	tooth enamel	- 7 15.1 7	Rhinoceros	Browsers	- 29.17 7 34.1 7	-6.4	23.4541 5778	193
Qu et	1.4	Chongzuo	China	22.404	107.352	tooth	-	Gigantopithe	N.A.	-	-6.4	23.3382	193

al., 2014				173	798	enamel	15.0	cus blacki		29.06	34.0		0833
Qu et al., 2014	1.4	Chongzuo	China	22.404 173	107.352 798	tooth enamel	- 14.9	Pongo	Browsers	- 28.96	- 33.9	-6.4	23.2328 2254
Qu et al., 2014	1.4	Chongzuo	China	22.404 173	107.352	tooth enamel	- 14.6	Pongo	Browsers	- 28.66	- 33.6	-6.4	22.9167 9535
Qu et al., 2014	1.4	Chongzuo	China	22.404 173	107.352	tooth enamel	- 14.3	Gigantopithe cus blacki	N.A.	- 28.37	- 33.3	-6.4	22.6114 8791
Qu et al., 2014	1.4	Chongzuo	China	22.404 173	107.352	tooth enamel	- 14.3	Pongo	Browsers	- 28.37	- 33.3	-6.4	22.6114 8791
DeSanti s et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-13.2	Tayassuidae	Browsers	-27.7 - 32.7	- 32.7	-6.3	22.0096 678
DeSanti s et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-13.7	Teleoceras	Browsers	-27.7 - 32.7	- 32.7	-6.3	22.0096 678
DeSanti s et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-13.7	Teleoceras	Browsers	-27.7 - 32.7	- 32.7	-6.3	22.0096 678
DeSanti s et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-13.5	Teleoceras	Browsers	-27.5 - 32.5	- 32.5	-6.3	21.7994 8586
DeSanti s et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-13.5	Teleoceras	Browsers	-27.5 - 32.5	- 32.5	-6.3	21.7994 8586
DeSanti s et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-13.5	Teleoceras	Browsers	-27.5 - 32.5	- 32.5	-6.3	21.7994 8586
DeSanti s et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-13.4	Tapirus polkensis	Browsers	-27.4 - 32.4	- 32.4	-6.3	21.6944 2731
DeSanti s et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-13.4	Tapirus polkensis	Browsers	-27.4 - 32.4	- 32.4	-6.3	21.6944 2731
DeSanti s et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-13.4	Teleoceras	Browsers	-27.4 - 32.4	- 32.4	-6.3	21.6944 2731

2009														
DeSantis et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-13.4	Teleoceras	Browsers	-27.4	- 32.4	-6.3	21.6944 2731	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-13.4	Teleoceras	Browsers	-27.4	- 32.4	-6.3	21.6944 2731	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-13.3	<i>Tapirus polkensis</i>	Browsers	-27.3	- 32.3	-6.3	21.5893 9036	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-12.8	Tayassuidae	Browsers	-27.3	- 32.3	-6.3	21.5893 9036	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-12.8	Tayassuidae	Browsers	-27.3	- 32.3	-6.3	21.5893 9036	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-13.3	Teleoceras	Browsers	-27.3	- 32.3	-6.3	21.5893 9036	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-13.3	Teleoceras	Browsers	-27.3	- 32.3	-6.3	21.5893 9036	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-13.3	Teleoceras	Browsers	-27.3	- 32.3	-6.3	21.5893 9036	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-13.3	Teleoceras	Browsers	-27.3	- 32.3	-6.3	21.5893 9036	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-13.3	Teleoceras	Browsers	-27.3	- 32.3	-6.3	21.5893 9036	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-13.2	Teleoceras	Browsers	-27.2	- 32.2	-6.3	21.4843 75	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-13.2	Teleoceras	Browsers	-27.2	- 32.2	-6.3	21.4843 75	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-13.2	Teleoceras	Browsers	-27.2	- 32.2	-6.3	21.4843 75	250

DeSantis et al., 2009	1.8	Tennessee	USA	36.3321	82.5186	tooth enamel	-13.2	Teleoceras	Browsers	-27.2	-32.2	-6.3	21.484375	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.3321	82.5186	tooth enamel	-13.2	Teleoceras	Browsers	-27.2	-32.2	-6.3	21.484375	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.3321	82.5186	tooth enamel	-13.2	Teleoceras	Browsers	-27.2	-32.2	-6.3	21.484375	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.3321	82.5186	tooth enamel	-13.2	Teleoceras	Browsers	-27.2	-32.2	-6.3	21.484375	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.3321	82.5186	tooth enamel	-13.2	Teleoceras	Browsers	-27.2	-32.2	-6.3	21.484375	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.3321	82.5186	tooth enamel	-12.6	Tayassuidae	Browsers	-27.1	-32.1	-6.3	21.37938123	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.3321	82.5186	tooth enamel	-13.1	Teleoceras	Browsers	-27.1	-32.1	-6.3	21.37938123	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.3321	82.5186	tooth enamel	-13.1	Teleoceras	Browsers	-27.1	-32.1	-6.3	21.37938123	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.3321	82.5186	tooth enamel	-13.1	Teleoceras	Browsers	-27.1	-32.1	-6.3	21.37938123	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.3321	82.5186	tooth enamel	-13	Teleoceras	Browsers	-27	-32	-6.3	21.27440904	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.3321	82.5186	tooth enamel	-12.9	Tapirus polkensis	Browsers	-26.9	-31.9	-6.3	21.16945843	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.3321	82.5186	tooth enamel	-12.9	Tapirus polkensis	Browsers	-26.9	-31.9	-6.3	21.16945843	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.3321	82.5186	tooth enamel	-12.8	Teleoceras	Browsers	-26.8	-31.8	-6.3	21.06452939	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.3321	82.5186	tooth enamel	-12.7	Tapirus polkensis	Browsers	-26.7	-31.7	-6.3	20.9596219	250
DeSanti	1.8	Tennessee	USA	36.332	82.5186	tooth	-12.7	Teleoceras	Browsers	-26.7	-	-6.3	20.9596	250

s et al., 2009				1	enamel						31.7	219	
DeSantis et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-12.6	<i>Tapirus polkensis</i>	Browsers	-26.6 -31.6	-6.3	20.8547 3598	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-12.3	<i>Tapirus polkensis</i>	Browsers	-26.3 -31.3	-6.3	20.5402 0746	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-11.9	<i>Tapirus polkensis</i>	Browsers	-25.9 -30.9	-6.3	20.1211 3746	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-11.8	<i>Tapirus polkensis</i>	Browsers	-25.8 -30.8	-6.3	20.0164 2373	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-11.7	<i>Tapirus polkensis</i>	Browsers	-25.7 -30.7	-6.3	19.9117 315	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-11	<i>Tapirus polkensis</i>	Browsers	-25 -30	-6.3	19.1794 8718	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-10.9	<i>Tapirus polkensis</i>	Browsers	-24.9 -29.9	-6.3	19.0749 6667	250
DeSantis et al., 2009	1.8	Tennessee	USA	36.332 1	82.5186	tooth enamel	-10.6	<i>Tapirus polkensis</i>	Browsers	-24.6 -29.6	-6.3	18.7615 3373	250
Domingo et al., 2015	0.011 55	Spain	Europe	43.361 9	5.8494	tooth enamel	-14.8	<i>Vulpes vulpes</i>	Grazers	-29.3 -34.3	-6.515	23.4727 5162	296.0 3
Domingo et al., 2015	0.013 85	Spain	Europe	43.361 9	5.8494	tooth enamel	-14	<i>Vulpes vulpes</i>	Grazers	-28.5 -33.5	-6.515	22.6299 5368	302.0 1
Domingo et al., 2015	0.016 75	Spain	Europe	43.361 9	5.8494	tooth enamel	-13.6	<i>Vulpes vulpes</i>	Grazers	-28.1 -33.1	-6.515	22.2090 7501	309.5 5
Domingo et al., 2015	0.013 85	Spain	Europe	43.361 9	5.8494	tooth enamel	-13.4	<i>Canis lupus</i>	Both	-27.9 -32.9	-6.515	21.9987 6556	302.0 1
Domingo et al.,	0.019	Spain	Europe	43.361 9	5.8494	tooth enamel	-13.4	<i>Capreolus capreolus</i>	Browsers	-27.9 -32.9	-6.515	21.9987 6556	315.4

2015														
Domingo et al., 2015	0.013	Spain	Europe	43.361	5.8494	tooth enamel	-13.9	<i>Ursus arctos</i>	Grazers	-27.9	-32.9	-6.515	21.9987	302.0
	85		9										6556	1
Domingo et al., 2015	0.019	Spain	Europe	43.361	5.8494	tooth enamel	-13.4	<i>Vulpes vulpes</i>	Grazers	-27.9	-32.9	-6.515	21.9987	315.4
			9										6556	
Domingo et al., 2015	0.016	Spain	Europe	43.361	5.8494	tooth enamel	-12.8	<i>Canis lupus</i>	Both	-27.3	-32.3	-6.515	21.3683	309.5
	75		9										5612	5
Domingo et al., 2015	0.019	Spain	Europe	43.361	5.8494	tooth enamel	-12.8	<i>Canis lupus</i>	Both	-27.3	-32.3	-6.515	21.3683	315.4
			9										5612	
Domingo et al., 2015	0.019	Spain	Europe	43.361	5.8494	tooth enamel	-11.1	<i>Cervus elaphus</i>	Browsers	-25.6	-30.6	-6.515	19.5864	315.4
			9										1215	
Domingo et al., 2015	0.019	Spain	Europe	43.361	5.8494	tooth enamel	-11.6	<i>Equus ferus</i>	Grazers	-25.6	-30.6	-6.515	19.5864	315.4
			9										1215	
Domingo et al., 2015	0.016	Spain	Europe	43.361	5.8494	tooth enamel	-10.7	<i>Cervus elaphus</i>	Browsers	-25.2	-30.2	-6.515	19.1680	309.5
	75		9										3447	5
Domingo et al., 2015	0.016	Spain	Europe	43.361	5.8494	tooth enamel	-10.6	<i>Capra sp.</i>	Grazers	-25.1	-30.1	-6.515	19.0634	309.5
	75		9										9369	5
Domingo et al., 2015	0.016	Spain	Europe	43.361	5.8494	tooth enamel	-11.1	<i>Equus ferus</i>	Grazers	-25.1	-30.1	-6.515	19.0634	309.5
	75		9										9369	5
Domingo et al., 2015	0.013	Spain	Europe	43.361	5.8494	tooth enamel	-10.5	<i>Bos/Bison</i>	Grazers	-25	-30	-6.515	18.9589	302.0
	85		9										7436	1
Domingo et al., 2015	0.013	Spain	Europe	43.361	5.8494	tooth enamel	-10.4	<i>Capra sp.</i>	Grazers	-24.9	-29.9	-6.515	18.8544	302.0
	85		9										7646	1
Domingo et al., 2015	0.019	Spain	Europe	43.361	5.8494	tooth enamel	-10.3	<i>Bos/Bison</i>	Grazers	-24.8	-29.8	-6.515	18.75	315.4
			9											
Domingo et al., 2015	0.019	Spain	Europe	43.361	5.8494	tooth enamel	-10.3	<i>Capra sp.</i>	Grazers	-24.8	-29.8	-6.515	18.75	315.4
			9											

Domingo et al., 2015	0.013	Spain	Europe	43.361	5.8494	tooth enamel	-10.3	Cervus elaphus	Browsers	-24.8	-29.8	-6.515	18.75	302.0
Domingo et al., 2015	0.016	Spain	Europe	43.361	5.8494	tooth enamel	-10.2	Rupicapra rupicapra	Browsers	-24.7	-29.7	-6.515	18.6455	309.5
Domingo et al., 2015	0.013	Spain	Europe	43.361	5.8494	tooth enamel	-10.5	Equus ferus	Grazers	-24.5	-29.5	-6.515	18.4366	302.0
Domingo et al., 2015	0.011	Spain	Europe	43.361	5.8494	tooth enamel	-9.7	Rupicapra rupicapra	Browsers	-24.2	-29.2	-6.515	18.1235	296.0
Domingo et al., 2015	0.016	Spain	Europe	43.361	5.8494	tooth enamel	-9.1	Bos/Bison	Grazers	-23.6	-28.6	-6.515	17.4979	309.5
Gil et al., 2016	0.000	Chile	South America	-35.18	-70.05	Collagen	-20.1	Lama guanicoe	Browsers	-25.14	30.1	-6.515	19.1053	267.8
Gil et al., 2016	0.001	Chile	South America	-36.93	-69.82	Collagen	-19.9	Lama guanicoe	Browsers	-24.94	29.9	-6.515	18.8962	269.9
Gil et al., 2016	0.001	Chile	South America	-36.93	-69.82	Collagen	-19.9	Lama guanicoe	Browsers	-24.94	29.9	-6.515	18.8962	270.1
Gil et al., 2016	0.001	Chile	South America	-36.08	-69.72	Collagen	-19.8	Lama guanicoe	Browsers	-24.89	29.8	-6.515	18.8440	268.6
Gil et al., 2016	0.000	Chile	South America	-36.1	-69.69	Collagen	-19.8	Lama guanicoe	Browsers	-24.85	29.8	-6.515	18.8022	267.8
Gil et al., 2016	0.001	Chile	South America	-36.93	-69.82	Collagen	-19.8	Lama guanicoe	Browsers	-24.8	-29.8	-6.515	18.75	269.9
Gil et al., 2016	0.001	Chile	South America	-36.08	-69.72	Collagen	-19.7	Lama guanicoe	Browsers	-24.75	29.7	-6.515	18.6977	269.9
Gil et al., 2016	0.001	Chile	South America	-36.08	-69.72	Collagen	-19.7	Lama guanicoe	Browsers	-24.75	29.7	-6.515	18.6977	269.9
Gil et al., 2016	0.000	Chile	South	-36.08	-69.72	Collag	-	Lama	Browsers	-	-	-6.515	18.6351	266.5

al.,	2		Ameri		en	19.6	guanicoe		24.69	29.6		0063	2
2016			ca		9				9				
Gil et	0.009	Chile	South Ameri	-36.93	-69.82	Collag en	-	Lama guanicoe	Browsers	-	-	-6.515	18.4262
al.,	3		ca		9	19.4			24.49	29.4	9	5908	290.1
2016					9						9		
Gil et	0.000	Chile	South Ameri	-35.15	-69.64	Collag en	-	Lama guanicoe	Browsers	-	-	-6.515	18.3845
al.,	5		ca		5	19.4			24.45	29.4	5	0105	267.3
2016					5						5		
Gil et	0.005	Chile	South Ameri	-35.18	-70.05	Collag en	-	Lama guanicoe	Browsers	-	-	-6.515	18.3845
al.,			ca		5	19.4			24.45	29.4	5	0105	279
2016					5						5		
Gil et	0.002	Chile	South Ameri	-31.68	-69.72	Collag en	-	Lama sp.	Browsers	-	-	-6.515	18.2905
al.,	25		ca		6	19.3			24.36	29.3	6	5799	271.8
2016					6						6		
Gil et	0.001	Chile	South Ameri	-36.52	-68.53	Collag en	-19.3	Lama guanicoe	Browsers	-24.3	-	-6.515	18.2279
al.,			ca							29.3		3892	268.6
2016													
Gil et	0.000	Chile	South Ameri	-34.6	-70.09	Collag en	-	Lama guanicoe	Browsers	-	-	-6.515	18.2070
al.,	2		ca		8	19.2			24.28	29.2	8	676	266.5
2016					8						8		
Gil et	0.001	Chile	South Ameri	-32.62	-69.15	Collag en	-	Lama sp.	Browsers	-	-	-6.515	18.1757
al.,	4		ca		5	19.2			24.25	29.2	5	6223	269.6
2016					5						5		
Gil et	0.001	Chile	South Ameri	-35.18	-70.05	Collag en	-	Lama guanicoe	Browsers	-	-	-6.515	18.1027
al.,	3		ca		8	19.1			24.18	29.1	8	2386	269.3
2016					8						8		
Gil et	0.000	Chile	South Ameri	-34.6	-70.09	Collag en	-	Lama guanicoe	Browsers	-	-	-6.515	18.0922
al.,	2		ca		7	19.1			24.17	29.1	7	9067	266.5
2016					7						7		
Gil et	0.001	Chile	South Ameri	-32.62	-69.15	Collag en	-	Lama sp.	Browsers	-	-	-6.515	18.0714
al.,	3		ca		5	19.1			24.15	29.1	5	2491	269.3
2016					5						5		
Gil et	0.000	Chile	South Ameri	-36.08	-69.72	Collag en	-	Lama guanicoe	Browsers	-	-	-6.515	18.0714
al.,	2		ca		5	19.1			24.15	29.1	5	2491	266.5
2016					5						5		
Gil et	0.002	Chile	South Ameri	-34.83	-69.9	Collag en	-	Lama guanicoe	Browsers	-	-	-6.515	18.0088
al.,			ca		9	19.0			24.09	29.0	9	3278	271.2
2016					9						9		
Gil et	0.000	Chile	South Ameri	-32.62	-69.15	Collag en	-	Lama sp.	Browsers	-	-	-6.515	17.8211
al.,	4		ca		8.9	18.9			23.91	28.9	8.9	0256	267.0
2016					8.9						8.9		

2016			ca													
Gil et al.,	0.001	Chile	South Ameri ca	-32.62	-69.15	Collag en	1 -18.9	Lama guanicoe	Browsers	-23.9	1 -	-6.515	17.8106	269.3		
2016	3										28.9		7514	8		
Gil et al.,	0.002	Chile	South Ameri ca	-34.83	-69.9	Collag en	-18.9	Lama guanicoe	Browsers	-23.9	-	-6.515	17.8106	271.2		
2016											28.9		7514			
Gil et al.,	0.000	Chile	South Ameri ca	-32.62	-69.15	Collag en	- 18.8	Lama sp.	Browsers	-	-	-6.515	17.7793	267.0		
2016	4						7			23.87	28.8		9414	4		
Gil et al.,	0.001	Chile	South Ameri ca	-32.97	-69.17	Collag en	- 18.8	Lama sp.	Browsers	-	-	-6.515	17.7585	269.9		
2016	5						5			23.85	28.8		4121			
Gil et al.,	0.001	Chile	South Ameri ca	-32.62	-69.15	Collag en	- 18.7	Lama sp.	Browsers	-	-	-6.515	17.6334	269.3		
2016	3						3			23.73	28.7		4157	8		
Gil et al.,	0.000	Chile	South Ameri ca	-35.15	-69.64	Collag en	-18.7	Lama guanicoe	Browsers	-23.7	-	-6.515	17.6021	267.3		
2016											28.7		7146			
Gil et al.,	0.001	Chile	South Ameri ca	-36.08	-69.72	Collag en	-18.7	Lama guanicoe	Browsers	-23.7	-	-6.515	17.6021	268.6		
2016											28.7		7146			
Gil et al.,	0.000	Chile	South Ameri ca	-32.88	-68.88	Collag en	- 18.6	Lama sp.	Browsers	-	-	-6.515	17.5292	266.5		
2016	2						3			23.63	28.6		1536	2		
Gil et al.,	0.001	Chile	South Ameri ca	-36.1	-69.69	Collag en	- 18.6	Lama guanicoe	Browsers	-	-	-6.515	17.5187	269.6		
2016	4						2			23.62	28.6		9391	4		
Gil et al.,	0.000	Chile	South Ameri ca	-35.37	-68.3	Collag en	-18.5	Lama sp.	Browsers	-23.5	-	-6.515	17.3937	266.7		
2016											28.5		532	8		
Gil et al.,	0.004	Chile	South Ameri ca	-29.33	-70	Collag en	- 18.4	Lama sp.	Browsers	-	-	-6.515	17.3729	278.7		
2016	9						8			23.48	28.4		1607	4		
Gil et al.,	0.001	Chile	South Ameri ca	-32.97	-69.17	Collag en	- 18.4	Lama sp.	Browsers	-	-	-6.515	17.3729	269.9		
2016	5						8			23.48	28.4		1607			
Gil et al.,	0.000	Chile	South Ameri ca	-32.88	-68.88	Collag en	- 18.4	Lama sp.	Browsers	-	-	-6.515	17.3312	266.5		
2016	2						4			23.44	28.4		4437	2		

Gil et al., 2016	0.001	Chile	South Ameri ca	-32.97	-69.17	Collag en	- 18.3 5	Lama sp.	Browsers	- 23.35 5	- 28.3 5	-6.515	17.2374 9552	269.9
Gil et al., 2016	0.001	Chile	South Ameri ca	-32.62	-69.15	Collag en	- 18.3 1	Lama sp.	Browsers	- 23.31 1	- 28.3 1	-6.515	17.1958 3491	269.38
Gil et al., 2016	0.000	Chile	South Ameri ca	-32.62	-69.15	Collag en	-18.3	Lama guanicoe	Browsers	-23.3	- 28.3	-6.515	17.1854 2029	267.04
Gil et al., 2016	0.001	Chile	South Ameri ca	-32.62	-69.15	Collag en	- 18.1 9	Lama sp.	Browsers	- 23.19 9	- 28.1 9	-6.515	17.0708 7356	269.12
Gil et al., 2016	0.009	Chile	South Ameri ca	-36.93	-69.82	Collag en	- 18.1 7	Lama guanicoe	Browsers	- 23.17 7	- 28.1 7	-6.515	17.0500 4965	290.18
Gil et al., 2016	0.001	Chile	South Ameri ca	-30.03	-69.17	Collag en	- 17.9 9	Lama sp.	Browsers	- 22.99 9	- 27.9 9	-6.515	16.8626 7285	270.42
Gil et al., 2016	0.001	Chile	South Ameri ca	-36.93	-69.82	Collag en	- 17.9 8	Lama guanicoe	Browsers	- 22.98 8	- 27.9 8	-6.515	16.8522 6505	269.9
Gil et al., 2016	0.001	Chile	South Ameri ca	-32.97	-69.17	Collag en	- 17.9 6	Lama sp.	Browsers	- 22.96 6	- 27.9 6	-6.515	16.8314 5009	269.9
Gil et al., 2016	0.002	Chile	South Ameri ca	-31.72	-69.12	Collag en	- 17.8 9	Lama sp.	Browsers	- 22.89 9	- 27.8 9	-6.515	16.7586 0446	271.85
Gil et al., 2016	0.002	Chile	South Ameri ca	-29.33	-70	Collag en	- 17.7 1	Lama sp.	Browsers	- 22.71 1	- 27.7 1	-6.515	16.5713 3502	271.98
Gil et al., 2016	0.001	Chile	South Ameri ca	-32.62	-69.15	Collag en	-17.7	Lama sp.	Browsers	-22.7	- 27.7	-6.515	16.5609 3318	269.51
Gil et al., 2016	0.001	Chile	South Ameri ca	-29.33	-70	Collag en	- 17.5 5	Lama sp.	Browsers	- 22.55 5	- 27.5 5	-6.6347	16.2824 6969	270.94
Gil et al., 2016	0.004	Chile	South Ameri ca	-29.33	-70	Collag en	- 17.5 5	Lama sp.	Browsers	- 22.55 5	- 27.5 5	-6.515	16.4049 312	277.7
Gil et	0.009	Chile	South	-32.62	-69.15	Collag	-	Lama sp.	Browsers	-	-	-6.515	16.3321	290.7

al.,	5		Ameri		en	17.4			22.48	27.4		4666	
2016			ca		8				8				
Gil et	0.001	Chile	South Ameri	-32.97	-69.17	Collag en	-	Lama sp.	Browsers	-	-	-6.515	16.3217
al.,	5		ca			17.4			22.47	27.4		4972	269.9
2016						7				7			
Gil et	0.000	Chile	South Ameri	-35.37	-68.3	Collag en	-	Lama guanicoe	Browsers	-	-	-6.515	16.3217
al.,	3		ca			17.4			22.47	27.4		4972	266.7
2016						7				7			
Gil et	0.001	Chile	South Ameri	-30.03	-69.17	Collag en	-	Lama sp.	Browsers	-	-	-6.515	16.2801
al.,	7		ca			17.4			22.43	27.4		6408	270.4
2016						3				3			
Gil et	0.001	Chile	South Ameri	-30.03	-69.17	Collag en	-	Lama sp.	Browsers	-	-	-6.515	16.2385
al.,	7		ca			17.3			22.39	27.3		8185	270.4
2016						9				9			
Gil et	0.001	Chile	South Ameri	-29.33	-70	Collag en	-	Vicugna vicugna	Browsers	-	-	-6.6347	16.0433
al.,	9		ca			17.3			22.32	27.3		8843	270.9
2016						2				2			
Gil et	0.003	Chile	South Ameri	-29.33	-70	Collag en	-	Vicugna vicugna	Browsers	-	-	-6.515	15.9787
al.,	7		ca			17.1			22.14	27.1		6997	275.6
2016						4				4			
Gil et	0.009	Chile	South Ameri	-32.62	-69.15	Collag en	-17	Lama sp.	Browsers	-22	-27	-6.515	15.8333
al.,	5		ca										290.7
2016													
Gil et	0.009	Chile	South Ameri	-32.62	-69.15	Collag en	-	Lama sp.	Browsers	-	-	-6.515	15.4284
al.,	5		ca			16.6			21.61	26.6		0789	290.7
2016						1				1			
Gil et	0.001	Chile	South Ameri	-30.03	-69.17	Collag en	-	Lama sp.	Browsers	-	-	-6.515	15.0756
al.,	7		ca			16.2			21.27	26.2		5927	270.4
2016						7				7			
Gil et	0.001	Chile	South Ameri	-30.03	-69.17	Collag en	-	Lama sp.	Browsers	-	-	-6.515	15.0652
al.,	7		ca			16.2			21.26	26.2		8802	270.4
2016						6				6			
Gil et	0.001	Chile	South Ameri	-30.03	-69.17	Collag en	-	Lama sp.	Browsers	-	-	-6.515	14.3087
al.,	7		ca			15.5			20.53	25.5		5882	270.4
2016						3				3			
Gil et	0.001	Chile	South Ameri	-30.03	-69.17	Collag en	-	Lama sp.	Browsers	-	-	-6.515	14.0809
al.,	7		ca			15.3			20.31	25.3		848	270.4
2016						1				1			
Gil et	0.001	Chile	South Ameri	-30.03	-69.17	Collag en	-	Lama sp.	Browsers	-	-	-6.515	13.7395
al.,	7		ca			14.9			19.98	24.9		1552	270.4

2016			ca			8					8					
Gil et al., 2016	0.0003	Chile	South Ameri ca	-35.37	-68.3	Collag en	-14.7	Lama sp.	Browsers	-19.7	-	-6.515	13.4499	266.7		
Gil et al., 2016	0.0017	Chile	South Ameri ca	-30.03	-69.17	Collag en	-	Lama sp.	Browsers	-	24.7	643				
Gil et al., 2016	0.0015	Chile	South Ameri ca	-32.97	-69.17	Collag en	14.4	Lama sp.	Browsers	19.56	24.5	-6.515	13.3052	270.4		
Gil et al., 2016	0.00105	Chile	South Ameri ca	-30.29	-69.26	Collag en	14.0	Lama sp.	Browsers	-	-	-6.515	13.2225	269.9		
Gil et al., 2016	0.0014	Chile	South Ameri ca	-32.62	-69.15	Collag en	14.0	Lama sp.	Browsers	-	24.0	-6.515	12.7990	268.7		
Gil et al., 2016	0.001045	Chile	South Ameri ca	52.3555	1.1743	Collag en	-23.3	Horse	Grazers	-28.3	-	-6.515	12.7681	269.6		
Stevens et al., 2004	0.002185	UK	Europe	52.3555	1.1743	Collag en	-23.3	Horse	Grazers	-28.3	24.0	-6.515	22.2220	273.9		
Stevens et al., 2004	0.00636	Belgium	Europe	50.5039	4.4699	Collag en	-23.3	Horse	Grazers	-28.3	-	-6.515	22.2778	271.6		
Stevens et al., 2004	0.00033	UK	Europe	52.3555	1.1743	Collag en	-22.7	Horse	Grazers	-27.7	-	-6.53579	21.7671	266.8		
Stevens et al., 2004	0.00111	UK	Europe	52.3555	1.1743	Collag en	-22.7	Horse	Grazers	-27.7	32.7	-6.58493	21.7166	268.8		
Stevens et al., 2004	0.002365	UK	Europe	52.3555	1.1743	Collag en	-22.5	Horse	Grazers	-27.5	-	-6.66399	21.4251	272.1		
Stevens et al., 2004	0.00155	UK	Europe	52.3555	1.1743	Collag en	-22.4	Horse	Grazers	-27.4	32.4	-6.61265	21.3729	270.0		
Stevens et al., 2004	0.00797	Belgium	Europe	50.5039	4.4699	Collag en	-22.4	Horse	Grazers	-27.4	-	-6.8201	21.1596	286.7		

Stevens et al., 2004	0.001 722	UK	Europ e	52.355 5	1.1743	Collag en	-22.3	Horse	Grazers	-27.3	- 32.3	- 6.62348 6	21.2568 2533	270.4 772
Stevens et al., 2004	0.001 389	UK	Europ e	52.355 5	1.1743	Collag en	-22.2	Horse	Grazers	-27.2	- 32.2	- 6.60250 7	21.1734 0975	269.6 114
Stevens et al., 2004	0.001 416	UK	Europ e	52.355 5	1.1743	Collag en	-22.1	Horse	Grazers	-27.1	- 32.1	- 6.60420 8	21.0666 9956	269.6 816
Stevens et al., 2004	0.001 493	UK	Europ e	52.355 5	1.1743	Collag en	-22.1	Horse	Grazers	-27.1	- 32.1	- 6.60905 9	21.0617 1343	269.8 818
Stevens et al., 2004	0.001 98	UK	Europ e	52.355 5	1.1743	Collag en	-22	Horse	Grazers	-27	-32	-6.63974	20.9252 4152	271.1 48
Stevens et al., 2004	0.010 22	UK	Europ e	52.355 5	1.1743	Collag en	-21.9	Horse	Grazers	-26.9	- 31.9	- 6.80789 0909	20.6475 2758	292.5 72
Stevens et al., 2004	0.002 235	UK	Europ e	52.355 5	1.1743	Collag en	-21.8	Horse	Grazers	-26.8	- 31.8	- 6.65580 5	20.6989 2622	271.8 11
Stevens et al., 2004	0.000 17	UK	Europ e	52.355 5	1.1743	Collag en	-21.8	Horse	Grazers	-26.8	- 31.8	-6.52571	20.8326 0378	266.4 42
Stevens et al., 2004	0.001 74	UK	Europ e	52.355 5	1.1743	Collag en	-21.8	Horse	Grazers	-26.8	- 31.8	-6.62462	20.7309 7	270.5 24
Stevens et al., 2004	0.002 09	UK	Europ e	52.355 5	1.1743	Collag en	-21.7	Horse	Grazers	-26.7	- 31.7	-6.64667	20.6034 419	271.4 34
Stevens et al., 2004	0.001 434	UK	Europ e	52.355 5	1.1743	Collag en	-21.6	Horse	Grazers	-26.6	- 31.6	- 6.60534 2	20.5410 4993	269.7 284
Stevens et al., 2004	0.001 46	UK	Europ e	52.355 5	1.1743	Collag en	-21.6	Horse	Grazers	-26.6	- 31.6	-6.60698	20.5393 6717	269.7 96
Stevens et al., 2004	0.001 739	UK	Europ e	52.355 5	1.1743	Collag en	-21.6	Horse	Grazers	-26.6	- 31.6	- 6.62455 7	20.5213 0984	270.5 214
Stevens	0.010	Germany	Europ	51.165	10.4515	Collag	-21.6	Horse	Grazers	-26.6	-	-	20.3319	292.1

et al., 2004	04	e	7	en						31.6	6.80887	5734	04
Stevens et al., 2004	0.010 81	UK	Europ e	52.355 5	1.1743	Collag en	-21.5	Horse	Grazers	-26.5	-	2727	
Stevens et al., 2004	0.010 92	UK	Europ e	52.355 5	1.1743	Collag en	-21.5	Horse	Grazers	-26.5	-	2727	294.1
Stevens et al., 2004	0.010 46	UK	Europ e	52.355 5	1.1743	Collag en	-21.5	Horse	Grazers	-26.5	-	2727	294.3
Stevens et al., 2004	0.001 387	UK	Europ e	52.355 5	1.1743	Collag en	-21.5	Horse	Grazers	-26.5	-	1818	293.1
Stevens et al., 2004	0.027 15	Germany	Europ e	51.165 7	10.4515	Collag en	-21.5	Horse	Grazers	-26.5	-	6.60238	269.6
Stevens et al., 2004	0.000 259	UK	Europ e	52.355 5	1.1743	Collag en	-21.4	Horse	Grazers	-26.4	-	6.71554	314.7
Stevens et al., 2004	0.023 58	UK	Europ e	52.355 5	1.1743	Collag en	-21.4	Horse	Grazers	-26.4	-	5455	825
Stevens et al., 2004	0.000 41	UK	Europ e	52.355 5	1.1743	Collag en	-21.4	Horse	Grazers	-26.4	-	6.53131	266.6
Stevens et al., 2004	0.010 38	Germany	Europ e	51.165 7	10.4515	Collag en	-21.4	Horse	Grazers	-26.4	-	8182	292.9
Stevens et al., 2004	0.010 29	UK	Europ e	52.355 5	1.1743	Collag en	-21.3	Horse	Grazers	-26.3	-	6.80701	316.3
Stevens et al., 2004	0.010 125	UK	Europ e	52.355 5	1.1743	Collag en	-21.3	Horse	Grazers	-26.3	-	6.80750	267.0
Stevens et al., 2004	0.013 185	Germany	Europ e	51.165 7	10.4515	Collag en	-21.3	Horse	Grazers	-26.3	-	9091	300.2
Stevens et al., 2004	0.013 5	Germany	Europ e	51.165 7	10.4515	Collag en	-21.3	Horse	Grazers	-26.3	-	-6.79	301.1
										31.3		7237	

2004														
Stevens et al., 2004	0.022 16	Belgium	Europe	50.503 9	4.4699	Collagen	-21.3	Horse	Grazers	-26.3 -31.3	- 31.3	- 6.74276 3636	20.0854 8461	317.0 28
Stevens et al., 2004	0.025 94	UK	Europe	52.355 5	1.1743	Collagen	-21.2	Horse	Grazers	-26.2 -31.2	- 31.2	- 6.72214 5455	20.0019 0444	315.3 27
Stevens et al., 2004	0.010 98	UK	Europe	52.355 5	1.1743	Collagen	-21.1	Horse	Grazers	-26.1 -31.1	- 31.1	- 6.80374 5455	19.8133 8386	294.5 48
Stevens et al., 2004	0.012 79	Belgium	Europe	50.503 9	4.4699	Collagen	-21.1	Horse	Grazers	-26.1 -31.1	- 31.1	- 6.79387 2727	19.8235 2118	299.2 54
Stevens et al., 2004	0.012 04	UK	Europe	52.355 5	1.1743	Collagen	-21	Horse	Grazers	-26 -31	- 31	- 6.79796 3636	19.7146 1639	297.3 04
Stevens et al., 2004	0.013 27	Germany	Europe	51.165 7	10.4515	Collagen	-21	Horse	Grazers	-26 -31	- 31	- 6.79125 4545	19.7215 0457	300.5 02
Stevens et al., 2004	0.011 07	UK	Europe	52.355 5	1.1743	Collagen	-20.9	Horse	Grazers	-25.9 -30.9	- 30.9	- 6.80325 4545	19.6045 0206	294.7 82
Stevens et al., 2004	0.012 97	Germany	Europe	51.165 7	10.4515	Collagen	-20.9	Horse	Grazers	-25.9 -30.9	- 30.9	- 6.79289 0909	19.6151 4125	299.7 22
Stevens et al., 2004	0.012 45	Germany	Europe	51.165 7	10.4515	Collagen	-20.9	Horse	Grazers	-25.9 -30.9	- 30.9	- 6.79572 7273	19.6122 2947	298.3 7
Stevens et al., 2004	0.036 65	Belgium	Europe	50.503 9	4.4699	Collagen	-20.9	Horse	Grazers	-25.9 -30.9	- 30.9	- 6.68226 6667	19.7287 0684	309.8 425
Stevens et al., 2004	0.010 09	UK	Europe	52.355 5	1.1743	Collagen	-20.8	Horse	Grazers	-25.8 -30.8	- 30.8	- 6.8086 5434	19.4943 34	292.2
Stevens et al., 2004	0.010 15	UK	Europe	52.355 5	1.1743	Collagen	-20.8	Horse	Grazers	-25.8 -30.8	- 30.8	- 6.80827 2727	19.4946 9028	292.3 9
Stevens et al., 2004	0.012 71	UK	Europe	52.355 5	1.1743	Collagen	-20.8	Horse	Grazers	-25.8 -30.8	- 30.8	- 6.79430 9091	19.5090 2372	299.0 46

Stevens et al., 2004	0.009 815	France	Europ e	46.227 6	2.2137	Collag en	-20.8	Horse	Grazers	-25.8	- 30.8	-6.8101	19.4928	291.5 19
Stevens et al., 2004	0.012 09	France	Europ e	46.227 6	2.2137	Collag en	-20.8	Horse	Grazers	-25.8	- 30.8	6.79769 0909	19.5055	297.4 34
Stevens et al., 2004	0.011 92	UK	Europ e	52.355 5	1.1743	Collag en	-20.7	Horse	Grazers	-25.7	- 30.7	6.79861 8182	19.3999	296.9 92
Stevens et al., 2004	0.011 8	UK	Europ e	52.355 5	1.1743	Collag en	-20.7	Horse	Grazers	-25.7	- 30.7	6.79927 2727	19.3992	296.6 8
Stevens et al., 2004	0.027 64	UK	Europ e	52.355 5	1.1743	Collag en	-20.7	Horse	Grazers	-25.7	- 30.7	6.71287 2727	19.4879	314.5 62
Stevens et al., 2004	0.012 23	UK	Europ e	52.355 5	1.1743	Collag en	-20.7	Horse	Grazers	-25.7	- 30.7	6.79818 1818	19.4004	297.2
Stevens et al., 2004	0.012 34	UK	Europ e	52.355 5	1.1743	Collag en	-20.7	Horse	Grazers	-25.7	- 30.7	6.79692 7273	19.4016	297.7 98
Stevens et al., 2004	0.028 05	Germany	Europ e	51.165 7	10.4515	Collag en	-20.7	Horse	Grazers	-25.7	- 30.7	6.79632 7273	19.4023	298.0 84
Stevens et al., 2004	0.012 8	Belgium	Europ e	50.503 9	4.4699	Collag en	-20.7	Horse	Grazers	-25.7	- 30.7	6.79381 8182	19.4048	299.2 8
Stevens et al., 2004	0.013 32	UK	Europ e	52.355 5	1.1743	Collag en	-20.6	Horse	Grazers	-25.6	- 30.6	6.79098 1818	19.3031	300.6 32
Stevens et al., 2004	0.012 28	UK	Europ e	52.355 5	1.1743	Collag en	-20.6	Horse	Grazers	-25.6	- 30.6	6.79665 4545	19.2973	297.9 28
Stevens et al., 2004	0.011 97	UK	Europ e	52.355 5	1.1743	Collag en	-20.6	Horse	Grazers	-25.6	- 30.6	6.79834 5455	19.2956	297.1 22
Stevens	0.012	UK	Europ	52.355	1.1743	Collag	-20.6	Horse	Grazers	-25.6	-	-	19.2969	297.7

et al., 2004	21	e	5	en						30.6	6.79703 6364	6597	46
Stevens et al., 2004	0.010 715	UK	Europ e	52.355 5	1.1743	Collag en	-20.6	Horse	Grazers	-25.6 - 30.6	- 6.80519 0909	19.2885 9718	293.8 59
Stevens et al., 2004	0.027 63	UK	Europ e	52.355 5	1.1743	Collag en	-20.6	Horse	Grazers	-25.6 - 30.6	- 6.71292 7273	19.3832 8482	314.5 665
Stevens et al., 2004	0.013 105	Germany	Europ e	51.165 7	10.4515	Collag en	-20.6	Horse	Grazers	-25.6 - 30.6	- 6.79215 4545	19.3019 7604	300.0 73
Stevens et al., 2004	0.033 2	Germany	Europ e	51.165 7	10.4515	Collag en	-20.6	Horse	Grazers	-25.6 - 30.6	- 6.69146 6667	19.4053 0925	311.7 4
Stevens et al., 2004	0.030 95	Germany	Europ e	51.165 7	10.4515	Collag en	-20.6	Horse	Grazers	-25.6 - 30.6	- 6.69746 6667	19.3991 5161	312.9 775
Stevens et al., 2004	0.012 66	Germany	Europ e	51.165 7	10.4515	Collag en	-20.6	Horse	Grazers	-25.6 - 30.6	- 6.79458 1818	19.2994 85	298.9 16
Stevens et al., 2004	0.019 32	Germany	Europ e	51.165 7	10.4515	Collag en	-20.6	Horse	Grazers	-25.6 - 30.6	- 6.75825 4545	19.3367	316.2
Stevens et al., 2004	0.011 8	UK	Europ e	52.355 5	1.1743	Collag en	-20.5	Horse	Grazers	-25.5 - 30.5	- 6.79927 2727	19.1900 7416	296.6 8
Stevens et al., 2004	0.033 05	UK	Europ e	52.355 5	1.1743	Collag en	-20.5	Horse	Grazers	-25.5 - 30.5	- 6.69186 6667	19.3002 9075	311.8 225
Stevens et al., 2004	0.012 03	UK	Europ e	52.355 5	1.1743	Collag en	-20.5	Horse	Grazers	-25.5 - 30.5	- 6.79801 8182	19.1913 6154	297.2 78
Stevens et al., 2004	0.000 37	UK	Europ e	52.355 5	1.1743	Collag en	-20.5	Horse	Grazers	-25.5 - 30.5	- -6.53831	19.4578 6557	266.9 62
Stevens et al., 2004	0.012 14	France	Europ e	46.227 6	2.2137	Collag en	-20.5	Horse	Grazers	-25.5 - 30.5	- 6.79741 8182	19.1919 7724	297.5 64
Stevens et al., 2004	0.027 74	Belgium	Europ e	50.503 9	4.4699	Collag en	-20.5	Horse	Grazers	-25.5 - 30.5	- 6.71232	19.2792 9474	314.5 17

2004												7273	
Stevens et al., 2004	0.012	UK	Europe	52.355	1.1743	Collagen	-20.4	Horse	Grazers	-25.4	-	-	19.0879
	24		5							30.4	30.4	6.79687	6149
											2727		297.8
Stevens et al., 2004	0.012	UK	Europe	52.355	1.1743	Collagen	-20.4	Horse	Grazers	-25.4	-	-	19.0874
	15		5							30.4	30.4	6.79736	5779
											3636		297.5
Stevens et al., 2004	0.011	UK	Europe	52.355	1.1743	Collagen	-20.3	Horse	Grazers	-25.3	-	-6.8002	18.9799
	63		5							30.3	30.3	9384	38
Stevens et al., 2004	0.009	UK	Europe	52.355	1.1743	Collagen	-20.3	Horse	Grazers	-25.3	-	-	18.9661
	16		5							30.3	30.3	6.81367	7141
											2727		289.8
Stevens et al., 2004	0.012	Germany	Europe	51.165	10.4515	Collagen	-20.3	Horse	Grazers	-25.3	-	-	18.9822
	04		7							30.3	30.3	6.79796	8826
											3636		297.3
Stevens et al., 2004	0.012	Germany	Europe	51.165	10.4515	Collagen	-20.3	Horse	Grazers	-25.3	-	-	18.9855
	63		7							30.3	30.3	6.79474	8997
											5455		298.8
Stevens et al., 2004	0.038	France	Europe	46.227	2.2137	Collagen	-20.3	Horse	Grazers	-25.3	-	-6.6776	19.1057
	4		6							30.3	30.3	7614	308.8
Stevens et al., 2004	0.012	Belgium	Europe	50.503	4.4699	Collagen	-20.3	Horse	Grazers	-25.3	-	-	18.9865
	8		9							30.3	30.3	6.79381	4131
											8182		299.2
Stevens et al., 2004	0.010	UK	Europe	52.355	1.1743	Collagen	-20.2	Horse	Grazers	-25.2	-	-	18.8671
	15		5							30.2	30.2	6.80827	8021
											2727		292.3
Stevens et al., 2004	0.027	Germany	Europe	51.165	10.4515	Collagen	-20.1	Horse	Grazers	-25.1	-	-	18.8596
	48		7							30.1	30.1	6.71374	3129
											5455		314.6
Stevens et al., 2004	0.012	UK	Europe	52.355	1.1743	Collagen	-20	Horse	Grazers	-25	-30	-	18.6699
	25		5								6.79681	3007	297.8
											8182		
Stevens et al., 2004	0.027	Germany	Europe	51.165	10.4515	Collagen	-20	Horse	Grazers	-25	-30	-	18.7552
	5		7								6.71363	4476	314.6
											6364		25
Stevens et al., 2004	0.000	UK	Europe	52.355	1.1743	Collagen	-19.9	Horse	Grazers	-24.9	-	-6.53516	18.8338
	32		5							29.9	29.9	0166	266.8
													32

Stevens et al., 2004	0.013 19	Germany	Europ e	51.165 7	10.4515	Collag en	-19.9	Horse	Grazers	-24.9	- 29.9	- 6.79169 0909	18.5707 2002	300.2 94
Stevens et al., 2004	0.013 52	Germany	Europ e	51.165 7	10.4515	Collag en	-19.7	Horse	Grazers	-24.7	- 29.7	- 6.78989 0909	18.3636 9229	301.1 52
Stevens et al., 2004	0.034 45	France	Europ e	46.227 6	2.2137	Collag en	-19.7	Horse	Grazers	-24.7	- 29.7	- 6.68813 3333	18.4680 2693	311.0 525
Stevens et al., 2004	0.012 17	UK	Europ e	52.355 5	1.1743	Collag en	-19.6	Horse	Grazers	-24.6	- 29.6	- 6.79725 4545	18.2517 3821	297.6 42
Stevens et al., 2004	0.013 15	Germany	Europ e	51.165 7	10.4515	Collag en	-19.5	Horse	Grazers	-24.5	- 29.5	- 6.79190 9091	18.1528 3538	300.1 9
Stevens et al., 2004	0.038 3	France	Europ e	46.227 6	2.2137	Collag en	-19.5	Horse	Grazers	-24.5	- 29.5	- 6.67786 6667	18.2697 4201	308.9 35
Stevens et al., 2004	0.013 13	Germany	Europ e	51.165 7	10.4515	Collag en	-19.4	Horse	Grazers	-24.4	- 29.4	- 6.79201 8182	18.0483 6185	300.1 38
Stevens et al., 2004	0.031 75	Germany	Europ e	51.165 7	10.4515	Collag en	-19.3	Horse	Grazers	-24.3	- 29.3	- 6.69533 3333	18.0431 1435	312.5 375
Stevens et al., 2004	0.032 9	Germany	Europ e	51.165 7	10.4515	Collag en	-19.3	Horse	Grazers	-24.3	- 29.3	- 6.69226 6667	18.0462 5739	311.9 05
Stevens et al., 2004	0.030 1	Germany	Europ e	51.165 7	10.4515	Collag en	-19	Horse	Grazers	-24	-29	- 6.69973 3333	17.7256 8306	313.4 45
Stevens et al., 2004	0.033 4	France	Europ e	46.227 6	2.2137	Collag en	-18.8	Horse	Grazers	-23.8	- 28.8	- 6.69093 3333	17.5261 8999	311.6 3

## REFERENCES

- Ale, R., Zhang, L., Li, X., Raskoti, B. B., Pugnaire, F. I., & Luo, T. (2018). Leaf  $\delta^{13}\text{C}$  as an indicator of water availability along elevation gradients in the dry Himalayas. *Ecological Indicators*, 94, 266-273. doi:10.1016/j.ecolind.2018.07.002
- Arens, N. C., Jahren, A. H., & Amundson, R. J. P. (2000). Can C3 plants faithfully record the carbon isotopic composition of atmospheric carbon dioxide? , 26(1), 137-164.
- Basu, S., Ghosh, S., & Sanyal, P. (2019). Spatial heterogeneity in the relationship between precipitation and carbon isotopic discrimination of C3 plants: Inferences from a global compilation. *Global and Planetary Change*.
- Beerling, D. J., & Royer, D. L. J. N. G. (2011). Convergent cenozoic CO<sub>2</sub> history. 4(7), 418.
- Beerling, D. J., Fox, A., & Anderson, C. W. (2009). Quantitative uncertainty analyses of ancient atmospheric CO<sub>2</sub> estimates from fossil leaves. *American Journal of Science*, 309(9), 775-787.
- Breecker, D. O. (2013). Quantifying and understanding the uncertainty of atmospheric CO<sub>2</sub> concentrations determined from calcic paleosols. *Geochemistry, Geophysics, Geosystems*, 14(8), 3210-3220.
- Castaños, J., Zuluaga, M. C., Ortega, L. Á., Murelaga, X., Alonso-Olazabal, A., Rofes, J., & Castaños, P. (2014). Carbon and nitrogen stable isotopes of bone collagen of large herbivores from the Late Pleistocene Kiputz IX cave site (Gipuzkoa, north Iberian Peninsula) for palaeoenvironmental reconstruction. *Quaternary International*, 339-340, 131-138. doi:10.1016/j.quaint.2013.10.006

Cerling, T. E., & Harris, J. M. (1999). Carbon isotope fractionation between diet and bioapatite in ungulate mammals and implications for ecological and paleoecological studies. *Oecologia*, 120(3), 347-363.

Coltrain, J. B., Harris, J. M., Cerling, T. E., Ehleringer, J. R., Dearing, M.-D., Ward, J., & Allen, J. (2004). Rancho La Brea stable isotope biogeochemistry and its implications for the palaeoecology of late Pleistocene, coastal southern California. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 205(3-4), 199-219. doi:10.1016/j.palaeo.2003.12.008

Cotton, J. M., & Sheldon, N. D. (2012). New constraints on using paleosols to reconstruct atmospheric p CO<sub>2</sub>. *Bulletin*, 124(9-10), 1411-1423.

Cui, Y., & Schubert, B. A. (2016). Quantifying uncertainty of past pCO<sub>2</sub> determined from changes in C3 plant carbon isotope fractionation. *Geochimica et Cosmochimica Acta*, 172, 127-13

Cui, Y., & Schubert, B. A. (2017). Atmospheric pCO<sub>2</sub> reconstructed across five early Eocene global warming events. *Earth and Planetary Science Letters*, 478, 225-233.

Cui, Y., & Schubert, B. A. (2018). Towards determination of the source and magnitude of atmospheric pCO<sub>2</sub> change across the early Paleogene hyperthermals. *Global and planetary change*, 170, 120-125.

Dal Corso, J., Schmidt, A. R., Seyfullah, L. J., Preto, N., Ragazzi, E., Jenkyns, H. C., ... & Roghi, G. (2017). Evaluating the use of amber in palaeoatmospheric reconstructions: The carbon-isotope variability of modern and Cretaceous conifer resins. *Geochimica et Cosmochimica Acta*, 199, 351-369.

Diefendorf, A. F., & Freimuth, E. J. (2017). Extracting the most from terrestrial plant-derived n-alkyl lipids and their carbon isotopes from the sedimentary record: A review. *Organic Geochemistry*, 103, 1-21.

Diefendorf, A. F., Mueller, K. E., Wing, S. L., Koch, P. L., & Freeman, K. H. (2010). Global patterns in leaf 13C discrimination and implications for studies of past and future climate. *Proc Natl Acad Sci U S A*, 107(13), 5738-5743. doi:10.1073/pnas.0910513107

Dockrill, P. (2019, May 13). It's Official: Atmospheric CO<sub>2</sub> Just Exceeded 415 ppm For The First Time in Human History. *ScienceAlert*. Retrieved from <https://www.sciencealert.com/it-s-official-atmospheric-co2-just-exceeded-415-pmm-for-first-time-in-human-history/>

Farquhar, G. D., Ehleringer, J. R., & Hubick, K. T. J. A. r. o. p. b. (1989). Carbon isotope discrimination and photosynthesis. *40*(1), 503-537.

Farquhar, G. D., & Sharkey, T. D. J. A. r. o. p. p. (1982). Stomatal conductance and photosynthesis. *33*(1), 317-345.

Foster, G. L., Royer, D. L., & Lunt, D. J. (2017). Future climate forcing potentially without precedent in the last 420 million years. *Nat Commun*, 8, 14845. doi:10.1038/ncomms14845

Fox-Dobbs, K., Leonard, J. A., & Koch, P. L. (2008). Pleistocene megafauna from eastern Beringia: Paleoecological and paleoenvironmental interpretations of stable carbon and nitrogen isotope and radiocarbon records. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 261(1-2), 30-46.

Franks, P. J., & Beerling, D. J. (2009). CO<sub>2</sub>-forced evolution of plant gas exchange capacity and water-use efficiency over the Phanerozoic. *Geobiology*, 7(2), 227-236.

- Froehle, A. W., Kellner, C. M., & Schoeninger, M. J. (2010). FOCUS: effect of diet and protein source on carbon stable isotope ratios in collagen: follow up to. *Journal of Archaeological Science*, 37(10), 2662-2670.
- Hadley, W. (2018). *ggplot2: Create Elegant Data Visualisations Using the Grammar of Graphics*.
- Hansen, J., Sato, M., Russell, G., & Kharecha, P. (2013). Climate sensitivity, sea level and atmospheric carbon dioxide. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 371(2001), 20120294.
- Hare, V. J., Loftus, E., Jeffrey, A., & Ramsey, C. B. J. N. c. (2018). Atmospheric CO<sub>2</sub> effect on stable carbon isotope composition of terrestrial fossil archives. 9(1), 252.
- Henke, L. M., Lambert, F. H., & Charman, D. J. (2017). Was the Little Ice Age more or less El Niño-like than the Medieval Climate Anomaly? Evidence from hydrological and temperature proxy data.
- Jevrejeva, S., Jackson, L. P., Riva, R. E., Grinsted, A., & Moore, J. C. (2016). Coastal sea level rise with warming above 2 C. *Proceedings of the National Academy of Sciences*, 113(47), 13342-13347.
- Kahle, D., & Wickham, H. (2013). *ggmap: Spatial Visualization with ggplot2*. The R journal, 5(1), 144-161.
- Kohn, M. J. (2016). Metamorphic chronology—a tool for all ages: Past achievements and future prospects. *American Mineralogist*, 101(1), 25-42.
- Kohn, M. J. (2016). Carbon isotope discrimination in C3 land plants is independent of natural variations in pCO<sub>2</sub>. *Geophys. Perspect. Lett*, 2, 35-43.
- Kohn, M. J., Strömberg, C. A., Madden, R. H., Dunn, R. E., Evans, S., Palacios, A., & Carlini, A. A. (2015). Quasi-static Eocene–Oligocene climate in Patagonia promotes slow faunal

evolution and mid-Cenozoic global cooling. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 435, 24-37.koh

Kohn, M. J. (2010). Carbon isotope compositions of terrestrial C3 plants as indicators of (paleo)ecology and (paleo)climate. *Proc Natl Acad Sci U S A*, 107(46), 19691-19695.  
doi:10.1073/pnas.1004933107

Kothavala, Z. (1997). Extreme precipitation events and the applicability of global climate models to the study of floods and droughts. *Mathematics and computers in simulation*, 43(3-6), 261-268.

Le Quéré, C., Andrew, R. M., Friedlingstein, P., Sitch, S., Pongratz, J., Manning, A. C., ... & Boden, T. A. (2017). Global carbon budget 2017. *Earth System Science Data Discussions*, 1-79.

Lüthi, D. (2008). EPICA Dome C Ice Core 800KYr Carbon Dioxide Data. IGBP PAGES/World Data Center for Paleoclimatology Data Contribution Series, 55.

Nordt, L., Tubbs, J., & Dworkin, S. (2016). Stable carbon isotope record of terrestrial organic materials for the last 450 Ma yr. *Earth-science reviews*, 159, 103-117.

O'Leary, M. H. (1988). Carbon isotopes in photosynthesis. *Bioscience*, 38(5), 328-336.

Olago, D. O., Street-Perrott, F. A., Perrott, R. A., Ivanovich, M., & Harkness, D. D. (1999). Late Quaternary glacial-interglacial cycle of climatic and environmental change on Mount Kenya, Kenya. *Journal of African Earth Sciences*, 29(3), 593-618.

Osborne, C. P. (2008). Atmosphere, ecology and evolution: what drove the Miocene expansion of C4 grasslands?. *Journal of Ecology*, 96(1), 35-45.

- Pagani, M., Zachos, J. C., Freeman, K. H., Tipple, B., & Bohaty, S. (2005). Marked decline in atmospheric carbon dioxide concentrations during the Paleogene. *Science*, 309(5734), 600-603.
- Passey, B. H., Robinson, T. F., Ayliffe, L. K., Cerling, T. E., Sponheimer, M., Dearing, M. D., ... & Ehleringer, J. R. (2005). Carbon isotope fractionation between diet, breath CO<sub>2</sub>, and bioapatite in different mammals. *Journal of Archaeological Science*, 32(10), 1459-1470.
- Porter, A. S., Gerald, C. E. F., Yiotis, C., Montañez, I. P., & McElwain, J. C. (2019). Testing the accuracy of new paleoatmospheric CO<sub>2</sub> proxies based on plant stable carbon isotopic composition and stomatal traits in a range of simulated paleoatmospheric O<sub>2</sub>: CO<sub>2</sub> ratios. *Geochimica et Cosmochimica Acta*.
- R Core Team (2018). R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. URL <http://www.R-project.org/>.
- Raghavan, M., Themudo, G. E., Smith, C. I., Zazula, G., & Campos, P. F. (2014). Musk ox (*Ovibos moschatus*) of the mammoth steppe: tracing palaeodietary and palaeoenvironmental changes over the last 50,000 years using carbon and nitrogen isotopic analysis. *Quaternary Science Reviews*, 102, 192-201.
- Ricklefs, R. E. (2008). The economy of nature. Macmillan.
- Royer, D. L. (2014). Atmospheric CO<sub>2</sub> and O<sub>2</sub> during the Phanerozoic: Tools, patterns, and impacts. *Treatise on Geochemistry* (Second Edition), 6.
- Royer, D. L., Berner, R. A., & Beerling, D. J. (2001). Phanerozoic atmospheric CO<sub>2</sub> change: evaluating geochemical and paleobiological approaches. *Earth-Science Reviews*, 54(4), 349-392.

- Royer, D. L. (2001). Stomatal density and stomatal index as indicators of paleoatmospheric CO<sub>2</sub> concentration. *Review of Palaeobotany and Palynology*, 114(1-2), 1-28.
- Sage, R. F. (2004). The evolution of C4 photosynthesis. *New phytologist*, 161(2), 341-370.
- Schubert, B. A., & Jahren, A. H. J. G. e. C. A. (2012). The effect of atmospheric CO<sub>2</sub> concentration on carbon isotope fractionation in C3 land plants. *96*, 29-43.
- Schubert, B. A., & Hope Jahren, A. (2013). Reconciliation of marine and terrestrial carbon isotope excursions based on changing atmospheric CO<sub>2</sub> levels. *Nat Commun*, 4, 1653. doi:10.1038/ncomms2659
- Schubert, B. A., & Jahren, A. H. (2015). Global increase in plant carbon isotope fractionation following the Last Glacial Maximum caused by increase in atmospheric pCO<sub>2</sub>. *Geology*, 43(5), 435-438. doi:10.1130/g36467.1
- Schubert, B. A., & Jahren, A. H. (2018). Incorporating the effects of photorespiration into terrestrial paleoclimate reconstruction. *Earth-science reviews*, 177, 637-642.
- Sheldon, N. D. (2006). Quaternary glacial-interglacial climate cycles in Hawaii. *The Journal of Geology*, 114(3), 367-376.
- Tans, D. P. (2012). NOAA/ESRL ([www.esrl.noaa.gov/gmd/ccgg/trends/](http://www.esrl.noaa.gov/gmd/ccgg/trends/)) and Dr. Ralph Keeling. Scripps Institution of Oceanography ([scrippsc02.ucsd.edu/](http://scrippsc02.ucsd.edu/)).
- Tipple, B. J., Meyers, S. R., & Pagani, M. (2010). Carbon isotope ratio of Cenozoic CO<sub>2</sub>: A comparative evaluation of available geochemical proxies. *Paleoceanography*, 25(3). doi:10.1029/2009pa001851
- Wang, G., Li, J., Liu, X., & Li, X. (2013). Variations in carbon isotope ratios of plants across a temperature gradient along the 400 mm isoline of mean annual precipitation in north

China and their relevance to paleovegetation reconstruction. *Quaternary Science Reviews*, 63, 83-90.

Wickham, H. (2016). *ggplot2: elegant graphics for data analysis*. Springer.

Wickham, H. (2017). *The tidyverse*. R package ver. 1.1, 1.

Winslow, J. C., Hunt Jr, E. R., & Piper, S. C. (2003). The influence of seasonal water availability on global C3 versus C4 grassland biomass and its implications for climate change research. *Ecological modelling*, 163(1-2), 153-173.

Zhang, H. Y., Hartmann, H., Gleixner, G., Thoma, M., & Schwab, V. F. (2019). Carbon isotope fractionation including photosynthetic and post-photosynthetic processes in C3 plants: Low [CO<sub>2</sub>] matters. *Geochimica et Cosmochimica Acta*, 245, 1-15.